

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB137168

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q3080-01	EO-03-091125	1	100.08	0.00	09/12/2025	09:30
2	Q3082-01	WC-29	1	100.05	0.00	09/12/2025	09:38
3	Q3082-03	WC-30	1	100.06	0.00	09/12/2025	09:45
4	Q3082-05	WC-31	1	100.07	0.00	09/12/2025	09:53
5	Q3082-07	WC-32	1	100.02	0.00	09/12/2025	10:00
6	Q3082-09	WC-33	1	100.05	0.00	09/12/2025	10:07
7	Q3082-09DUP	WC-33DUP	1	100.05	0.00	09/12/2025	10:15

6137168

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf-09-12

WorkList ID : 191829

Department : Wet-Chemistry

Date : 09-12-2025 08:06:15

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3080-01	EO-03-091125	Solid	Paint Filter	Cool 4 deg C	PSEG05	D31	09/11/2025	9095B
Q3082-01	WC-29	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	09/11/2025	9095B
Q3082-03	WC-30	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	09/11/2025	9095B
Q3082-05	WC-31	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	09/11/2025	9095B
Q3082-07	WC-32	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	09/11/2025	9095B
Q3082-09	WC-33	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	09/11/2025	9095B

Date/Time 09/12/2025 08:15
Raw Sample Received by: RMW
Raw Sample Relinquished by: RMW

Date/Time 09/12/2025 11:00
Raw Sample Received by: RMW
Raw Sample Relinquished by: RMW