

Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB137442

Reviewed By: Eman
Supervisor Review By: Iwona
BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q3294-01	HD-02-10062025	1	100.02	0.00	10/07/2025	08:54
2	Q3294-01DUP	HD-02-10062025DUP	1	100.05	0.00	10/07/2025	09:02
3	Q3295-01	EO-01-10062025	1	100.03	0.00	10/07/2025	09:10
4	Q3295-03	EO-02-10062025	1	100.01	0.00	10/07/2025	09:17
5	Q3296-01	SU-04-10062025	1	100.04	0.00	10/07/2025	09:25
6	Q3297-01	TP1	1	100.05	0.00	10/07/2025	09:32
7	Q3297-11	TP2	1	100.02	0.00	10/07/2025	09:40

WORKLIST(Hardcopy Internal Chain)

16137442

WorkList Name : PF-100725

WorkList ID : 192309

Department : Wet-Chemistry

Date : 10-07-2025 08:33:52

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3294-01	HD-02-10062025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D31	10/06/2025	9095B
Q3295-01	EO-01-10062025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D31	10/06/2025	9095B
Q3295-03	EO-02-10062025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D31	10/06/2025	9095B
Q3296-01	SU-04-10062025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D31	10/06/2025	9095B
Q3297-01	TP1	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	10/06/2025	9095B
Q3297-11	TP2	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	10/06/2025	9095B

Date/Time 16/7/25 08:45
 Raw Sample Received by: GM(WC)
 Raw Sample Relinquished by: [Signature]

Date/Time 10/7/25 10:00
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: FM(WC)