

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/30/2025

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 10/29/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:20
Out Date: 10/30/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID-OVEN

QC:LB137700

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
Q3368-13	OUTSIDE-DUMPSTER	1	1.12	10.63	11.75	8.28	67.4	
Q3368-14	PRESS-SLUDGE	2	1.18	10.30	11.48	7.89	65.1	
Q3482-01	WC-1	37	1.00	1.00	2.00	2.00	100.0	Concrete sample
Q3482-02	WC-2	38	1.00	1.00	2.00	2.00	100.0	Concrete sample
Q3482-03	WC-3	39	1.00	1.00	2.00	2.00	100.0	Concrete sample
Q3482-04	WC-4	40	1.00	1.00	2.00	2.00	100.0	Concrete sample
Q3482-05	WC-5	41	1.00	1.00	2.00	2.00	100.0	Concrete sample
Q3482-06	WC-6	42	1.00	1.00	2.00	2.00	100.0	Concrete sample
Q3482-07	WC-7	43	1.00	1.00	2.00	2.00	100.0	Concrete sample
Q3483-01	HW1025-PT-AN-SOIL	3	1.00	1.00	2.00	2.00	100.0	
Q3483-02	HW1025-PT-CORR-SOIL	4	1.00	1.00	2.00	2.00	100.0	
Q3483-03	HW1025-PT-CN-SOIL	5	1.00	1.00	2.00	2.00	100.0	
Q3483-04	HW1025-PT-CN-SOIL	6	1.00	1.00	2.00	2.00	100.0	
Q3483-05	HW1025-PT-FP-SOIL	7	1.00	1.00	2.00	2.00	100.0	
Q3483-06	HW1025-PT-CR6-SOIL	8	1.00	1.00	2.00	2.00	100.0	
Q3483-07	HW1025-PT-NUT-SOIL	9	1.00	1.00	2.00	2.00	100.0	
Q3483-08	HW1025-PT-NUT-SOIL	10	1.00	1.00	2.00	2.00	100.0	
Q3483-09	HW1025-PT-OGF-SOIL	11	1.00	1.00	2.00	2.00	100.0	
Q3483-10	HW1025-PT-MET-SOIL	12	1.00	1.00	2.00	2.00	100.0	
Q3483-11	HW1025-PT-BNA-SOIL	13	1.00	1.00	2.00	2.00	100.0	
Q3483-12	HW1025-PT-TRIAZINE-SOIL	14	1.00	1.00	2.00	2.00	100.0	
Q3483-13	HW1025-PT-PAH-SOIL	15	1.00	1.00	2.00	2.00	100.0	
Q3483-14	HW1025-PT-DIES-SOIL	16	1.00	1.00	2.00	2.00	100.0	
Q3483-15	HW1025-PT-GAS-SOIL	17	1.00	1.00	2.00	2.00	100.0	
Q3483-16	HW1025-PT-NJEPH-SOIL	18	1.00	1.00	2.00	2.00	100.0	
Q3483-17	HW1025-PT-HERB-SOIL	19	1.00	1.00	2.00	2.00	100.0	
Q3483-18	HW1025-PT-PCB-SOIL	20	1.00	1.00	2.00	2.00	100.0	
Q3483-19	HW1025-PT-PCBO-SOIL	21	1.00	1.00	2.00	2.00	100.0	



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 10/30/2025

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 10/29/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:20
Out Date: 10/30/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID-OVEN

QC:LB137700

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
Q3483-20	HW1025-PT-PEST-SOIL	22	1.00	1.00	2.00	2.00	100.0	
Q3483-21	HW1025-PT-CHLOR-SOIL	23	1.00	1.00	2.00	2.00	100.0	
Q3483-22	HW1025-PT-TXP-SOIL	24	1.00	1.00	2.00	2.00	100.0	
Q3483-23	HW1025-PT-VOA-SOIL	25	1.00	1.00	2.00	2.00	100.0	
Q3483-25	HW1025-PT-NO2-SOIL	26	1.00	1.00	2.00	2.00	100.0	
Q3485-01	TR-04-102924	27	1.15	10.30	11.45	10.84	94.1	
Q3485-02	TR-04-102924-E2	28	1.19	10.30	11.49	10.77	93.0	
Q3486-01	TP3	29	1.17	10.45	11.62	11.07	94.7	
Q3486-02	TP3-E2	30	1.18	10.40	11.58	11.11	95.5	
Q3486-03	TP4	31	1.19	10.23	11.42	9.93	85.4	
Q3486-04	TP4-E2	32	1.17	10.52	11.69	10.09	84.8	
Q3486-05	TP5	33	1.17	10.65	11.82	10.02	83.1	
Q3486-06	TP5-E2	34	1.17	10.15	11.32	9.39	81.0	
Q3486-07	TP6	35	1.13	10.25	11.38	10.16	88.1	
Q3486-08	TP6-E2	36	1.16	10.48	11.64	10.32	87.4	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$