

Analytical Summary Report

Analysis Method: 9095B

Parameter: Paint Filter

Run Number: LB137748

Reviewed By: rubina

Supervisor Review By: Iwona

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q3466-02	B8-0.0-1.0-20251023	1	100.07	0.00	11/03/2025	14:35
2	Q3515-01	SU-04-103125	1	100.05	0.00	11/03/2025	14:42
3	Q3516-01	HD-01-103125	1	100.05	0.00	11/03/2025	14:50
4	Q3519-01	PL-01-103125	1	100.02	0.00	11/03/2025	14:58
5	Q3520-01	EO-02-103125	1	100.07	0.00	11/03/2025	15:02
6	Q3520-01DUP	EO-02-103125DUP	1	100.07	0.00	11/03/2025	15:10

WORKLIST(Hardcopy Internal Chain)

66137748

WorkList Name : PF-11-03.

WorkList ID : 192861

Department : Wet-Chemistry

Date : 11-03-2025 08:37:13

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3466-02	B8-0.0-1.0-20251023	Solid	Paint Filter	Cool 4 deg C	HDR108	D41	10/23/2025	9095B
Q3515-01	SU-04-103125	Solid	Paint Filter	Cool 4 deg C	PSEG05	D41	10/31/2025	9095B
Q3516-01	HD-01-103125	Solid	Paint Filter	Cool 4 deg C	PSEG05	D41	10/31/2025	9095B
Q3519-01	PL-01-103125	Solid	Paint Filter	Cool 4 deg C	PSEG05	D41	10/31/2025	9095B
Q3520-01	EO-02-103125	Solid	Paint Filter	Cool 4 deg C	PSEG05	D41	10/31/2025	9095B

Date/Time 11/03/2025 13:36
 Raw Sample Received by: RH CWS
 Raw Sample Relinquished by: JPLCWS

Date/Time 11/03/2025 16:00
 Raw Sample Received by: JPLCWS
 Raw Sample Relinquished by: RH CWS