



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Eman

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB137771

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q3532-01	TP-1	1	100.03	0.00	11/05/2025	10:20
2	Q3532-01DUP	TP-1DUP	1	100.01	0.00	11/05/2025	10:27
3	Q3532-05	TP-2	1	100.06	0.00	11/05/2025	10:34
4	Q3537-01	MW-17-SOIL	1	100.02	0.00	11/05/2025	10:42

WORKLIST(Hardcopy Internal Chain)

16137771

WorkList Name : PF-110525

WorkList ID : 192886

Department : Wet-Chemistry

Date : 11-05-2025 08:15:33

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3532-01	TP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	11/04/2025	9095B
Q3532-05	TP-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	11/04/2025	9095B
Q3537-01	MW-17-SOIL	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	11/04/2025	9095B

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

11/05/25 08:25
EM(wc)
EM(wc)

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

11/5/25 11:00
EM(wc)
EM(wc)