

Analytical Summary Report

Analysis Method: 9045D

Analyst By : jignesh

Parameter: pH

Supervisor Review By : Iwona

Run Number: LB137813

Slope : 98.1

BalanceID: WC SC-7

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W3178
BUFFER PH 7.00 GREEN 1PINT PK6	W3093
PH 10.01 BUFFER,COLOR CD 475ML	W3191
buffer solution pH 7 yellow	W3217
Buffer Solution, PH2 (500ml)	W3161
pH 12.00 Buffer	W3200

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.05].

True Value of CCV2 = 12.00 Control Limits[+/- 0.05].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.3	4.01	11/07/2025	08:11
2	CAL2	1	Water	NA	NA	20.3	7.02	11/07/2025	08:12
3	CAL3	1	Water	NA	NA	20.3	10.02	11/07/2025	08:14
4	ICV	1	Water	NA	NA	20.1	6.98	11/07/2025	08:15
5	CCV1	1	Water	NA	NA	20.2	2.01	11/07/2025	08:17
6	Q3563-01	1	Solid	20.02	20	20.8	5.34	11/07/2025	08:30
7	Q3563-01DUP	1	Solid	20.03	20	20.9	5.35	11/07/2025	08:33
8	CCV2	1	Water	NA	NA	20.2	12.02	11/07/2025	08:35

WORKLIST(Hardcopy Internal Chain)

VR 137813

WorkList Name : ph s q3563 WorkList ID : 192962 Department : Wet-Chemistry Date : 11-07-2025 07:56:43

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3563-01	81525-a	Solid	pH	Cool 4 deg C	PSEG03	D41	11/06/2025	9045D

Date/Time 11/07/25 08:00
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: [Signature]

Date/Time 11/07/25 10:40
 Raw Sample Received by: [Signature]
 Raw Sample Relinquished by: [Signature]