



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB137916

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q3641-01	TR-05-111325	1	100.07	0.00	11/17/2025	13:10
2	Q3645-01	HD-02-11142025	1	100.05	0.00	11/17/2025	13:17
3	Q3646-01	SU-03-11142025	1	100.05	0.00	11/17/2025	13:25
4	Q3647-01	VNJ-212	1	100.02	0.00	11/17/2025	13:33
5	Q3648-01	OR-02-111425	1	100.05	0.00	11/17/2025	13:40
6	Q3648-01DUP	OR-02-111425DUP	1	100.05	0.00	11/17/2025	13:47

WORKLIST(Hardcopy Internal Chain)

16137916

WorkList Name : pf-11-17+

WorkList ID : 193141

Department : Wet-Chemistry

Date : 11-17-2025 08:12:42

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3641-01	TR-05-111325	Solid	Paint Filter	Cool 4 deg C	PSEG05	D41	11/13/2025	9095B
Q3645-01	HD-02-11142025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D51	11/14/2025	9095B
Q3646-01	SU-03-11142025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D31	11/14/2025	9095B
Q3647-01	VNJ-212	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	11/14/2025	9095B
Q3648-01	OR-02-111425	Solid	Paint Filter	Cool 4 deg C	PSEG05	D41	11/14/2025	9095B

Date/Time 11/17/2025 12:00
 Raw Sample Received by: RMW
 Raw Sample Relinquished by: RMW

Date/Time 11/17/2025 14:00
 Raw Sample Received by: RMW
 Raw Sample Relinquished by: RMW