

Analytical Summary Report

Analysis Method: 9045D

Analyst By : JIGNESH

Parameter: pH

Supervisor Review By : Iwona

Run Number: LB137939

Slope : 98.6

BalanceID: WC SC-7

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W3178
BUFFER PH 7.00 GREEN 1PINT PK6	W3093
PH 10.01 BUFFER,COLOR CD 475ML	W3191
buffer solution pH 7 yellow	W3217
Buffer Solution, PH2 (500ml)	W3161
pH 12.00 Buffer	W3200

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.05].

True Value of CCV2 = 12.00 Control Limits[+/- 0.05].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.2	4.01	11/18/2025	11:00
2	CAL2	1	Water	NA	NA	20.2	7.00	11/18/2025	11:02
3	CAL3	1	Water	NA	NA	20.2	10.02	11/18/2025	11:05
4	ICV	1	Water	NA	NA	20.2	7.01	11/18/2025	11:10
5	CCV1	1	Water	NA	NA	20.2	2.01	11/18/2025	11:14
6	Q3635-01	1	Solid	20.02	20	20.4	8.83	11/18/2025	11:25
7	Q3635-01DUP	1	Solid	20.03	20	20.3	8.85	11/18/2025	11:27
8	Q3636-01	1	Solid	20.02	20	20.6	6.22	11/18/2025	11:33
9	CCV2	1	Water	NA	NA	20.3	12.02	11/18/2025	11:35

WORKLIST(Hardcopy Internal Chain)

UP 137939

WorkList Name : ph s q3635 WorkList ID : 193176 Department : Wet-Chemistry Date : 11-18-2025 10:22:19

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3635-01	40635	Solid	pH	Cool 4 deg C	PSEG03	D41	11/13/2025	9045D
Q3636-01	AUD-25-0114	Solid	pH	Cool 4 deg C	PSEG03	D41	11/13/2025	9045D

Date/Time 11.18.25 10:30
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature]

Date/Time 11.18.25 14:00
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature]