

Analytical Summary Report

Analysis Method: 9045D

Analyst By : JIGNESH

Parameter: pH

Supervisor Review By : Iwona

Run Number: LB137955

Slope : 98.2

BalanceID: WC SC-7

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W3178
BUFFER PH 7.00 GREEN 1PINT PK6	W3093
PH 10.01 BUFFER,COLOR CD 475ML	W3191
buffer solution pH 7 yellow	W3217
Buffer Solution, PH2 (500ml)	W3161
pH 12.00 Buffer	W3200

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.05].

True Value of CCV2 = 12.00 Control Limits[+/- 0.05].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.2	4.01	11/19/2025	09:00
2	CAL2	1	Water	NA	NA	20.2	7.02	11/19/2025	09:11
3	CAL3	1	Water	NA	NA	20.3	10.02	11/19/2025	09:15
4	ICV	1	Water	NA	NA	20.3	7.02	11/19/2025	09:20
5	CCV1	1	Water	NA	NA	20.2	2.01	11/19/2025	09:22
6	Q3666-01	1	Solid	20.02	20	20.7	5.43	11/19/2025	09:35
7	Q3666-01DUP	1	Solid	20.03	20	20.9	5.45	11/19/2025	09:37
8	CCV2	1	Water	NA	NA	20.3	12.02	11/19/2025	09:39

WORKLIST(Hardcopy Internal Chain)

137955

WorkList Name : PH S Q3666

WorkList ID : 193201

Department : Wet-Chemistry

Date : 11-19-2025 08:00:15

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3666-01	BUR-25-0103	Solid	pH	Cool 4 deg C	PSEG03	D31	11/18/2025	9045D

Date/Time: 11-19-25 08:15

Raw Sample Received by: JB WWC

Raw Sample Relinquished by: CD SM

Date/Time: 11-19-25 12:45

Raw Sample Received by: CD SM

Raw Sample Relinquished by: JB WWC