

Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Eman

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB137960

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q3662-04	B3-0.0-1.0-20251117	1	100.04	0.00	11/19/2025	08:45
2	Q3662-04DUP	B3-0.0-1.0-20251117	1	100.06	0.00	11/19/2025	08:52
3	Q3664-01	ARS20-0001	1	100.03	0.00	11/19/2025	08:59
4	Q3664-03	ARS20-0013	1	100.07	0.00	11/19/2025	09:07
5	Q3664-05	291399	1	100.02	0.00	11/19/2025	09:15
6	Q3669-01	EO-01-11182025	1	100.05	0.00	11/19/2025	09:22

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF-111925

WorkList ID : 193206

Department : Wet-Chemistry

Date : 11-19-2025 08:24:31

16137960

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3662-04	B3-0-0-1-0-20251117	Solid	Paint Filter	Cool 4 deg C	HDR108	D41	11/17/2025	9095B
Q3664-01	ARS20-0001	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	11/18/2025	9095B
Q3664-03	ARS20-0013	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	11/18/2025	9095B
Q3664-05	291399	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	11/18/2025	9095B
Q3669-01	EO-01-11182025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D41	11/18/2025	9095B

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

11/19/25 08:35
EM (WCS)
mwa

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

11/19/25 10:05
EM (WCS)
EM (WCS)