

PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 11/25/2025

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 11/24/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:11
Out Date: 11/25/2025
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: % SOLID-OVEN

QC:LB138028

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
Q3713-01	1	1	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
Q3713-02	2	2	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
Q3713-03	3	3	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
Q3713-04	4	4	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
Q3713-05	5	5	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
Q3713-06	6	6	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
Q3713-07	7	7	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
Q3713-08	8	8	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
Q3713-09	9	9	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
Q3713-10	10	10	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
Q3714-01	OR-03-11-24-2025	13	1.13	10.37	11.5	11.34	98.5	
Q3714-02	OR-03-11-24-2025	11	1.11	10.35	11.46	11.2	97.5	
Q3714-02D	OR-03-11-24-2025DUP	12	1.14	10.34	11.48	11.24	97.7	
Q3717-01	1A1B1C	14	1.00	1.00	2.00	2.00	100.0	PILC
Q3717-02	2A2B2C	15	1.00	1.00	2.00	2.00	100.0	PILC
Q3717-03	3A3B3C	16	1.00	1.00	2.00	2.00	100.0	PILC
Q3717-04	4A4B4C	17	1.00	1.00	2.00	2.00	100.0	PILC
Q3717-05	5A5B5C	18	1.00	1.00	2.00	2.00	100.0	PILC
Q3717-06	6A6B6C	19	1.00	1.00	2.00	2.00	100.0	PILC
Q3717-07	7A7B7C	20	1.00	1.00	2.00	2.00	100.0	PILC
Q3717-08	8A8B8C	21	1.00	1.00	2.00	2.00	100.0	PILC

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$