



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Eman

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB138053

BalanceID: WC SC-7

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q3714-01	OR-03-11-24-2025	1	100.06	0.00	11/26/2025	09:20
2	Q3714-01DUP	OR-03-11-24-2025DUP	1	100.04	0.00	11/26/2025	09:27
3	Q3721-01	EO-2-112525	1	100.06	0.00	11/26/2025	09:34
4	Q3723-01	CC-1-112525	1	100.07	0.00	11/26/2025	09:42
5	Q3725-01	STOCKPILE-SAMPLES	1	100.05	0.00	11/26/2025	09:50

WORKLIST(Hardcopy Internal Chain)

16138053

WorkList Name : PF-112625

WorkList ID : 193351

Department : Wet-Chemistry

Date : 11-26-2025 08:30:04

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3714-01	OR-03-11-24-2025	Solid	Paint Filter	Cool 4 deg C	PSEG05	E12	11/24/2025	9095B
Q3721-01	EO-2-112525	Solid	Paint Filter	Cool 4 deg C	PSEG05	D31	11/26/2025	9095B
Q3723-01	CC-1-112525	Solid	Paint Filter	Cool 4 deg C	PSEG05	E31	11/25/2025	9095B
Q3725-01	STOCKPILE-SAMPLES	Solid	Paint Filter	Cool 4 deg C	ROMA02	D41	11/25/2025	9095B

Date/Time 11/26/25 08:40
 Raw Sample Received by: EM(WC)
 Raw Sample Relinquished by: [Signature] SM

Date/Time 11/26/25 10:10
 Raw Sample Received by: [Signature] SM
 Raw Sample Relinquished by: EM(WC)