

Analytical Summary Report

Analysis Method: 9045D

Analyst By : jignesh

Parameter: Corrosivity

Supervisor Review By : Iwona

Run Number: LB138088

Slope : 98.6

BalanceID: MSC-3

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W3178
BUFFER PH 7.00 GREEN 1PINT PK6	W3093
PH 10.01 BUFFER,COLOR CD 475ML	W3191
buffer solution pH 7 yellow	W3217
Buffer Solution, PH2 (500ml)	W3161
pH 12.00 Buffer	W3200

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.05].

True Value of CCV2 = 12.00 Control Limits[+/- 0.05].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.2	4.01	12/03/2025	10:10
2	CAL2	1	Water	NA	NA	20.2	7.00	12/03/2025	10:11
3	CAL3	1	Water	NA	NA	20.3	10.03	12/03/2025	10:12
4	ICV	1	Water	NA	NA	20.3	7.02	12/03/2025	10:14
5	CCV1	1	Water	NA	NA	20.2	2.01	12/03/2025	10:15
6	Q3753-03	1	Solid	20.03	20	20.7	6.57	12/03/2025	10:49
7	Q3753-03DUP	1	Solid	20.04	20	20.9	6.59	12/03/2025	10:52
8	Q3753-05	1	Solid	20.02	20	20.7	6.28	12/03/2025	10:55
9	CCV2	1	Water	NA	NA	20.3	12.02	12/03/2025	10:59

138088

WORKLIST(Hardcopy Internal Chain)

WorkList Name : corrosivity q3753 WorkList ID : 193441 Department : Wet-Chemistry Date : 12-03-2025 09:42:12

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3753-03	MOO-25-334-337	Solid	Corrosivity	Cool 4 deg C	PSEG03	A22	12/03/2025	9045D
Q3753-05	AR520-0002	Solid	Corrosivity	Cool 4 deg C	PSEG03	A22	12/03/2025	9045D

Date/Time 12/03/25 10:00
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature]

Date/Time 12/03/25 13:00
Raw Sample Received by: [Signature]
Raw Sample Relinquished by: [Signature]