

Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB138167

Reviewed By: Eman
Supervisor Review By: Iwona
BalanceID: M SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q3770-01	4207	1	100.07	0.00	12/09/2025	08:45
2	Q3770-01DUP	4207DUP	1	100.03	0.00	12/09/2025	08:52
3	Q3812-01	OR-02-120825	1	100.05	0.00	12/09/2025	08:59
4	Q3814-01	TP-5	1	100.02	0.00	12/09/2025	09:07
5	Q3814-03	TP-6	1	100.04	0.00	12/09/2025	09:15
6	Q3814-05	TP-7	1	100.06	0.00	12/09/2025	09:22
7	Q3814-07	TP-8	1	100.08	0.00	12/09/2025	09:30
8	Q3814-09	TP-9	1	100.03	0.00	12/09/2025	09:37
9	Q3814-11	TP-12	1	100.05	0.00	12/09/2025	09:45
10	Q3814-13	TP-10	1	100.07	0.00	12/09/2025	09:52
11	Q3814-15	TP-4	1	100.06	0.00	12/09/2025	10:00
12	Q3815-01	RE	1	100.04	0.00	12/09/2025	10:07

WORKLIST(Hardcopy Internal Chain)

16138167

WorkList Name : PF-120925

WorkList ID : 193544

Department : Wet-Chemistry

Date : 12-09-2025 08:25:41

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3770-01	4207	Solid	Paint Filter	Cool 4 deg C	PSEG03	A11	12/03/2025	9095B
Q3812-01	OR-02-120825	Solid	Paint Filter	Cool 4 deg C	PSEG05	D41	12/08/2025	9095B
Q3814-01	TP-5	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	12/08/2025	9095B
Q3814-03	TP-6	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	12/08/2025	9095B
Q3814-05	TP-7	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	12/08/2025	9095B
Q3814-07	TP-8	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	12/08/2025	9095B
Q3814-09	TP-9	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	12/08/2025	9095B
Q3814-11	TP-12	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	12/08/2025	9095B
Q3814-13	TP-10	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	12/08/2025	9095B
Q3814-15	TP-4	Solid	Paint Filter	Cool 4 deg C	PSEG03	D41	12/08/2025	9095B
Q3815-01	RE	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	12/08/2025	9095B

Date/Time 12/9/25 08:35
 Raw Sample Received by: FM(WC)
 Raw Sample Relinquished by: JAWC

Date/Time 12/9/25 13:00
 Raw Sample Received by: JAWC
 Raw Sample Relinquished by: FM(WC)