

Analytical Summary Report

Analysis Method: 9045D

Analyst By : jignesh

Parameter: pH

Supervisor Review By : Iwona

Run Number: LB138207

Slope : 98.6

BalanceID: MSC-3

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W3264
BUFFER PH 7.00 GREEN 1PINT PK6	W3093
PH 10.01 BUFFER,COLOR CD 475ML	W3191
buffer solution pH 7 yellow	W3217
Buffer Solution, PH2 (500ml)	W3161
pH 12.00 Buffer	W3200

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.05].

True Value of CCV2 = 12.00 Control Limits[+/- 0.05].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.3	4.01	12/12/2025	08:11
2	CAL2	1	Water	NA	NA	20.2	7.00	12/12/2025	08:12
3	CAL3	1	Water	NA	NA	20.3	10.02	12/12/2025	08:14
4	ICV	1	Water	NA	NA	20.2	7.02	12/12/2025	08:15
5	CCV1	1	Water	NA	NA	20.2	2.01	12/12/2025	08:19
6	Q3846-01	1	Solid	20.02	20	20.7	7.90	12/12/2025	09:30
7	Q3846-01DUP	1	Solid	20.04	20	20.9	7.92	12/12/2025	09:33
8	CCV2	1	Water	NA	NA	20.2	12.02	12/12/2025	09:35

WORKLIST(Hardcopy Internal Chain)

138207

WorkList Name : ph s q3848

WorkList ID : 193609

Department : Wet-Chemistry

Date : 12-12-2025 07:48:45

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3846-01	BU-02-12112025	Solid	pH	Cool 4 deg C	PSEG05	D31	12/11/2025	9045D

Date/Time 12-12-25 08:00

Raw Sample Received by:

Raw Sample Relinquished by:

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by: