

# PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 12/17/2025

OVENTEMP IN Celsius(°C): 106  
Time IN: 17:20  
In Date: 12/15/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:33  
Out Date: 12/16/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: % SOLID-OVEN

QC:LB138218

| Lab ID   | Client SampleID     | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|---------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| Q3864-01 | B131(0-1)121025     | 33     | 1.13           | 10.11        | 11.24                   | 9.96                      | 87.3    |          |
| Q3864-02 | B131(1-2)121025     | 34     | 1.13           | 10.64        | 11.77                   | 9.73                      | 80.8    |          |
| Q3864-03 | B131(2-4)121025     | 35     | 1.15           | 10.53        | 11.68                   | 10.24                     | 86.3    |          |
| Q3864-04 | B131(4-6)121025     | 36     | 1.18           | 10.50        | 11.68                   | 8.16                      | 66.5    |          |
| Q3864-05 | B131(6-8)121025     | 37     | 1.16           | 10.67        | 11.83                   | 5.16                      | 37.5    |          |
| Q3864-06 | B136(0-1)121025     | 38     | 1.13           | 10.86        | 11.99                   | 10.66                     | 87.8    |          |
| Q3864-07 | B136(1-2)121025     | 39     | 1.17           | 10.36        | 11.53                   | 9.86                      | 83.9    |          |
| Q3864-08 | B136(2-4)121025     | 40     | 1.15           | 10.27        | 11.42                   | 8.37                      | 70.3    |          |
| Q3864-09 | B136(4-6)121025     | 41     | 1.16           | 11.00        | 12.16                   | 9.67                      | 77.4    |          |
| Q3864-10 | DUP-2-121025        | 42     | 1.16           | 10.38        | 11.54                   | 9.09                      | 76.4    |          |
| Q3864-11 | B136(6-8)121025     | 43     | 1.15           | 10.37        | 11.52                   | 6.49                      | 51.5    |          |
| Q3864-12 | Q3864-11MS          | 44     | 1.15           | 10.37        | 11.52                   | 6.49                      | 51.5    |          |
| Q3864-13 | Q3864-11MSD         | 45     | 1.15           | 10.37        | 11.52                   | 6.49                      | 51.5    |          |
| Q3864-14 | B143(0-1)121025     | 46     | 1.19           | 10.25        | 11.44                   | 10.22                     | 88.1    |          |
| Q3864-15 | B143(1-2)121025     | 47     | 1.2            | 11.00        | 12.2                    | 10.75                     | 86.8    |          |
| Q3864-16 | B143(2-4)121025     | 48     | 1.15           | 11.07        | 12.22                   | 10.32                     | 82.8    |          |
| Q3864-17 | B143(4-6)121025     | 49     | 1.11           | 10.09        | 11.2                    | 8.66                      | 74.8    |          |
| Q3864-18 | B143(6-8)121025     | 50     | 1.16           | 10.66        | 11.82                   | 8.71                      | 70.8    |          |
| Q3864-19 | B145(0-1)121025     | 51     | 1.16           | 10.99        | 12.15                   | 11.31                     | 92.4    |          |
| Q3864-20 | B145(1-2)121025     | 52     | 1.13           | 10.73        | 11.86                   | 11.09                     | 92.8    |          |
| Q3864-21 | B145(2-4)121025     | 53     | 1.18           | 10.32        | 11.5                    | 10.18                     | 87.2    |          |
| Q3864-22 | B145(4-6)121025     | 54     | 1.16           | 10.66        | 11.82                   | 9.63                      | 79.5    |          |
| Q3864-23 | B145(6-8)121025     | 55     | 1.18           | 10.40        | 11.58                   | 8.31                      | 68.6    |          |
| Q3864-24 | B145(8-10)121025    | 56     | 1.19           | 10.41        | 11.6                    | 7.81                      | 63.6    |          |
| Q3864-25 | B145(10-11.5)121025 | 57     | 1.15           | 11.05        | 12.2                    | 9.13                      | 72.2    |          |
| Q3864-26 | B146(0-1)121025     | 58     | 1.19           | 10.64        | 11.83                   | 10.85                     | 90.8    |          |
| Q3864-27 | B146(1-2)121025     | 59     | 1.15           | 10.56        | 11.71                   | 10.72                     | 90.6    |          |
| Q3864-28 | B146(2-4)121025     | 60     | 1.13           | 10.27        | 11.4                    | 10.32                     | 89.5    |          |

# PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 12/17/2025

OVENTEMP IN Celsius(°C): 106  
Time IN: 17:20  
In Date: 12/15/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:33  
Out Date: 12/16/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: % SOLID-OVEN

QC:LB138218

| Lab ID   | Client SampleID       | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|-----------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| Q3864-29 | B146(4-6)121025       | 61     | 1.13           | 10.86        | 11.99                   | 10.63                     | 87.5    |          |
| Q3864-30 | B146(6-8)121025       | 62     | 1.17           | 10.77        | 11.94                   | 10.66                     | 88.1    |          |
| Q3869-01 | 1-END-A               | 1      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3869-02 | 1-END-B               | 2      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3869-03 | 2-END-A               | 3      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3869-04 | 2-END-B               | 4      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3869-05 | 3-END-A               | 5      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3869-06 | 4-END-A               | 6      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3869-07 | 4-END-B               | 7      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3869-08 | 5-END-A               | 8      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3869-09 | 6-END-A               | 9      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3869-10 | 7-END-A               | 10     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3869-11 | 8-END-A               | 11     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3869-12 | 8-END-B               | 12     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3869-13 | 9-END-A               | 13     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3869-14 | 9-END-B               | 14     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3870-01 | FWD20-END-1-1         | 15     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3870-02 | FWD20-END-1-2         | 16     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3870-03 | FWD20-END-2-1         | 17     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3870-04 | FWD20-END-2-2         | 18     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3870-05 | FWD20-END-3-1         | 19     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3870-06 | FWD20-END-3-2         | 20     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC     |
| Q3871-01 | LAW-25-0194           | 21     | 1.13           | 10.64        | 11.77                   | 10.28                     | 86.0    |          |
| Q3871-02 | LAW-25-0194           | 22     | 1.16           | 10.66        | 11.82                   | 10.43                     | 87.0    |          |
| Q3871-03 | LAW-25-0195           | 23     | 1.11           | 10.44        | 11.55                   | 10.84                     | 93.2    |          |
| Q3871-04 | LAW-25-0195           | 24     | 1.15           | 10.40        | 11.55                   | 10.88                     | 93.6    |          |
| Q3871-05 | LAW-25-0192-0193-COMP | 25     | 1.16           | 10.89        | 12.05                   | 8.44                      | 66.9    |          |
| Q3871-06 | LAW-25-0192-0193-COMP | 26     | 1.18           | 10.72        | 11.9                    | 8.43                      | 67.6    |          |



# PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 12/17/2025

OVENTEMP IN Celsius(°C): 106  
Time IN: 17:20  
In Date: 12/15/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN#1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:33  
Out Date: 12/16/2025  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: % SOLID-OVEN

QC:LB138218

| Lab ID   | Client SampleID   | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments      |
|----------|-------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|---------------|
| Q3872-01 | ARS20-0006        | 27     | 1.16           | 11.02        | 12.18                   | 9.47                      | 75.4    |               |
| Q3872-02 | ARS20-0006        | 28     | 1.15           | 10.49        | 11.64                   | 8.33                      | 68.4    |               |
| Q3872-03 | MOO-25-0367       | 29     | 1.16           | 10.26        | 11.42                   | 11.34                     | 99.2    |               |
| Q3872-04 | MOO-25-0367       | 30     | 1.17           | 10.37        | 11.54                   | 11.5                      | 99.6    |               |
| Q3873-01 | COMP-1            | 31     | 1.13           | 10.29        | 11.42                   | 5.68                      | 44.2    |               |
| Q3873-03 | COMP-2            | 32     | 1.12           | 11.42        | 12.54                   | 6.66                      | 48.5    | sludge sample |
| Q3876-01 | B148(8-10)121225  | 63     | 1.16           | 10.19        | 11.35                   | 8.75                      | 74.5    |               |
| Q3876-02 | B148(10-12)121225 | 64     | 1.18           | 10.44        | 11.62                   | 8.46                      | 69.7    |               |
| Q3876-03 | B150(8-10)121225  | 65     | 1.14           | 10.33        | 11.47                   | 8.54                      | 71.6    |               |
| Q3876-04 | B150(10-12)121225 | 66     | 1.13           | 10.40        | 11.53                   | 8.43                      | 70.2    |               |
| Q3876-05 | Q3876-04MS        | 67     | 1.13           | 10.40        | 11.53                   | 8.43                      | 70.2    |               |
| Q3876-06 | Q3876-04MSD       | 68     | 1.13           | 10.40        | 11.53                   | 8.43                      | 70.2    |               |
| Q3876-07 | DUP-6-121225      | 69     | 1.14           | 10.30        | 11.44                   | 9.24                      | 78.6    |               |
| Q3876-08 | B151(6-8)121225   | 70     | 1.16           | 10.57        | 11.73                   | 9.39                      | 77.9    |               |
| Q3876-09 | B151(8-10)121225  | 71     | 1.13           | 10.86        | 11.99                   | 8.74                      | 70.1    |               |
| Q3876-10 | B151(10-12)121225 | 72     | 1.13           | 10.73        | 11.86                   | 9.22                      | 75.4    |               |
| Q3879-01 | ARS20-0032        | 73     | 1.15           | 10.57        | 11.72                   | 10.64                     | 89.8    |               |
| Q3880-01 | BG-SET-2          | 74     | 1.14           | 10.65        | 11.79                   | 11.77                     | 99.8    |               |
| Q3881-01 | DM-X-76           | 75     | 1.13           | 1.60         | 2.73                    | 1.85                      | 45.0    |               |
| Q3881-02 | DM-X-76           | 76     | 1.18           | 10.60        | 11.78                   | 6.06                      | 46.0    |               |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$