

## Analytical Summary Report

**Analysis Method:** 9095B  
**Parameter:** Paint Filter  
**Run Number:** LB138231

**Reviewed By:** Eman  
**Supervisor Review By:** Iwona  
**BalanceID:** M SC-4

| Seq | LabID       | ClientID     | Dilution | Weight(g) | Inst.Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|--------------|----------|-----------|------------------------|------------|-----------|
| 1   | Q3853-01    | TP01-MH11    | 1        | 100.07    | 0.00                   | 12/16/2025 | 08:55     |
| 2   | Q3853-01DUP | TP01-MH11DUP | 1        | 100.05    | 0.00                   | 12/16/2025 | 09:02     |
| 3   | Q3854-01    | ETGI-360     | 1        | 100.08    | 0.00                   | 12/16/2025 | 09:09     |
| 4   | Q3855-01    | 326          | 1        | 100.04    | 0.00                   | 12/16/2025 | 09:17     |
| 5   | Q3859-01    | HD-02-121225 | 1        | 100.06    | 0.00                   | 12/16/2025 | 09:25     |
| 6   | Q3861-01    | EO-03-121225 | 1        | 100.04    | 0.00                   | 12/16/2025 | 09:32     |
| 7   | Q3862-01    | TP02-MH09-WC | 1        | 100.06    | 0.00                   | 12/16/2025 | 09:40     |
| 8   | Q3879-01    | ARS20-0032   | 1        | 100.05    | 0.00                   | 12/16/2025 | 09:47     |

# WORKLIST(Hardcopy Internal Chain)

16138231

WorkList Name : PF-121625

WorkList ID : 193677

Department : Wet-Chemistry

Date : 12-16-2025 08:36:41

| Sample   | Customer Sample | Matrix | Test         | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method |
|----------|-----------------|--------|--------------|--------------|----------|-----------------------------|--------------|--------|
| Q3853-01 | TP01-MH11       | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | D31                         | 12/12/2025   | 9095B  |
| Q3854-01 | ETGI-360        | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | D31                         | 12/12/2025   | 9095B  |
| Q3855-01 | 326             | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | H11                         | 12/12/2025   | 9095B  |
| Q3859-01 | HD-02-121225    | Solid  | Paint Filter | Cool 4 deg C | PSEG05   | D31                         | 12/12/2025   | 9095B  |
| Q3861-01 | EO-03-121225    | Solid  | Paint Filter | Cool 4 deg C | PSEG05   | H21                         | 12/12/2025   | 9095B  |
| Q3862-01 | TP02-MH09-WC    | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | H31                         | 12/11/2025   | 9095B  |
| Q3879-01 | ARS20-0032      | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | D31                         | 12/15/2025   | 9095B  |

Date/Time 12/16/25 08:45  
 Raw Sample Received by: EM (WC)  
 Raw Sample Relinquished by: EM (WC)

Date/Time 12/16/25 10:00  
 Raw Sample Received by: EM (WC)  
 Raw Sample Relinquished by: EM (WC)