

Analytical Summary Report

Analysis Method: 9045D

Analyst By : jignesh

Parameter: pH

Supervisor Review By : Iwona

Run Number: LB138244

Slope : 98.3

BalanceID: MSC-3

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W3264
BUFFER PH 7.00 GREEN 1PINT PK6	W3093
PH 10.01 BUFFER,COLOR CD 475ML	W3191
buffer solution pH 7 yellow	W3217
Buffer Solution, PH2 (500ml)	W3161
pH 12.00 Buffer	W3200

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.05].

True Value of CCV2 = 12.00 Control Limits[+/- 0.05].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.2	4.01	12/17/2025	08:10
2	CAL2	1	Water	NA	NA	20.2	7.00	12/17/2025	08:11
3	CAL3	1	Water	NA	NA	20.3	10.02	12/17/2025	08:15
4	ICV	1	Water	NA	NA	20.2	7.00	12/17/2025	08:19
5	CCV1	1	Water	NA	NA	20.2	2.01	12/17/2025	08:20
6	Q3894-01	1	Solid	20.02	20	20.7	6.40	12/17/2025	08:45
7	Q3894-01DUP	1	Solid	20.03	20	20.8	6.42	12/17/2025	08:47
8	CCV2	1	Water	NA	NA	20.3	12.02	12/17/2025	08:50

WORKLIST(Hardcopy Internal Chain)

132244

WorkList Name : ph s q3894

WorkList ID : 193706

Department : Wet-Chemistry

Date : 12-17-2025 07:44:55

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3894-01	121325-A-B-COMP	Solid	pH	Cool 4 deg C	PSEG03	D31	12/16/2025	9045D

Date/Time 12-17-25 08:00

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]

Date/Time 12-17-25

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]

12130

[Signature]