



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Eman

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB138249

BalanceID: M SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	Q3885-01	VNJ-231	1	100.08	0.00	12/17/2025	08:45
2	Q3885-01DUP	VNJ-231DUP	1	100.05	0.00	12/17/2025	08:52
3	Q3895-01	TR-04-12162025	1	100.07	0.00	12/17/2025	08:59
4	Q3895-03	TR-06-12162025	1	100.06	0.00	12/17/2025	09:07

WORKLIST(Hardcopy Internal Chain)

16138249

WorkList Name : PF-121725

WorkList ID : 193710

Department : Wet-Chemistry

Date : 12-17-2025 08:23:56

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
Q3885-01	VNJ-231	Solid	Paint Filter	Cool 4 deg C	PSEG03	D31	11/12/2025	9095B
Q3895-01	TR-04-12162025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D31	12/16/2025	9095B
Q3895-03	TR-06-12162025	Solid	Paint Filter	Cool 4 deg C	PSEG05	D31	12/16/2025	9095B

Date/Time 12/17/25 08:35
 Raw Sample Received by: E M (WGC)
 Raw Sample Relinquished by: H M (WGC)

Date/Time 12/17/25 10:35
 Raw Sample Received by: J D (WGC)
 Raw Sample Relinquished by: E M (WGC)