

Run Number: LB85651

DATE & TIME IN: 02/02/2017 16:30

OVEN TEMP: 104 °C

DATE & TIME OUT: 02/02/2017 19:10

OVEN TEMP: 105 °C

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Volume (ml)	1st Empty Dish+Sample weight after 1.5hr drying @105°C (g)	2nd Empty Dish+Sample weight after 1.5hr drying @105°C (g)	Final Empty Dish+Sample weight after 1.5hr drying @105°C (g)	Weight (g)	Result mg/L
1	LB85651BL	LB85651BL	1.5029	1.5029	100	1.5029	1.5029	1.5029	0	0
2	LB85651BS	LB85651BS	1.4362	1.4362	100	1.4908	1.4908	1.4908	0.0546	546
3	I1619-01	BAYPARK122816	1.4112	1.4112	400	1.4129	1.4129	1.4129	0.0017	4.3
4	I1645-01	DRGFB-WQ-020-BG-A	1.4041	1.4041	400	1.4362	1.4362	1.4362	0.0321	80.2
5	I1645-02	DRGFB-WQ-018-AD-A	1.3988	1.3988	400	1.4064	1.4064	1.4064	0.0076	19
6	I1656-01	COMP	1.4098	1.4098	100	1.429	1.429	1.429	0.0192	192
7	I1667-01	DRGFB-WQ-021-AD-A	1.3994	1.3994	400	1.4186	1.4186	1.4186	0.0192	48
8	I1667-02	DRGFB-WQ-023-BG-A	1.4073	1.4073	200	1.4125	1.4125	1.4125	0.0052	26
9	I1667-02DUP	DRGFB-WQ-023-BG-ADUP	1.4021	1.4021	200	1.4075	1.4075	1.4075	0.0054	27
10	I1669-01	SPDES-1	1.4157	1.4157	800	1.416	1.416	1.416	0.0003	0.4
11	I1675-01	EFFLUENT	1.4059	1.4059	20	1.4283	1.4283	1.4283	0.0224	1120
12	I1675-02	AER-TANK-1	1.4126	1.4126	10	1.5036	1.5036	1.5036	0.091	9100

A = Sample Volume (ml)

B = Empty Dish Weight (g)

C = Final Empty Dish + Sample weight after 1.5 hr drying @105°C(g)

D = Weight (g)

$$\text{Weight (g)} = C - B$$

$$\text{Result mg/L} = \frac{D}{A} * 1000 * 1000$$

2385651

WORKLIST(Hardcopy Internal Chain)

WorkList Name : TSS I1667

WorkList ID : 95288

Date : 2/2/2017 3:30:31 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Water	I1619-01	TSS	Cool 4 deg C	BSRJ01	D22	BAYPARK122816	01/30/2017	SM2540 D
	Water	I1645-01	TSS	Cool 4 deg C	JAYC01	G11	DRGFB-WQ-020-BG-A	02/01/2017	SM2540 D
	Water	I1645-02	TSS	Cool 4 deg C	JAYC01	G11	DRGFB-WQ-018-AD-A	01/31/2017	SM2540 D
	Water	I1656-01	TSS	Cool 4 deg C	ARAM01	G11	COMP	02/01/2017	SM2540 D
	Water	I1667-01	TSS	Cool 4 deg C	JAYC01	G31	DRGFB-WQ-021-AD-A	02/01/2017	SM2540 D
	Water	I1667-02	TSS	Cool 4 deg C	JAYC01	G31	DRGFB-WQ-023-BG-A	02/02/2017	SM2540 D
	Water	I1669-01	TSS	Cool 4 deg C	SKAN06	G11	SPDES-1	02/02/2017	SM2540 D
	Water	I1675-01	TSS	Cool 4 deg C	HOLL01	G41	EFFLUENT	02/01/2017	SM2540 D
	Water	I1675-02	TSS	Cool 4 deg C	HOLL01	G41	AER-TANK-1	02/01/2017	SM2540 D

Date/Time 02-02-17 3:30 PM
 Received by: 71
 Relinquished by: CP

Date/Time 02-02-17 6:00 PM
 Received by: CP
 Relinquished by: JP