



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB85728

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	I1728-01	ROLL-OFF-R2-COMP	1	100.02	0.00	02/07/2017	15:25
2	I1728-01DUP	ROLL-OFF-R2-COMPDUP	1	100.03	0.00	02/07/2017	15:35
3	I1731-01	ROLL-OFF-1615-COMP	1	100.03	0.00	02/07/2017	15:42
4	I1751-01	ROLL-OFF-COMP	1	100.03	0.00	02/07/2017	15:50

WORKLIST(Hardcopy Internal Chain)

LB 85728

WorkList Name : PF2717

WorkList ID : 95437

Date : 2/7/2017 3:10:19 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
02/06/2017	Solid	I1728-01	Paint Filter	Cool 4 deg C	PSEG01	E42	ROLL-OFF-R2-COMP	02/06/2017	9095A
02/06/2017	Solid	I1731-01	Paint Filter	Cool 4 deg C	PSEG01	E42	ROLL-OFF-1615-COMP	02/06/2017	9095A
02/07/2017	Solid	I1751-01	Paint Filter	Cool 4 deg C	PSEG01	E32	ROLL-OFF-COMP	02/07/2017	9095A

Date/Time 2/7/17 3:12 PM
 Received by: KS
 Relinquished by: CP

Date/Time 2/7/17 14:00
 Received by: CP
 Relinquished by: KS