



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB85962

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	I1929-01	GRIT-STOCKPILE	1	100.03	0.00	02/22/2017	12:10
2	I1929-01DUP	GRIT-STOCKPILEDUP	1	100.02	0.00	02/22/2017	12:18
3	I1935-01	WC-B31-B34-001	1	100.03	0.00	02/22/2017	12:25
4	I1936-01	WC-B38-B39-001	1	100.04	0.00	02/22/2017	12:33
5	I1936-02	WC-B55-B63-001	1	100.03	0.00	02/22/2017	12:42

WORKLIST(Hardcopy Internal Chain)

LB 85962

WorkList Name : PF22217

WorkList ID : 95845

Date : 2/22/2017 11:50:18 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Solid	11929-01	Paint Filter	Cool 4 deg C	TULL01	131	GRIT-STOCKPILE	02/20/2017	9095A
	Solid	11935-01	Paint Filter	Cool 4 deg C	ENTA04	131	WC-B31-B34-001	02/21/2017	9095A
	Solid	11936-01	Paint Filter	Cool 4 deg C	ENTA04	132	WC-B38-B39-001	02/21/2017	9095A
	Solid	11936-02	Paint Filter	Cool 4 deg C	ENTA04	132	WC-B55-B63-001	02/21/2017	9095A

Date/Time

02/22/17 12:00 PM

KS

Received by:

KS

Relinquished by:

CP

Date/Time

02/22/17 12:45 PM

Received by:

CP

Relinquished by:

KS