

TitriSoft Report

Ident	Amount	DateTime	Alkalinity	Initial pH (sample)	offset	slope	CARBONATE
LB85991BLW	100	23/02/2017 11:20	0.00	3.86	6.93	104.8	—
LB85991BSW	100	23/02/2017 12:17	49.52	8.28	6.93	104.8	—
I1933-01	50	23/02/2017 12:23	150.96	6.71	6.93	104.8	0.07
I1933-02	50	23/02/2017 12:28	89.84	5.89	6.93	104.8	0.01
I1933-02D	50	23/02/2017 12:32	91.36	5.93	6.93	104.8	0.01
I1933-03	50	23/02/2017 12:36	121.52	6.61	6.93	104.8	0.05
I1933-04	50	23/02/2017 12:41	106.56	6.14	6.93	104.8	0.01
I1933-05	50	23/02/2017 12:45	28.24	5.50	6.93	104.8	0.00
I1933-06	50	23/02/2017 12:49	207.92	6.98	6.93	104.8	0.19
I1933-07	50	23/02/2017 12:53	210.48	7.06	6.93	104.8	0.23
I1933-08	50	23/02/2017 12:59	128.56	7.36	6.93	104.8	0.28
I1933-09	50	23/02/2017 13:04	0.00	4.42	6.93	104.8	0.00
I1933-10	50	23/02/2017 13:07	182.00	6.48	6.93	104.8	0.05
I1933-11	50	23/02/2017 13:11	198.96	7.03	6.93	104.8	0.20
I1933-26	50	23/02/2017 13:16	82.72	7.54	6.93	104.8	0.27
I1933-27	50	23/02/2017 13:36	0.80	5.07	6.93	104.8	0.00
I1933-28	50	23/02/2017 13:38	126.88	6.94	6.93	104.8	0.10
I1933-29	50	23/02/2017 13:42	132.80	7.20	6.93	104.8	0.20
I1933-30	50	23/02/2017 13:47	5.60	5.15	6.93	104.8	0.00
I1933-31	50	23/02/2017 13:50	149.44	7.21	6.93	104.8	0.23
I1933-32	50	23/02/2017 13:55	152.88	7.25	6.93	104.8	0.26
I1933-33	50	23/02/2017 14:00	134.96	7.26	6.93	104.8	0.23
LB85991BLW	100	23/02/2017 14:05	0.00	4.47	6.93	104.8	—
LB85991BSW	100	23/02/2017 14:08	51.68	8.58	6.93	104.8	—
I1934-01	50	23/02/2017 14:13	154.00	7.12	6.93	104.8	0.19
I1934-01D	50	23/02/2017 14:18	155.36	7.33	6.93	104.8	0.31
I1934-02	50	23/02/2017 14:23	109.76	7.38	6.93	104.8	0.25
I1934-03	50	23/02/2017 14:28	109.92	7.33	6.93	104.8	0.22
I1934-04	50	23/02/2017 14:33	108.88	7.32	6.93	104.8	0.21
I1934-05	50	23/02/2017 14:37	110.08	7.33	6.93	104.8	0.22

02/23/17
AK