

Analysis Method: 9034

ANALYST: ketankumar

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: apatel

Run Number: LB86186

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2169
IODINE SOLUTION .025N 1L	W2178
Starch Solution, 4L	W2121

Seq	Lab ID	True Value (mg/l)	DF	Initial Volume (mL)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB97351BL		1	50	50	5.00	0.00	4.80	4.80	0.20	0.00	0.00	03/06/2017	12:00
2	I2100-02		1	50	50	5.00	0.00	4.74	4.74	0.26	0.06	0.48	03/06/2017	12:06
3	I2100-02DUP		1	50	50	5.00	4.74	9.46	4.72	0.28	0.08	0.64	03/06/2017	12:13

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume