



**PERCENT SOLIDS**

Analyst Name: JIGNESH  
Date: 3/20/2017

OVEN TEMP IN Celsius (°C): 109  
Time IN: 17:25  
In Date: 03/17/2017  
Weight Check 1.0g= 1.00 g  
Weight Check 10g= 10.00 g

OVEN TEMP OUT Celsius (°C): 105  
Time OUT: 08:31  
Out Date: 03/18/2017  
Weight Check 1.0g= 1.00 g  
Weight Check 10g= 10.00 g  
BalanceID: M SC-1

QC: LB86420

| <u>Lab ID</u> | <u>Client Sample ID</u> | <u>Dish#</u> | <u>Dish Weight (g)</u><br>(A) | <u>Dish + Sample Wt. (g)</u><br>(B) | <u>Dish + Dry Sample Wt. (g)</u><br>(C) | <u>% Solid</u> |
|---------------|-------------------------|--------------|-------------------------------|-------------------------------------|-----------------------------------------|----------------|
| I2299-05      | SVOC-GPC-BLANK          | 1            | 1.00                          | 2.00                                | 2.00                                    | 100            |
| I2299-06      | PEST-GPC-BLANK          | 2            | 1.00                          | 2.00                                | 2.00                                    | 100            |
| I2299-07      | PEST-GPC-BLANK-SF       | 3            | 1.00                          | 2.00                                | 2.00                                    | 100            |
| I2299-08      | PCB-GPC-BLANK           | 4            | 1.00                          | 2.00                                | 2.00                                    | 100            |
| I2299-09      | PCB-GPC-BLANKSPIR       | 5            | 1.00                          | 2.00                                | 2.00                                    | 100            |
| I2299-10      | SVOC-GPC2-BLANK         | 6            | 1.00                          | 2.00                                | 2.00                                    | 100            |
| I2299-11      | PEST-GPC2-BLANK         | 7            | 1.00                          | 2.00                                | 2.00                                    | 100            |
| I2299-12      | PEST-GPC2-BLANK-S       | 8            | 1.00                          | 2.00                                | 2.00                                    | 100            |
| I2299-13      | PCB-GPC2-BLANK          | 9            | 1.00                          | 2.00                                | 2.00                                    | 100            |
| I2299-14      | PCB-GPC2-BLANKSP        | 10           | 1.00                          | 2.00                                | 2.00                                    | 100            |
| I2304-01      | SP-A(0-5)B1             | 11           | 1.13                          | 9.96                                | 8.00                                    | 77.8           |
| I2304-02      | SP-A(5)B1               | 12           | 1.13                          | 9.98                                | 7.94                                    | 76.9           |
| I2304-03      | SPA-B2(0-5)             | 13           | 1.17                          | 9.54                                | 7.89                                    | 80.3           |
| I2304-04      | SPA-B2(5)               | 14           | 1.15                          | 9.95                                | 8.32                                    | 81.5           |
| I2304-05      | SPA-B3(0-5)             | 15           | 1.18                          | 9.55                                | 7.46                                    | 75             |
| I2304-06      | SPA-B3(5)               | 16           | 1.11                          | 9.98                                | 8.08                                    | 78.6           |
| I2304-07      | SPA-B4(0-5)             | 17           | 1.19                          | 9.8                                 | 7.91                                    | 78             |
| I2304-08      | SPA-B4(5)               | 18           | 1.2                           | 9.74                                | 8.12                                    | 81             |
| I2304-09      | SPA-B5(0-5)             | 19           | 1.15                          | 9.65                                | 7.85                                    | 78.8           |
| I2304-10      | SPA-B5(5)               | 20           | 1.13                          | 9.67                                | 8.02                                    | 80.7           |
| I2304-11      | SPA-B6(0-5)             | 21           | 1.19                          | 9.62                                | 7.64                                    | 76.5           |
| I2304-12      | SPA-B6(5)               | 22           | 1.17                          | 9.82                                | 8.03                                    | 79.3           |
| I2306-01      | LOT-I96A                | 23           | 1.00                          | 2.00                                | 2.00                                    | 100            |
| I2306-02      | LOT-I96B                | 24           | 1.00                          | 2.00                                | 2.00                                    | 100            |
| I2306-03      | LOT-I96C                | 25           | 1.00                          | 2.00                                | 2.00                                    | 100            |
| I2318-01      | HP-CT-00                | 26           | 1.16                          | 9.73                                | 7.2                                     | 70.5           |
| I2318-03      | HP-CT-01                | 27           | 1.12                          | 9.6                                 | 7.41                                    | 74.2           |



**PERCENT SOLIDS**

Analyst Name: JIGNESH  
Date: 3/20/2017

OVEN TEMP IN Celsius (°C): 109  
Time IN: 17:25  
In Date: 03/17/2017  
Weight Check 1.0g= 1.00 g  
Weight Check 10g= 10.00 g

OVEN TEMP OUT Celsius (°C): 105  
Time OUT: 08:31  
Out Date: 03/18/2017  
Weight Check 1.0g= 1.00 g  
Weight Check 10g= 10.00 g  
BalanceID: M SC-1

QC: LB86420

| <u>Lab ID</u> | <u>Client Sample ID</u> | <u>Dish#</u> | <u>Dish Weight (g)</u><br>(A) | <u>Dish + Sample Wt. (g)</u><br>(B) | <u>Dish + Dry Sample Wt. (g)</u><br>(C) | <u>% Solid</u> |
|---------------|-------------------------|--------------|-------------------------------|-------------------------------------|-----------------------------------------|----------------|
| I2318-05      | HP-CT-02                | 28           | 1.14                          | 9.89                                | 7.54                                    | 73.1           |
| I2318-07      | HP-PW-01                | 29           | 1.15                          | 9.96                                | 5.98                                    | 54.8           |
| I2318-09      | HP-PW-02                | 30           | 1.17                          | 9.73                                | 6.58                                    | 63.2           |
| I2318-09DUP   | HP-PW-02DUP             | 31           | 1.19                          | 9.76                                | 6.62                                    | 63.4           |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

2386420

WorkList Name : %1-031717

WorkList ID : 96598

Date : 3/17/2017 8:40:46 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample       | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------------|--------------|--------------|
| 03/20/2017 | Solid  | I2299-05 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | SVOC-GPC-BLANK        | 03/10/2017   | Chemtech -SO |
|            | Solid  | I2299-06 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | PEST-GPC-BLANK        | 03/10/2017   | Chemtech -SO |
|            | Solid  | I2299-07 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | PEST-GPC-BLANK-SPIKE  | 03/10/2017   | Chemtech -SO |
|            | Solid  | I2299-08 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | PCB-GPC-BLANK         | 03/10/2017   | Chemtech -SO |
|            | Solid  | I2299-09 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | PCB-GPC-BLANK-SPIKE   | 03/10/2017   | Chemtech -SO |
| 03/20/2017 | Solid  | I2299-10 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | SVOC-GPC2-BLANK       | 03/10/2017   | Chemtech -SO |
|            | Solid  | I2299-11 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | PEST-GPC2-BLANK       | 03/10/2017   | Chemtech -SO |
|            | Solid  | I2299-12 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | PEST-GPC2-BLANK-SPIKE | 03/10/2017   | Chemtech -SO |
|            | Solid  | I2299-13 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | PCB-GPC2-BLANK        | 03/10/2017   | Chemtech -SO |
|            | Solid  | I2299-14 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | PCB-GPC2-BLANK-SPIKE  | 03/10/2017   | Chemtech -SO |
|            | Solid  | I2304-01 | Percent Solids | Cool 4 deg C | YANN01   | L12              | SP-A(0-5)B1           | 03/17/2017   | Chemtech -SO |
|            | Solid  | I2304-02 | Percent Solids | Cool 4 deg C | YANN01   | L12              | SP-A(5)B1             | 03/17/2017   | Chemtech -SO |
|            | Solid  | I2304-03 | Percent Solids | Cool 4 deg C | YANN01   | L12              | SPA-B2(0-5)           | 03/17/2017   | Chemtech -SO |
|            | Solid  | I2304-04 | Percent Solids | Cool 4 deg C | YANN01   | L12              | SPA-B2(5)             | 03/17/2017   | Chemtech -SO |
|            | Solid  | I2304-05 | Percent Solids | Cool 4 deg C | YANN01   | L12              | SPA-B3(0-5)           | 03/17/2017   | Chemtech -SO |
|            | Solid  | I2304-06 | Percent Solids | Cool 4 deg C | YANN01   | L12              | SPA-B3(5)             | 03/17/2017   | Chemtech -SO |
|            | Solid  | I2304-07 | Percent Solids | Cool 4 deg C | YANN01   | L12              | SPA-B4(0-5)           | 03/17/2017   | Chemtech -SO |
|            | Solid  | I2304-08 | Percent Solids | Cool 4 deg C | YANN01   | L12              | SPA-B4(5)             | 03/17/2017   | Chemtech -SO |
|            | Solid  | I2304-09 | Percent Solids | Cool 4 deg C | YANN01   | L12              | SPA-B5(0-5)           | 03/17/2017   | Chemtech -SO |
|            | Solid  | I2304-10 | Percent Solids | Cool 4 deg C | YANN01   | L12              | SPA-B5(5)             | 03/17/2017   | Chemtech -SO |
|            | Solid  | I2304-11 | Percent Solids | Cool 4 deg C | YANN01   | L12              | SPA-B6(0-5)           | 03/17/2017   | Chemtech -SO |

Date/Time 03-17-17 4:00 PM

Received by: JP

Relinquished by: JP

Date/Time 03-17-17 5:55 PM

Received by: JP

Relinquished by: JP

# WORKLIST(Hardcopy Internal Chain)

286420

WorkList Name: %1-031717

WorkList ID: 96598

Date: 3/17/2017 8:40:46 AM

| Due Date | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|----------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
|          | Solid  | I2304-12 | Percent Solids | Cool 4 deg C | YANN01   | L12              | SPA-B6(5)       | 03/17/2017   | Chemtech -SO |
|          | Solid  | I2306-01 | Percent Solids | Cool 4 deg C | DAIR01   | L12              | LOT-196A        | 03/16/2017   | Chemtech -SO |
|          | Solid  | I2306-02 | Percent Solids | Cool 4 deg C | DAIR01   | L12              | LOT-196B        | 03/16/2017   | Chemtech -SO |
|          | Solid  | I2306-03 | Percent Solids | Cool 4 deg C | DAIR01   | L12              | LOT-196C        | 03/16/2017   | Chemtech -SO |
|          | Solid  | I2318-01 | Percent Solids | Cool 4 deg C | ENTA05   | L13              | HP-CT-00        | 03/17/2017   | Chemtech -SO |
|          | Solid  | I2318-03 | Percent Solids | Cool 4 deg C | ENTA05   | L13              | HP-CT-01        | 03/17/2017   | Chemtech -SO |
|          | Solid  | I2318-05 | Percent Solids | Cool 4 deg C | ENTA05   | L13              | HP-CT-02        | 03/17/2017   | Chemtech -SO |
|          | Solid  | I2318-07 | Percent Solids | Cool 4 deg C | ENTA05   | L13              | HP-PW-01        | 03/17/2017   | Chemtech -SO |
|          | Solid  | I2318-09 | Percent Solids | Cool 4 deg C | ENTA05   | L13              | HP-PW-02        | 03/17/2017   | Chemtech -SO |

Date/Time 03/17/17 5:50 PM

Received by: JR

Relinquished by:

Date/Time 03/17/17 5:50 PM

Received by: CP

Relinquished by: JP