



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB86598

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	I2384-03	WC-B42-B51-001	1	100.03	0.00	03/29/2017	10:55
2	I2384-03DUP	WC-B42-B51-001DUP	1	100.02	0.00	03/29/2017	11:00
3	I2384-04	WC-B43-B50-001	1	100.02	0.00	03/29/2017	11:10
4	I2422-01	HHD-S1	1	100.03	0.00	03/29/2017	11:20
5	I2435-01	HSP-01	1	100.03	0.00	03/29/2017	11:32
6	I2440-01	ROLL-OFF-15-50	1	100.03	0.00	03/29/2017	11:40
7	I2440-04	ROLL-OFF-20-41	1	100.02	0.00	03/29/2017	11:50

WORKLIST(Hardcopy Internal Chain)

LB 46598

WorkList Name : PF32917

Worklist ID : 96946

Date : 3/29/2017 10:40:42 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Solid	I2384-03	Paint Filter	Cool 4 deg C	ENTA04	M41	WC-B42-B51-001	03/23/2017	9095A
	Solid	I2384-04	Paint Filter	Cool 4 deg C	ENTA04		WC-B43-B50-001	03/23/2017	9095A
	Solid	I2422-01	Paint Filter	Cool 4 deg C	DEWB01	M41	HHD-S1	03/23/2017	9095A
	Solid	I2435-01	Paint Filter	Cool 4 deg C	URSC05	M53	HSP-01	03/27/2017	9095A
03/28/2017	Solid	I2440-01	Paint Filter	Cool 4 deg C	PSEG01	M51	ROLL-OFF-15-50	03/28/2017	9095A
03/28/2017	Solid	I2440-04	Paint Filter	Cool 4 deg C	PSEG01	M51	ROLL-OFF-20-41	03/28/2017	9095A

Date/Time 3/29/17 10:45 AM
 Received by: KS
 Relinquished by: CP

Date/Time 3/29/17 12:00 PM
 Received by: CP
 Relinquished by: KS