

# PERCENT SOLIDS

Analyst Name: JIGNESH  
Date: 4/5/2017

OVEN TEMP IN Celsius (°C): 109  
Time IN: 17:35  
In Date: 04/04/2017  
Weight Check 1.0g= 1.00 g  
Weight Check 10g= 10.00 g

OVEN TEMP OUT Celsius (°C): 105  
Time OUT: 08:36  
Out Date: 04/05/2017  
Weight Check 1.0g= 1.00 g  
Weight Check 10g= 10.00 g  
BalanceID: M SC-1

QC: LB86690

| <u>Lab ID</u> | <u>Client Sample ID</u> | <u>Dish#</u> | <u>Dish Weight (g)</u><br>(A) | <u>Dish + Sample Wt. (g)</u><br>(B) | <u>Dish + Dry Sample Wt. (g)</u><br>(C) | <u>% Solid</u> |
|---------------|-------------------------|--------------|-------------------------------|-------------------------------------|-----------------------------------------|----------------|
| I2520-01      | A247840                 | 1            | 1.00                          | 2.00                                | 2.00                                    | 100            |
| I2520-02      | B058173                 | 2            | 1.00                          | 2.00                                | 2.00                                    | 100            |
| I2522-01      | BASING-1(0-2)           | 3            | 1.14                          | 9.93                                | 9.31                                    | 92.9           |
| I2522-02      | BASING-1(2)             | 4            | 1.16                          | 9.54                                | 7.99                                    | 81.5           |
| I2522-03      | BASING-2(0-2)           | 5            | 1.18                          | 9.95                                | 8.69                                    | 85.6           |
| I2522-04      | BASING-2(2)             | 6            | 1.14                          | 9.72                                | 8.23                                    | 82.6           |
| I2522-05      | BASING-3(0-2)           | 7            | 1.18                          | 9.78                                | 7.55                                    | 74.1           |
| I2522-06      | BASING-3(2)             | 8            | 1.12                          | 9.63                                | 7.98                                    | 80.6           |
| I2522-07      | BASING-4(0-2)           | 9            | 1.14                          | 9.98                                | 7.95                                    | 77             |
| I2522-08      | BASING-4(2)             | 10           | 1.17                          | 9.94                                | 7.63                                    | 73.7           |
| I2522-09      | BASING-5(0-2)           | 11           | 1.16                          | 9.86                                | 8.33                                    | 82.4           |
| I2522-10      | BASING-5(2)             | 12           | 1.17                          | 9.89                                | 8.84                                    | 88             |
| I2522-11      | BASING-6(0-2)           | 13           | 1.18                          | 9.69                                | 7.95                                    | 79.6           |
| I2522-12      | BASING-6(2)             | 14           | 1.11                          | 9.73                                | 7.14                                    | 70             |
| I2522-13      | BASING-7(0-2)           | 15           | 1.16                          | 9.77                                | 8.93                                    | 90.2           |
| I2522-14      | BASING-7(2)             | 16           | 1.13                          | 9.81                                | 8.6                                     | 86.1           |
| I2522-15      | BASING-8(0-2)           | 17           | 1.19                          | 9.54                                | 8.59                                    | 88.6           |
| I2522-16      | BASING-8(2)             | 18           | 1.16                          | 9.74                                | 7.95                                    | 79.1           |
| I2522-17      | BASING-9(0-2)           | 19           | 1.14                          | 9.7                                 | 7.23                                    | 71.1           |
| I2522-18      | BASING-9(2)             | 20           | 1.19                          | 9.66                                | 7.68                                    | 76.6           |
| I2522-19      | BASING-10(0-2)          | 21           | 1.17                          | 9.6                                 | 8.05                                    | 81.6           |
| I2522-19DUP   | BASING-10(0-2)DUP       | 22           | 1.19                          | 9.63                                | 8.09                                    | 81.8           |
| I2522-20      | BASING-10(2)            | 23           | 1.12                          | 9.96                                | 7.54                                    | 72.6           |
| I2523-01      | BASING-11(0-2)          | 24           | 1.17                          | 9.72                                | 6.73                                    | 65             |
| I2523-02      | BASING-11(2)            | 25           | 1.14                          | 9.88                                | 7.39                                    | 71.5           |
| I2523-03      | BASING-12(0-2)          | 26           | 1.18                          | 9.82                                | 7.11                                    | 68.6           |
| I2523-04      | BASING-12(2)            | 27           | 1.17                          | 9.54                                | 6.89                                    | 68.3           |

# PERCENT SOLIDS

Analyst Name: JIGNESH  
Date: 4/5/2017

OVEN TEMP IN Celsius (°C) : 109  
Time IN: 17:35  
In Date: 04/04/2017  
Weight Check 1.0g= 1.00 g  
Weight Check 10g= 10.00 g

OVEN TEMP OUT Celsius (°C): 105  
Time OUT: 08:36  
Out Date: 04/05/2017  
Weight Check 1.0g= 1.00 g  
Weight Check 10g= 10.00 g  
BalanceID: M SC-1

QC: LB86690

| Lab ID      | Client Sample ID | Dish# | Dish Weight (g)<br>(A) | Dish +<br>Sample Wt. (g)<br>(B) | Dish + Dry<br>Sample Wt. (g)<br>(C) | % Solid |
|-------------|------------------|-------|------------------------|---------------------------------|-------------------------------------|---------|
| I2523-05    | BASING-13(0-2)   | 28    | 1.18                   | 9.97                            | 6.55                                | 61.1    |
| I2523-06    | BASING-13(2)     | 29    | 1.12                   | 9.92                            | 6.96                                | 66.4    |
| I2523-07    | BASING-14(0-2)   | 30    | 1.19                   | 9.62                            | 7.12                                | 70.3    |
| I2523-08    | BASING-14(2)     | 31    | 1.13                   | 9.98                            | 7.49                                | 71.9    |
| I2523-09    | BASING-15(0-2)   | 32    | 1.17                   | 9.74                            | 7.14                                | 69.7    |
| I2523-10    | BASING-15(2)     | 33    | 1.16                   | 9.58                            | 6.93                                | 68.5    |
| I2523-11    | CEMETERY-1(0-7)  | 34    | 1.11                   | 9.75                            | 9.3                                 | 94.8    |
| I2523-12    | CEMETERY-1(7)    | 35    | 1.16                   | 9.7                             | 9.24                                | 94.6    |
| I2523-13    | CEMETERY-2(0-7)  | 36    | 1.14                   | 9.88                            | 9.26                                | 92.9    |
| I2523-14    | CEMETERY-2(7)    | 37    | 1.2                    | 9.79                            | 9.17                                | 92.8    |
| I2523-15    | CEMETERY-3(0-7)  | 38    | 1.16                   | 9.75                            | 9.25                                | 94.2    |
| I2523-16    | CEMETERY-3(7)    | 39    | 1.12                   | 9.89                            | 9.45                                | 95      |
| I2523-16DUP | CEMETERY-3(7)DUP | 40    | 1.15                   | 9.92                            | 9.49                                | 95.1    |
| I2529-05    | EASTEND          | 41    | 1.18                   | 9.75                            | 8.3                                 | 83.1    |
| I2529-06    | WESTEND          | 42    | 1.14                   | 9.7                             | 7.75                                | 77.2    |
| I2530-01    | SB-1-24-36       | 43    | 1.15                   | 9.92                            | 8.52                                | 84      |
| I2530-02    | SB-1-20-24       | 44    | 1.19                   | 9.92                            | 8.58                                | 84.7    |
| I2530-03    | SB-1-36-45       | 45    | 1.17                   | 9.95                            | 8.53                                | 83.8    |
| I2530-04    | SB-2-12-24       | 46    | 1.16                   | 9.91                            | 8.56                                | 84.6    |
| I2530-05    | SB-2-24-36       | 47    | 1.18                   | 9.58                            | 8.17                                | 83.2    |
| I2530-06    | SB-2-36-45       | 48    | 1.11                   | 9.71                            | 8.3                                 | 83.6    |
| I2530-07    | SB-3-12-24       | 49    | 1.17                   | 9.89                            | 8.49                                | 83.9    |
| I2530-08    | SB-3-24-36       | 50    | 1.15                   | 9.98                            | 8.74                                | 86      |
| I2530-09    | SB-3-36-45       | 51    | 1.2                    | 9.84                            | 8.51                                | 84.6    |
| I2530-10    | SB-4-12-24       | 52    | 1.16                   | 9.97                            | 8.94                                | 88.3    |
| I2530-11    | SB-4-24-36       | 53    | 1.17                   | 9.94                            | 9.2                                 | 91.6    |
| I2530-12    | SB-4-36-45       | 54    | 1.12                   | 9.98                            | 9.02                                | 89.2    |

# PERCENT SOLIDS

Analyst Name: JIGNESH  
Date: 4/5/2017

OVEN TEMP IN Celsius (°C): 109  
Time IN: 17:35  
In Date: 04/04/2017  
Weight Check 1.0g= 1.00 g  
Weight Check 10g= 10.00 g

OVEN TEMP OUT Celsius (°C): 105  
Time OUT: 08:36  
Out Date: 04/05/2017  
Weight Check 1.0g= 1.00 g  
Weight Check 10g= 10.00 g  
BalanceID: M SC-1

QC: LB86690

| <u>Lab ID</u> | <u>Client Sample ID</u> | <u>Dish#</u> | <u>Dish Weight (g)</u><br>(A) | <u>Dish + Sample Wt. (g)</u><br>(B) | <u>Dish + Dry Sample Wt. (g)</u><br>(C) | <u>% Solid</u> |
|---------------|-------------------------|--------------|-------------------------------|-------------------------------------|-----------------------------------------|----------------|
| I2533-01      | CT-MIXCOMP-1            | 57           | 1.14                          | 9.56                                | 7.95                                    | 80.9           |
| I2534-01      | GP-B-01(0-5)            | 58           | 1.19                          | 9.74                                | 8.47                                    | 85.1           |
| I2534-02      | GP-B-01(0-5)D           | 59           | 1.19                          | 9.86                                | 8.67                                    | 86.3           |
| I2534-03      | GP-B-01(5-10)           | 60           | 1.13                          | 9.89                                | 7.99                                    | 78.3           |
| I2534-04      | GP-B-01(10-15)          | 61           | 1.16                          | 9.86                                | 8.57                                    | 85.2           |
| I2534-05      | GP-B-01(13-14.5)VOC     | 62           | 1.19                          | 9.95                                | 8.69                                    | 85.6           |
| I2534-06      | GP-B-01(13-14.5)VOC     | 63           | 1.12                          | 9.66                                | 8.27                                    | 83.7           |
| I2534-07      | GP-B-03(0-5)            | 64           | 1.19                          | 9.67                                | 8.83                                    | 90.1           |
| I2534-08      | GP-B-03(5-10)           | 65           | 1.17                          | 9.73                                | 8.56                                    | 86.3           |
| I2534-09      | GP-B-03(8.5-9.5)VOC     | 66           | 1.18                          | 9.95                                | 7.91                                    | 76.7           |
| I2534-10      | GP-B-03(10-15)          | 67           | 1.16                          | 9.84                                | 8.38                                    | 83.2           |
| I2534-11      | GP-B-02(0-5)            | 68           | 1.17                          | 9.68                                | 8.37                                    | 84.6           |
| I2534-12      | GP-B-02(5-10)           | 69           | 1.11                          | 9.94                                | 8.14                                    | 79.6           |
| I2534-13      | GP-B-02(10-15)          | 70           | 1.14                          | 9.98                                | 8.74                                    | 86             |
| I2534-14      | GP-B-02(12-13)VOC       | 71           | 1.15                          | 9.94                                | 8.8                                     | 87             |
| I2536-01      | E2-BB7-BASE             | 55           | 1.14                          | 9.8                                 | 7.58                                    | 74.4           |
| I2536-02      | E2-BB8-BASE             | 56           | 1.18                          | 9.97                                | 6.13                                    | 56.3           |
| I2537-01      | B1-(0-5)                | 72           | 1.12                          | 9.71                                | 9.05                                    | 92.3           |
| I2537-02      | B1-(5)                  | 73           | 1.17                          | 9.53                                | 8.86                                    | 92             |
| I2537-03      | B1-(0-5)-A              | 74           | 1.12                          | 9.71                                | 9.05                                    | 92.3           |
| I2537-04      | B1-(0-5)-B              | 75           | 1.12                          | 9.71                                | 9.05                                    | 92.3           |
| I2537-05      | B1-(0-5)                | 76           | 1.12                          | 9.71                                | 9.05                                    | 92.3           |
| I2537-06      | B4-(0-5)                | 77           | 1.13                          | 9.88                                | 8.87                                    | 88.5           |
| I2537-07      | B4-(5)                  | 78           | 1.14                          | 9.76                                | 8.64                                    | 87             |
| I2537-08      | B4-(0-5)-A              | 79           | 1.13                          | 9.88                                | 8.87                                    | 88.5           |
| I2537-09      | B4-(0-5)-B              | 80           | 1.13                          | 9.88                                | 8.87                                    | 88.5           |
| I2537-10      | B4-(0-5)                | 81           | 1.13                          | 9.88                                | 8.87                                    | 88.5           |

# PERCENT SOLIDS

Analyst Name: JIGNESH  
Date: 4/5/2017

OVEN TEMP IN Celsius (°C) : 109  
Time IN: 17:35  
In Date: 04/04/2017  
Weight Check 1.0g= 1.00 g  
Weight Check 10g= 10.00 g

OVEN TEMP OUT Celsius (°C): 105  
Time OUT: 08:36  
Out Date: 04/05/2017  
Weight Check 1.0g= 1.00 g  
Weight Check 10g= 10.00 g  
BalanceID: M SC-1

QC: LB86690

| Lab ID   | Client Sample ID    | Dish# | Dish Weight (g)<br>(A) | Dish +<br>Sample Wt. (g)<br>(B) | Dish + Dry<br>Sample Wt. (g)<br>(C) | % Solid |
|----------|---------------------|-------|------------------------|---------------------------------|-------------------------------------|---------|
| I2537-11 | B5-(0-5)            | 82    | 1.19                   | 9.91                            | 8.57                                | 84.6    |
| I2537-12 | B5-(5)              | 83    | 1.14                   | 9.95                            | 9.1                                 | 90.4    |
| I2537-13 | B5-(0-5)-A          | 84    | 1.19                   | 9.91                            | 8.57                                | 84.6    |
| I2537-14 | B5-(0-5)-B          | 85    | 1.19                   | 9.91                            | 8.57                                | 84.6    |
| I2537-15 | B5-(0-5)            | 86    | 1.19                   | 9.91                            | 8.57                                | 84.6    |
| I2537-16 | B8-(0-5)            | 87    | 1.16                   | 9.57                            | 8.87                                | 91.7    |
| I2537-17 | B8-(5)              | 88    | 1.19                   | 9.82                            | 8.82                                | 88.4    |
| I2537-18 | B8-(0-5)-A          | 89    | 1.16                   | 9.57                            | 8.87                                | 91.7    |
| I2537-19 | B8-(0-5)-B          | 90    | 1.16                   | 9.57                            | 8.87                                | 91.7    |
| I2537-20 | B8-(0-5)            | 91    | 1.16                   | 9.57                            | 8.87                                | 91.7    |
| I2538-01 | LOCUST-ST-CONCRE    | 92    | 1.17                   | 9.92                            | 9.24                                | 92.2    |
| I2538-02 | LOCUST-ST-CONCRE    | 93    | 1.17                   | 9.92                            | 9.24                                | 92.2    |
| I2538-03 | LOCUST-ST-CONCRE    | 94    | 1.17                   | 9.92                            | 9.24                                | 92.2    |
| I2538-06 | LOCUST-ST-IP(3-5)   | 95    | 1.14                   | 9.67                            | 8.67                                | 88.3    |
| I2538-07 | LOCUST-ST-IP(5)     | 96    | 1.15                   | 9.72                            | 8.62                                | 87.2    |
| I2538-08 | LOCUST-ST-IP(3-5)-A | 97    | 1.14                   | 9.67                            | 8.67                                | 88.3    |
| I2538-09 | LOCUST-ST-IP(3-5)-B | 98    | 1.14                   | 9.67                            | 8.67                                | 88.3    |
| I2538-10 | LOCUST-ST-IP(3-5)   | 99    | 1.14                   | 9.67                            | 8.67                                | 88.3    |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

7386690

WorkList Name : %1-040417

WorkList ID : 97085

Date : 4/4/2017 8:30:24 AM

| Due Date | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|----------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
|          | Solid  | I2520-01 | Percent Solids | Cool 4 deg C | CLEA07   | N13              | A247840         | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2520-02 | Percent Solids | Cool 4 deg C | CLEA07   | N13              | B058173         | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-01 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-1(0-2)   | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-02 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-1(2)     | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-03 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-2(0-2)   | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-04 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-2(2)     | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-05 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-3(0-2)   | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-06 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-3(2)     | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-07 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-4(0-2)   | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-08 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-4(2)     | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-09 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-5(0-2)   | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-10 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-5(2)     | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-11 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-6(0-2)   | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-12 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-6(2)     | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-13 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-7(0-2)   | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-14 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-7(2)     | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-15 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-8(0-2)   | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-16 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-8(2)     | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-17 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-9(0-2)   | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-18 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-9(2)     | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2522-19 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-10(0-2)  | 04/03/2017   | Chemtech -SO |

Date/Time 04/04/17 5:50 PM  
 Received by: JP  
 Relinquished by: JP

Date/Time 04/04/17 5:50 PM  
 Received by: JP  
 Relinquished by: JP

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-040417

WorkList ID : 97085

Date : 4/4/2017 8:30:24 AM

| Due Date | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|----------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
|          | Solid  | I2522-20 | Percent Solids | Cool 4 deg C | CONT02   | N41              | BASING-10(2)    | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2523-01 | Percent Solids | Cool 4 deg C | CONT02   | N42              | BASING-11(0-2)  | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2523-02 | Percent Solids | Cool 4 deg C | CONT02   | N42              | BASING-11(2)    | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2523-03 | Percent Solids | Cool 4 deg C | CONT02   | N42              | BASING-12(0-2)  | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2523-04 | Percent Solids | Cool 4 deg C | CONT02   | N42              | BASING-12(2)    | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2523-05 | Percent Solids | Cool 4 deg C | CONT02   | N42              | BASING-13(0-2)  | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2523-06 | Percent Solids | Cool 4 deg C | CONT02   | N42              | BASING-13(2)    | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2523-07 | Percent Solids | Cool 4 deg C | CONT02   | N42              | BASING-14(0-2)  | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2523-08 | Percent Solids | Cool 4 deg C | CONT02   | N42              | BASING-14(2)    | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2523-09 | Percent Solids | Cool 4 deg C | CONT02   | N42              | BASING-15(0-2)  | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2523-10 | Percent Solids | Cool 4 deg C | CONT02   | N42              | BASING-15(2)    | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2523-11 | Percent Solids | Cool 4 deg C | CONT02   | N42              | CEMETERY-1(0-7) | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2523-12 | Percent Solids | Cool 4 deg C | CONT02   | N42              | CEMETERY-1(7)   | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2523-13 | Percent Solids | Cool 4 deg C | CONT02   | N42              | CEMETERY-2(0-7) | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2523-14 | Percent Solids | Cool 4 deg C | CONT02   | N42              | CEMETERY-2(7)   | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2523-15 | Percent Solids | Cool 4 deg C | CONT02   | N42              | CEMETERY-3(0-7) | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2523-16 | Percent Solids | Cool 4 deg C | CONT02   | N42              | CEMETERY-3(7)   | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2529-05 | Percent Solids | Cool 4 deg C | ECHE01   | N23              | EASTEND         | 03/11/2017   | Chemtech -SO |
|          | Solid  | I2529-06 | Percent Solids | Cool 4 deg C | ECHE01   | N23              | WESTEND         | 03/11/2017   | Chemtech -SO |
|          | Solid  | I2530-01 | Percent Solids | Cool 4 deg C | ECHE01   | N32              | SB-1-24-36      | 03/21/2017   | Chemtech -SO |
|          | Solid  | I2530-02 | Percent Solids | Cool 4 deg C | ECHE01   | N32              | SB-1-20-24      | 03/21/2017   | Chemtech -SO |

Date/Time 04/04/17 2:50 PM

Received by: JP

Relinquished by: CD

Date/Time 04/04/17 5:25 PM

Received by: CD

Relinquished by: JP

1986690

## WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-040417

WorkList ID : 97085

Date : 4/4/2017 8:30:24 AM

| Due Date | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample       | Collect Date | Method       |
|----------|--------|----------|----------------|--------------|----------|------------------|-----------------------|--------------|--------------|
|          | Solid  | I2530-03 | Percent Solids | Cool 4 deg C | ECHE01   | N32              | SB-1-36-45            | 03/21/2017   | Chemtech -SO |
|          | Solid  | I2530-04 | Percent Solids | Cool 4 deg C | ECHE01   | N32              | SB-2-12-24            | 03/21/2017   | Chemtech -SO |
|          | Solid  | I2530-05 | Percent Solids | Cool 4 deg C | ECHE01   | N32              | SB-2-24-36            | 03/21/2017   | Chemtech -SO |
|          | Solid  | I2530-06 | Percent Solids | Cool 4 deg C | ECHE01   | N32              | SB-2-36-45            | 03/21/2017   | Chemtech -SO |
|          | Solid  | I2530-07 | Percent Solids | Cool 4 deg C | ECHE01   | N32              | SB-3-12-24            | 03/21/2017   | Chemtech -SO |
|          | Solid  | I2530-08 | Percent Solids | Cool 4 deg C | ECHE01   | N32              | SB-3-24-36            | 03/21/2017   | Chemtech -SO |
|          | Solid  | I2530-09 | Percent Solids | Cool 4 deg C | ECHE01   | N32              | SB-3-36-45            | 03/21/2017   | Chemtech -SO |
|          | Solid  | I2530-10 | Percent Solids | Cool 4 deg C | ECHE01   | N32              | SB-4-12-24            | 03/21/2017   | Chemtech -SO |
|          | Solid  | I2530-11 | Percent Solids | Cool 4 deg C | ECHE01   | N32              | SB-4-24-36            | 03/21/2017   | Chemtech -SO |
|          | Solid  | I2530-12 | Percent Solids | Cool 4 deg C | ECHE01   | N32              | SB-4-36-45            | 03/21/2017   | Chemtech -SO |
|          | Solid  | I2533-01 | Percent Solids |              | INTE16   | N32              | CT-MIXCOMP-1          | 04/04/2017   | Chemtech -SO |
|          | Solid  | I2534-01 | Percent Solids | Cool 4 deg C | TRCE03   | N42              | GP-B-01(0-5)          | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2534-02 | Percent Solids | Cool 4 deg C | TRCE03   | N42              | GP-B-01(0-5)D         | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2534-03 | Percent Solids | Cool 4 deg C | TRCE03   | N42              | GP-B-01(5-10)         | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2534-04 | Percent Solids | Cool 4 deg C | TRCE03   | N42              | GP-B-01(10-15)        | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2534-05 | Percent Solids | Cool 4 deg C | TRCE03   | N42              | GP-B-01(13-14.5)VOC   | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2534-06 | Percent Solids | Cool 4 deg C | TRCE03   | N42              | GP-B-01(13-14.5)VOC-D | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2534-07 | Percent Solids | Cool 4 deg C | TRCE03   | N42              | GP-B-03(0-5)          | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2534-08 | Percent Solids | Cool 4 deg C | TRCE03   | N42              | GP-B-03(5-10)         | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2534-09 | Percent Solids | Cool 4 deg C | TRCE03   | N42              | GP-B-03(8.5-9.5)VOC   | 04/03/2017   | Chemtech -SO |
|          | Solid  | I2534-10 | Percent Solids | Cool 4 deg C | TRCE03   | N42              | GP-B-03(10-15)        | 04/03/2017   | Chemtech -SO |

Date/Time 6/10/17 2:50 PM

Received by: JD

Date/Time 6/10/17 5:23 PM

Received by: CD

Relinquished by: CD

Relinquished by: JD

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-040417

WorkList ID : 97085

Date : 4/4/2017 8:30:24 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample   | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-------------------|--------------|--------------|
|            | Solid  | I2534-11 | Percent Solids | Cool 4 deg C | TRCE03   | N42              | GP-B-02(0-5)      | 04/04/2017   | Chemtech -SO |
|            | Solid  | I2534-12 | Percent Solids | Cool 4 deg C | TRCE03   | N42              | GP-B-02(5-10)     | 04/04/2017   | Chemtech -SO |
|            | Solid  | I2534-13 | Percent Solids | Cool 4 deg C | TRCE03   | N42              | GP-B-02(10-15)    | 04/04/2017   | Chemtech -SO |
|            | Solid  | I2534-14 | Percent Solids | Cool 4 deg C | TRCE03   | N42              | GP-B-02(12-13)VOC | 04/04/2017   | Chemtech -SO |
|            | Solid  | I2536-01 | Percent Solids | Cool 4 deg C | E2PR01   | N31              | E2-BB7-BASE       | 04/03/2017   | Chemtech -SO |
|            | Solid  | I2536-02 | Percent Solids | Cool 4 deg C | E2PR01   | N31              | E2-BB8-BASE       | 04/03/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-01 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B1-(0-5)          | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-02 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B1-(5)            | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-03 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B1-(0-5)-A        | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-04 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B1-(0-5)-B        | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-05 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B1-(0-5)          | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-06 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B4-(0-5)          | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-07 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B4-(5)            | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-08 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B4-(0-5)-A        | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-09 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B4-(0-5)-B        | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-10 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B4-(0-5)          | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-11 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B5-(0-5)          | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-12 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B5-(5)            | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-13 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B5-(0-5)-A        | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-14 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B5-(0-5)-B        | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-15 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B5-(0-5)          | 04/04/2017   | Chemtech -SO |

Date/Time 04/04/17 2:50:00 Date/Time 04/04/17 5:25:00  
 Received by: 711 Received by: CD  
 Relinquished by: CD Relinquished by: gd

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-040417

WorkList ID : 97085

Date : 4/4/2017 8:30:24 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample      | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|----------------------|--------------|--------------|
| 04/07/2017 | Solid  | I2537-16 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B8-(0-5)             | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-17 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B8-(5)               | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-18 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B8-(0-5)-A           | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-19 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B8-(0-5)-B           | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2537-20 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | B8-(0-5)             | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2538-01 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | LOCUST-ST-CONCRETE   | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2538-02 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | LOCUST-ST-CONCRETE-A | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2538-03 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | LOCUST-ST-CONCRETE-B | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2538-06 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | LOCUST-ST-IP(3-5)    | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2538-07 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | LOCUST-ST-IP(5)      | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2538-08 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | LOCUST-ST-IP(3-5)-A  | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2538-09 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | LOCUST-ST-IP(3-5)-B  | 04/04/2017   | Chemtech -SO |
| 04/07/2017 | Solid  | I2538-10 | Percent Solids | Cool 4 deg C | PSEG01   | N43              | LOCUST-ST-IP(3-5)    | 04/04/2017   | Chemtech -SO |

Date/Time 04/04/17 21:30:00  
 Received by: JP  
 Relinquished by: JP

Date/Time 04/04/17 5:25 PM  
 Received by: JP  
 Relinquished by: JP