

Run Number: LB86732

BalanceID: WC SC-3

DATE & TIME IN: 04/06/2017 15:10

DATE & TIME OUT: 04/06/2017 19:20

OVEN TEMP: 104 °C

OVEN TEMP: 105 °C

Dish #	Lab ID	Client ID	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Sample Volume (ml)	1st Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	2nd Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	Final Empty Dish+Sample weight after 1.5hr drying @103-@105°C (g)	Weight (g)	Result mg/L
1	LB86732BL	LB86732BL	1.3608	1.3608	100	1.3608	1.3608	1.3608	0	0
2	LB86732BS	LB86732BS	1.4967	1.4967	100	1.5514	1.5514	1.5514	0.0547	547
3	I2566-01	001M-WILLETS-PTBLVD (MAR)	1.4089	1.4089	200	1.4215	1.4215	1.4215	0.0126	63
4	I2566-02	002M-35THAVE (MAR)	1.4211	1.4211	200	1.431	1.431	1.431	0.0099	49.5
5	I2567-01	001M-WILLETS-PTBLVD (APR)	1.4169	1.4169	200	1.4285	1.4285	1.4285	0.0116	58
6	I2567-02	002M-35THAVE (APR)	1.41	1.41	200	1.4216	1.4216	1.4216	0.0116	58
7	I2582-01	GW-1	1.4114	1.4114	200	1.4372	1.4372	1.4372	0.0258	129
8	I2582-01DUP	GW-1DUP	1.4192	1.4192	200	1.4448	1.4448	1.4448	0.0256	128
9	I2582-04	GW-2	1.4133	1.4133	50	1.8575	1.8575	1.8575	0.4442	8884
10	I2583-01	SPDES-1	1.4092	1.4092	800	1.4094	1.4094	1.4094	0.0002	0.3

A = Sample Volume (ml)

B = Empty Dish Weight (g)

C = Final Empty Dish + Sample weight after 1.5 hr drying @105°C(g)

D = Weight (g)

Weight (g) = C - B

Result mg/L = $\frac{D}{A} \times 1000 \times 1000$

WORKLIST(Hardcopy Internal Chain)

2B86732

WorkList Name : TSS I2583

WorkList ID : 97197

Date : 4/6/2017 1:36:30 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Water	I2566-01	TSS	Cool 4 deg C	TULL01	N11	001M-WILLETS-PTBLVD(MAF)	04/05/2017	SM2540 D
	Water	I2566-02	TSS	Cool 4 deg C	TULL01	N11	002M-35THAVE(MAR)	04/05/2017	SM2540 D
04/07/2017	Water	I2567-01	TSS	Cool 4 deg C	TULL01	N22	001M-WILLETS-PTBLVD(APF)	04/05/2017	SM2540 D
04/07/2017	Water	I2567-02	TSS	Cool 4 deg C	TULL01	N22	002M-35THAVE(APR)	04/05/2017	SM2540 D
04/11/2017	Water	I2582-01	TSS	Cool 4 deg C	PSEG01	O11	GW-1	04/06/2017	SM2540 D
04/11/2017	Water	I2582-04	TSS	Cool 4 deg C	PSEG01	O11	GW-2	04/06/2017	SM2540 D
	Water	I2583-01-D	TSS	Cool 4 deg C	SKAN06	N23	SPDES-1	04/06/2017	SM2540 D

Date/Time 6/10/17 1:36:17

Received by: [Signature]

Relinquished by: [Signature]

Date/Time 04/06/17 4:30 PM

Received by: [Signature]

Relinquished by: [Signature]