

Analysis Method:	9034	ANALYST:	ketankumar
Parameter:	Reactive Sulfide	SUPERVISOR REVIEW BY:	apatel
Run Number:	LB86796	Constant:	16000
		Normality1:	0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE,0.025N,4LITRE	W2169
IODINE SOLUTION .025N 1L	W2205
Starch Solution, 4L	W2121

Seq	Lab ID	True Value	DF	Initial Weight	Final Volume	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected	Result (ppm)	Anal Date	Anal Time
		(mg/l)		(g)	(ml)						With Blank			
1	PB98169BL		1	5.00	50	5.00	0.00	4.30	4.30	0.70	0.00	0.00	04/10/2017	15 <b>:</b> 30
2	I2595-03		1	5.04	50	5.00	0.00	4.10	4.10	0.90	0.20	15.87	04/10/2017	15 <b>:</b> 35
3	I2595-03DUP		1	5.03	50	5.00	4.10	8.18	4.08	0.92	0.22	17.50	04/10/2017	15:40
4	I2595-06		1	5.05	50	5.00	0.00	4.06	4.06	0.94	0.24	19.01	04/10/2017	15:45

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 \* Normality1) - ((T1 - Value Corrected With Blank) \* Normality2)) \* Constant / Initial Volume