



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB86799

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	I2595-01	GRID-1	1	100.03	0.00	04/10/2017	15:45
2	I2595-01DUP	GRID-1DUP	1	100.02	0.00	04/10/2017	16:00
3	I2595-04	GRID-4	1	100.03	0.00	04/10/2017	16:15

WORKLIST(Hardcopy Internal Chain)

LB 46799

WorkList Name : PF41017

WorkList ID : 97295

Date : 4/10/2017 2:09:11 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
04/07/2017	Solid	I2595-01	Paint Filter		PSEG01	GRID-1		04/07/2017	9095A
04/07/2017	Solid	I2595-04	Paint Filter		PSEG01	GRID-4		04/07/2017	9095A

Date/Time

4/10/17 2:10 PM

Received by:

KS

Relinquished by:

CP

Date/Time

4/10/17 18:20

Received by:

CP

Relinquished by:

KS