

Analysis Method: 9034

ANALYST: ketankumar

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: apatel

Run Number: LB87030

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2169
IODINE SOLUTION .025N 1L	W2205
Starch Solution, 4L	W2121

Seq	Lab ID	True Value (mg/l)	DF	Initial Volume (mL)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB98439BL		1	50	50	5.00	0.00	3.98	3.98	1.02	0.00	0.00	04/24/2017	13:35
2	I2792-02		1	50	50	5.00	0.00	3.68	3.68	1.32	0.30	2.40	04/24/2017	13:40
3	I2792-02DUP		1	50	50	5.00	3.68	7.34	3.66	1.34	0.32	2.56	04/24/2017	13:44

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume