



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB87434

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	I3092-02	SB-04-COMP	1	100.02	0.00	05/12/2017	13:30
2	I3092-02DUP	SB-04-COMPDUP	1	100.03	0.00	05/12/2017	13:45
3	I3092-04	SB-05-COMP	1	100.04	0.00	05/12/2017	13:56
4	I3092-06	SB-07-COMP	1	100.03	0.00	05/12/2017	14:08
5	I3121-01	RO-1540-COMP	1	100.03	0.00	05/12/2017	14:20
6	I3122-01	RO-72-11997-72-12003	1	100.04	0.00	05/12/2017	14:30
7	I3124-01	C91516-COMP	1	100.02	0.00	05/12/2017	14:42

WORKLIST(Hardcopy Internal Chain)

LB 87434

WorkList Name : PF51217

WorkList ID : 98395

Date : 5/12/2017 10:46:50 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Solid	I3092-02	Paint Filter	Cool 4 deg C	LIR001	G62	SB-04-COMP	05/09/2017	9095A
	Solid	I3092-04	Paint Filter	Cool 4 deg C	LIR001	G62	SB-05-COMP	05/09/2017	9095A
	Solid	I3092-06	Paint Filter	Cool 4 deg C	LIR001	G62	SB-07-COMP	05/09/2017	9095A
05/11/2017	Solid	I3121-01	Paint Filter	Cool 4 deg C	PSEG01	F62	RO-1540-COMP	05/11/2017	9095A
05/11/2017	Solid	I3122-01	Paint Filter	Cool 4 deg C	PSEG01	F62	RO-72-11997-72-12002-72-11	05/11/2017	9095A
	Solid	I3124-01	Paint Filter	Cool 4 deg C	PSEG02	F62	C91516-COMP	05/11/2017	9095A

Date/Time 5/12/17 11:00 AM
 Received by: KS
 Relinquished by: CP

Date/Time 5/12/17 14:50
 Received by: CP
 Relinquished by: KS