

M300.0

IC-1


5-17-17 AK

Clear table

ident	concentrati on F-	concentrati on CL-	concentrati on NO2	concentrati on BR-	concentrati on NO3	concentrati on HPO4	concentrati on SO4	file name	date time
STD1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2017-05-15_	5/15/17 11:02
STD2	0.1680	0.2160	0.2440	0.6450	0.1460	0.1030	1.0470	2017-05-15_	5/15/17 11:31
STD3	0.4030	0.6020	0.6580	2.0770	0.4680	1.0260	2.9870	2017-05-15_	5/15/17 12:00
STD4	0.7820	1.2210	1.2160	4.0220	1.1690	2.1440	6.1280	2017-05-15_	5/15/17 12:29
STD5	1.9000	2.8570	2.7290	9.5580	2.2950	4.9660	14.3590	2017-05-15_	5/15/17 12:58
STD6	4.0490	6.0300	6.0810	20.2230	5.0090	10.1250	30.0630	2017-05-15_	5/15/17 13:27
STD7	4.9990	7.5250	7.5220	24.9750	6.2880	12.3860	37.6660	2017-05-15_	5/15/17 13:55
ICV	1.9560	3.0450	2.8960	10.3760	2.4930	5.2530	14.8750	2017-05-15_	5/15/17 15:57
ICB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2017-05-15_	5/15/17 16:26
CCV	2.0700	2.9190	2.9420	9.9500	2.3710	5.3880	14.0960	2017-05-17_	5/17/17 9:14
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2017-05-17_	5/17/17 9:43
LB87507BLW	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2017-05-17_	5/17/17 10:12
LB87507BSW	2.0540	2.9420	2.9610	9.9530	2.3900	5.9760	14.5810	2017-05-17_	5/17/17 10:41
I3191-02	0.1420	0.1800	0.0000	0.0000	0.0000	0.0000	0.0000	2017-05-17_	5/17/17 12:45
I3191-02DUP	0.1390	0.1800	0.0000	0.0000	0.0000	0.0000	0.0000	2017-05-17_	5/17/17 13:14
I3191-02MS	2.0690	3.0560	2.7980	9.9030	2.4090	5.6980	14.6150	2017-05-17_	5/17/17 13:43
CCV	2.1150	2.9010	3.0360	10.4660	2.3730	5.9400	14.1180	2017-05-17_	5/17/17 14:12
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2017-05-17_	5/17/17 14:41

CALIBRATION OF COMPONENT F-

Method: ANIONS 05-15-17.mtw
 Equation: $Q = 0.889647 \cdot A + 1.88268$
 RSD: 3.209 %
 Correlation coefficient: 0.999580




K3 = 0 K2 = 0 K1 = 0.889647 K0 = 1.88268

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0	No	
2	0.07652	1.652	0.1	20	5.749	Yes	
3	0.324	6.938	0.4	20	5.749	Yes	
4	0.717	15.46	0.8	20	5.749	Yes	
5	1.866	40.6	2	20	5.749	Yes	
6	4.29	88.91	4	20	5.749	Yes	
7	5.406	110.3	5	20	5.749	Yes	

CALIBRATION OF COMPONENT CL-

Method: ANIONS 05-15-17.mtw
 Equation: $Q = 1.29355 \cdot A + 1.37856$
 RSD: 2.656 %
 Correlation coefficient: 0.999712




K3 = 0 K2 = 0 K1 = 1.29355 K0 = 1.37856

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0	No	
2	0.1089	2.272	0.15	20	8.479	Yes	
3	0.4367	8.236	0.6	20	8.479	Yes	
4	0.9321	17.81	1.2	20	8.479	Yes	
5	2.268	43.11	3	20	8.479	Yes	
6	4.949	92.16	6	20	8.479	Yes	
7	6.199	115.3	7.5	20	8.479	Yes	

CALIBRATION OF COMPONENT NO2

Method: ANIONS 05-15-17.mtw
 Equation: $Q = 0.567341 \cdot A + 2.43191$
 RSD: 4.959 %
 Correlation coefficient: 0.998996




K3 = 0 K2 = 0 K1 = 0.567341 K0 = 2.43191
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.2034	4.302	0.15	20	10.05		Yes
3	0.8716	18.92	0.6	20	10.05		Yes
4	1.814	38.58	1.2	20	10.05		Yes
5	4.378	91.91	3	20	10.05		Yes
6	10.18	210.1	6	20	10.05		Yes
7	12.55	260.9	7.5	20	10.05		Yes

CALIBRATION OF COMPONENT BR-

Method: ANIONS 05-15-17.mtw
 Equation: $Q = 2.96397 \cdot A - 5.53602$
 RSD: 2.549 %
 Correlation coefficient: 0.999735




K3 = 0 K2 = 0 K1 = 2.96397 K0 = -5.53602

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.1808	6.219	0.5	20	13.31			Yes
3	0.5183	15.88	2	20	13.31			Yes
4	0.9716	29.01	4	20	13.31			Yes
5	2.15	66.36	10	20	13.31			Yes
6	4.095	138.3	20	20	13.31			Yes
7	4.862	170.4	25	20	13.31			Yes

CALIBRATION OF COMPONENT NO3

Method: ANIONS 05-15-17.mtw
 Equation: $Q = 0.512186 \cdot A + 0.87084$
 RSD: 5.298 %
 Correlation coefficient: 0.998854




K3 = 0 K2 = 0 K1 = 0.512186 K0 = 0.87084

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.1557	3.994	0.125	20	14.38			Yes
3	0.6503	16.56	0.5	20	14.38			Yes
4	1.723	43.96	1	20	14.38			Yes
5	3.441	87.91	2.5	20	14.38			Yes
6	7.621	193.9	5	20	14.38			Yes
7	9.579	243.8	6.25	20	14.38			Yes

CALIBRATION OF COMPONENT HPO4

Method: ANIONS 05-15-17.mtw
 Equation: $Q = 1.26645 \cdot A - 3.92523$
 RSD: 2.632 %
 Correlation coefficient: 0.999717




K3 = 0 K2 = 0 K1 = 1.26645 K0 = -3.92523

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0	No	
2	0.06824	4.728	0.25	20	20.62	Yes	
3	0.2945	19.31	1	20	20.62	Yes	
4	0.5984	36.96	2	20	20.62	Yes	
5	1.408	81.53	5	20	20.62	Yes	
6	3.055	163	10	20	20.62	Yes	
7	3.815	198.7	12.5	20	20.62	Yes	

CALIBRATION OF COMPONENT SO4

Method: ANIONS 05-15-17.mtw
 Equation: $Q = 1.63278 \cdot A + 7.82709$
 RSD: 2.404 %
 Correlation coefficient: 0.999764



K3 = 0 K2 = 0 K1 = 1.63278 K0 = 7.82709

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0	No	
2	0.2247	8.028	0.75	20	25.97	Yes	
3	0.9024	31.79	3	20	25.97	Yes	
4	2.042	70.27	6	20	25.97	Yes	
5	4.822	171.1	15	20	25.97	Yes	
6	10.91	363.4	30	20	25.97	Yes	
7	13.81	456.6	37.5	20	25.97	Yes	

Report date: 5/16/2017 10:12:46 AM
Printed by: wet


Ident: STD1
Analysis from: 5/15/2017 11:02:24 AM
File: _2017-05-15_

Last save: 5/16/2017 10:10:46 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57419

Last save: 5/15/2017 11:28:14 AM

SAMPLE:
: AP/AK
Vial number: 2
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 5/16/2017 10:12:55 AM
Printed by: wet


Ident: STD2
Analysis from: 5/15/2017 11:31:20 AM
File: _2017-05-15_

Last save: 5/16/2017 10:10:46 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57420

Last save: 5/15/2017 11:28:14 AM

SAMPLE:
: AP/AK
Vial number: 3
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.325	0.08	7.46	1.652	5.29	0.
2	8.50	0.294	0.11	10.64	2.272	7.28	0.
3	10.06	0.312	0.20	19.93	4.302	13.79	0.
4	12.68	0.511	0.18	17.68	6.219	19.94	0.
5	14.32	0.396	0.15	15.22	3.994	12.80	0.
6	21.13	1.031	0.07	6.64	4.728	15.16	0.
7	23.84	0.539	0.22	21.97	8.028	25.73	0.
7	26.00	0.487	1.01	99.54	31.195	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/16/2017 10:13:04 AM
Printed by: wet


Ident: STD3
Analysis from: 5/15/2017 12:00:16 PM
File: _2017-05-15_

Last save: 5/16/2017 10:10:46 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57421

Last save: 5/15/2017 11:28:14 AM

SAMPLE:
: AP/AK
Vial number: 4
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.307	0.32	8.10	6.938	5.90	0.
2	8.51	0.283	0.44	10.91	8.236	7.00	0.
3	10.07	0.309	0.87	21.79	18.919	16.08	0.
4	12.70	0.461	0.52	12.96	15.883	13.50	0.
5	14.28	0.391	0.65	16.26	16.565	14.08	0.
6	21.18	0.963	0.29	7.35	19.308	16.41	0.
7	23.98	0.532	0.90	22.57	31.794	27.03	0.
7	26.00	0.464	4.00	99.93	117.642	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/16/2017 10:13:09 AM
Printed by: wet


Ident: STD4
Analysis from: 5/15/2017 12:29:11 PM
File: _2017-05-15_

Last save: 5/16/2017 10:10:46 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57422

Last save: 5/15/2017 11:28:14 AM

SAMPLE:
: AP/AK
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.81	0.298	0.72	8.15	15.464	6.14	0.
2	8.53	0.286	0.93	10.59	17.805	7.06	0.
3	10.08	0.306	1.81	20.62	38.583	15.31	0.
4	12.70	0.460	0.97	11.04	29.008	11.51	0.
5	14.25	0.389	1.72	19.58	43.959	17.44	0.
6	21.08	0.896	0.60	6.79	36.956	14.66	0.
7	23.88	0.520	2.04	23.21	70.269	27.88	0.
7	26.00	0.451	8.80	99.97	252.044	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/16/2017 10:13:14 AM
Printed by: wet


Ident: STD5
Analysis from: 5/15/2017 12:58:06 PM
File: _2017-05-15_

Last save: 5/16/2017 10:10:46 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57423

Last save: 5/15/2017 11:28:14 AM

SAMPLE:
: AP/AK
Vial number: 6
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.294	1.87	9.18	40.597	6.97	0.
2	8.49	0.283	2.27	11.15	43.110	7.40	0.
3	10.03	0.308	4.38	21.53	91.911	15.78	0.
4	12.68	0.485	2.15	10.57	66.364	11.39	0.
5	14.21	0.389	3.44	16.92	87.913	15.09	0.
6	21.02	0.821	1.41	6.92	81.526	14.00	0.
7	23.86	0.529	4.82	23.72	171.097	29.37	0.
7	26.00	0.444	20.33	99.99	582.517	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/16/2017 10:13:19 AM
Printed by: wet


Ident: STD6
Analysis from: 5/15/2017 1:27:02 PM
File: _2017-05-15_

Last save: 5/16/2017 10:10:48 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57424

Last save: 5/15/2017 11:28:14 AM

SAMPLE:
: AP/AK
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.284	4.29	9.51	88.909	7.11	0.
2	8.47	0.277	4.95	10.97	92.162	7.37	0.
3	10.01	0.305	10.17	22.56	210.088	16.81	0.
4	12.67	0.538	4.09	9.08	138.328	11.07	0.
5	14.16	0.387	7.62	16.90	193.907	15.51	0.
6	20.95	0.742	3.05	6.77	162.995	13.04	0.
7	23.84	0.503	10.91	24.20	363.444	29.08	0.
7	26.00	0.434	45.10	99.99	1249.833	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/16/2017 10:13:24 AM
Printed by: wet


Ident: STD7
Analysis from: 5/15/2017 1:55:58 PM
File: _2017-05-15_

Last save: 5/16/2017 10:10:48 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57425

Last save: 5/15/2017 11:28:14 AM

SAMPLE:
: AK/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.74	0.283	5.41	9.61	110.257	7.09	0.
2	8.45	0.277	6.20	11.03	115.281	7.41	0.
3	9.98	0.308	12.55	22.32	260.881	16.77	0.
4	12.66	0.560	4.86	8.65	170.389	10.95	0.
5	14.13	0.388	9.58	17.04	243.828	15.67	0.
6	20.92	0.720	3.82	6.79	198.696	12.77	0.
7	23.84	0.499	13.81	24.57	456.582	29.34	0.
7	26.00	0.434	56.22	100.00	1555.915	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/16/2017 10:15:44 AM
Printed by: wet


Ident: ICV
Analysis from: 5/15/2017 3:57:21 PM
File: _2017-05-15_

Last save: 5/16/2017 10:15:12 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57429

Last save: 5/15/2017 11:28:14 AM

SAMPLE:
: AK/AP
Vial number: 11
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.86	0.291	1.99	9.17	41.852	6.79	0.
2	8.58	0.285	2.42	11.15	46.010	7.46	0.
3	10.11	0.307	4.69	21.58	97.818	15.86	0.
4	12.75	0.507	2.23	10.28	71.882	11.66	0.
5	14.30	0.396	3.69	16.98	95.649	15.51	0.
6	21.32	0.803	1.51	6.95	86.049	13.95	0.
7	24.19	0.514	5.19	23.89	177.408	28.77	0.
7	26.00	0.443	21.72	99.99	616.668	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/16/2017 10:13:58 AM
Printed by: wet


Ident: ICB
Analysis from: 5/15/2017 4:26:16 PM
File: _2017-05-15_

Last save: 5/16/2017 10:13:54 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57430

Last save: 5/15/2017 2:21:48 PM

SAMPLE:
: AK/AP
Vial number: 12
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 5/17/2017 2:42:59 PM
Printed by: wet


Ident: CCV
Analysis from: 5/17/2017 9:14:30 AM
File: _2017-05-17_

Last save: 5/17/2017 9:40:20 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57455

Last save: 5/16/2017 12:37:16 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.75	0.295	2.06	9.63	44.429	7.36	0.
2	8.52	0.284	2.31	10.80	44.068	7.30	0.
3	10.10	0.309	4.69	21.91	99.415	16.46	0.
4	12.81	0.463	2.32	10.84	69.009	11.43	0.
5	14.40	0.392	3.52	16.45	90.877	15.05	0.
6	20.89	0.809	1.54	7.18	88.183	14.60	0.
7	23.78	0.510	4.96	23.19	167.867	27.80	0.
7	26.00	0.437	21.39	100.00	603.848	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/17/2017 2:46:30 PM
Printed by: wet


Ident: CCB
Analysis from: 5/17/2017 9:43:26 AM
File: _2017-05-17_

Last save: 5/17/2017 2:46:22 PM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57456

Last save: 5/16/2017 12:37:16 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 5/17/2017 2:46:57 PM
Printed by: wet


Ident: LB87507BLW
Analysis from: 5/17/2017 10:12:21 AM
File: _2017-05-17_

Last save: 5/17/2017 2:46:22 PM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57457

Last save: 5/16/2017 12:37:16 PM

SAMPLE:
: AK/AP
Vial number: 4
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 5/17/2017 2:47:35 PM
Printed by: wet


Ident: LB87507BSW
Analysis from: 5/17/2017 10:41:17 AM
File: _2017-05-17_

Last save: 5/17/2017 1:39:52 PM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57458

Last save: 5/16/2017 12:37:16 PM

SAMPLE:
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.77	0.294	2.05	9.39	44.065	7.10	0.
2	8.46	0.280	2.35	10.78	44.421	7.16	0.
3	10.00	0.305	4.78	21.90	100.096	16.13	0.
4	12.63	0.481	2.26	10.35	69.031	11.12	0.
5	14.12	0.382	3.66	16.75	91.639	14.77	0.
6	21.10	0.836	1.64	7.51	97.477	15.71	0.
7	24.06	0.516	5.09	23.30	173.806	28.01	0.
7	26.00	0.442	21.84	99.99	620.534	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/17/2017 2:49:39 PM
Printed by: wet


Ident: I3191-02
Analysis from: 5/17/2017 12:45:36 PM
File: _2017-05-17_

Last save: 5/17/2017 2:49:18 PM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57461

Last save: 5/16/2017 12:37:16 PM

SAMPLE:
: AK/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.98	0.299	0.06	36.37	1.083	38.65	0.
2	8.42	0.276	0.10	62.77	1.720	61.35	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	0.00	0.000	0.00	0.00	0.000	0.00	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	26.00	0.082	0.15	99.14	2.803	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/17/2017 2:49:54 PM
Printed by: wet


Ident: I3191-02DUP
Analysis from: 5/17/2017 1:14:31 PM
File: _2017-05-17_

Last save: 5/17/2017 2:49:18 PM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57462

Last save: 5/16/2017 12:37:16 PM

SAMPLE:
: AK/AP
Vial number: 9
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.98	0.293	0.05	34.85	1.019	37.28	0.
2	8.41	0.276	0.10	64.59	1.714	62.72	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	0.00	0.000	0.00	0.00	0.000	0.00	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	26.00	0.081	0.15	99.44	2.733	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/17/2017 2:50:12 PM
Printed by: wet


Ident: I3191-02MS
Analysis from: 5/17/2017 1:43:26 PM
File: _2017-05-17_

Last save: 5/17/2017 2:17:00 PM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57463

Last save: 5/16/2017 12:37:16 PM

SAMPLE:
: AK/AP
Vial number: 10
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.75	0.295	2.09	9.44	44.407	7.24	0.
2	8.38	0.276	2.49	11.27	46.178	7.53	0.
3	9.87	0.301	4.63	20.95	94.357	15.38	0.
4	12.41	0.494	2.21	9.99	68.693	11.20	0.
5	13.81	0.372	3.81	17.23	92.375	15.06	0.
6	21.14	0.806	1.61	7.29	93.078	15.18	0.
7	24.07	0.501	5.26	23.82	174.224	28.41	0.
7	26.00	0.435	22.10	100.00	613.311	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/17/2017 2:50:38 PM
Printed by: wet


Ident: CCV
Analysis from: 5/17/2017 2:12:22 PM
File: _2017-05-17_

Last save: 5/17/2017 2:38:12 PM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57464

Last save: 5/16/2017 12:37:16 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.296	2.05	9.32	45.430	7.32	0.
2	8.38	0.275	2.39	10.84	43.794	7.06	0.
3	9.84	0.310	4.86	22.10	102.743	16.56	0.
4	12.56	0.539	2.14	9.74	72.487	11.68	0.
5	13.96	0.371	3.76	17.08	90.945	14.66	0.
6	21.35	0.802	1.68	7.65	96.908	15.62	0.
7	24.29	0.497	5.12	23.26	168.137	27.10	0.
7	26.00	0.441	22.01	99.99	620.444	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/17/2017 3:14:27 PM
Printed by: wet


Ident: CCB
Analysis from: 5/17/2017 2:41:17 PM
File: _2017-05-17_

Last save: 5/17/2017 3:14:22 PM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57465

Last save: 5/16/2017 12:37:16 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD