



PERCENT SOLID

Analyst Name: JIGNESH  
Date: 5/20/2017

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:35  
In Date: 05/19/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:25  
Out Date: 05/20/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M SC-1

QC: LB87571

| Lab ID      | Client Sample ID    | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|-------------|---------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| I3214-01    | EP2-WC8 (0-8)       | 1     | 1.15              | 9.7                           | 8.65                              | 87.7    |
| I3214-03    | EP2-WC7 (0-6.5)     | 2     | 1.18              | 9.78                          | 8.86                              | 89.3    |
| I3214-05    | EP2-WC6 (0-6.5)     | 3     | 1.14              | 9.96                          | 8.79                              | 86.7    |
| I3214-08    | EP2-WC5 (10-24)     | 4     | 1.19              | 9.87                          | 9.61                              | 97      |
| I3214-10    | EP2-WC1 (6-24)      | 5     | 1.15              | 9.52                          | 8.84                              | 91.9    |
| I3215-01    | EP1-WC11 (0-2)      | 6     | 1.14              | 9.96                          | 9.17                              | 91      |
| I3215-02    | EP1-WC11 (6-8)      | 7     | 1.13              | 9.78                          | 9.11                              | 92.3    |
| I3215-03    | EP1-WC10 (0-2)      | 8     | 1.15              | 9.7                           | 8.28                              | 83.4    |
| I3215-06    | EP1-WC9 (0-9.8)     | 9     | 1.11              | 9.83                          | 8.87                              | 89      |
| I3215-07    | EP1-WC9 (9.8-12)    | 10    | 1.13              | 9.97                          | 9.1                               | 90.2    |
| I3215-09    | EP1-WC7 (0-4)       | 11    | 1.16              | 9.85                          | 8.92                              | 89.3    |
| I3215-15    | EP1-WC4 (0-9.5)     | 12    | 1.2               | 9.97                          | 8.87                              | 87.5    |
| I3215-16    | EP1-WC2 (0-6)       | 13    | 1.17              | 9.54                          | 8.22                              | 84.2    |
| I3223-01    | POSTEX-42-20170517  | 14    | 1.18              | 9.91                          | 8.98                              | 89.3    |
| I3223-02    | POSTEX-43-20170517  | 15    | 1.16              | 9.98                          | 9.29                              | 92.2    |
| I3240-01    | EP2-WC8 (0-8)       | 16    | 1.15              | 9.7                           | 8.65                              | 87.7    |
| I3240-02    | EP2-WC8 (12-16)     | 17    | 1.16              | 9.97                          | 8.81                              | 86.8    |
| I3240-03    | EP2-WC7 (0-6.5)     | 18    | 1.18              | 9.78                          | 8.86                              | 89.3    |
| I3240-04    | EP2-WC7 (6.5-8)     | 19    | 1.15              | 9.98                          | 8.32                              | 81.2    |
| I3240-05    | EP2-WC6 (0-6.5)     | 20    | 1.14              | 9.96                          | 8.79                              | 86.7    |
| I3240-05DUP | EP2-WC6 (0-6.5) DUP | 21    | 1.16              | 9.95                          | 8.81                              | 87      |
| I3240-06    | EP2-WC6 (6.5-8)     | 22    | 1.18              | 9.51                          | 8.54                              | 88.4    |
| I3240-07    | EP2-WC5 (0-10)      | 23    | 1.19              | 9.7                           | 9.03                              | 92.1    |
| I3240-08    | EP2-WC5 (10-24)     | 24    | 1.19              | 9.87                          | 9.61                              | 97      |
| I3240-09    | EP2-WC1 (0-6)       | 25    | 1.16              | 9.97                          | 9.08                              | 89.9    |
| I3240-10    | EP2-WC1 (6-24)      | 26    | 1.15              | 9.52                          | 8.84                              | 91.9    |
| I3240-11    | I3240-09MS          | 27    | 1.16              | 9.97                          | 9.08                              | 89.9    |
| I3240-12    | I3240-09MSD         | 28    | 1.16              | 9.97                          | 9.08                              | 89.9    |
| I3240-13    | EP2-WC4 (0-5)       | 29    | 1.14              | 6.5                           | 5.67                              | 84.5    |
| I3240-14    | EP2-WC4 (5-8)       | 30    | 1.11              | 9.6                           | 8.56                              | 87.8    |
| I3240-16    | EP2-FD01            | 31    | 1.18              | 9.75                          | 8.89                              | 90      |
| I3241-01    | EP1-WC11 (0-2)      | 32    | 1.14              | 9.96                          | 9.17                              | 91      |
| I3241-02    | EP1-WC11 (6-8)      | 33    | 1.13              | 9.78                          | 9.11                              | 92.3    |
| I3241-03    | EP1-WC10 (0-2)      | 34    | 1.15              | 9.7                           | 8.28                              | 83.4    |
| I3241-04    | EP1-WC8 (0-8)       | 35    | 1.15              | 9.89                          | 9.08                              | 90.7    |
| I3241-05    | EP1-WC8 (14-18)     | 36    | 1.19              | 9.64                          | 8.31                              | 84.3    |
| I3241-06    | EP1-WC9 (0-9.8)     | 37    | 1.11              | 9.83                          | 8.87                              | 89      |
| I3241-07    | EP1-WC9 (9.8-12)    | 38    | 1.13              | 9.97                          | 9.1                               | 90.2    |
| I3241-08    | EP1-WC5 (13-16)     | 39    | 1.13              | 9.65                          | 8.74                              | 89.3    |



PERCENT SOLID

Analyst Name: JIGNESH  
Date: 5/20/2017

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:35  
In Date: 05/19/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:25  
Out Date: 05/20/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M SC-1

QC: LB87571

| Lab ID      | Client Sample ID     | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|-------------|----------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| I3241-09    | EP1-WC7 (0-4)        | 40    | 1.16              | 9.85                          | 8.92                              | 89.3    |
| I3241-10    | EP1-FD01             | 41    | 1.12              | 9.8                           | 8.61                              | 86.3    |
| I3241-12    | EP1-WC3 (0-9.5)      | 42    | 1.12              | 9.82                          | 8.69                              | 87      |
| I3241-13    | EP1-WC3 (18-20)      | 43    | 1.18              | 9.97                          | 8.31                              | 81.1    |
| I3241-14    | EP1-WC1 (0-4)        | 44    | 1.2               | 9.65                          | 8.82                              | 90.2    |
| I3241-15    | EP1-WC4 (0-9.5)      | 45    | 1.2               | 9.97                          | 8.87                              | 87.5    |
| I3241-15DUP | EP1-WC4 (0-9.5) DUP  | 46    | 1.15              | 9.92                          | 8.83                              | 87.6    |
| I3241-16    | EP1-WC2 (0-6)        | 47    | 1.13              | 9.97                          | 8.74                              | 86.1    |
| I3241-17    | I3241-16MS           | 48    | 1.13              | 9.97                          | 8.74                              | 86.1    |
| I3241-18    | I3241-16MSD          | 49    | 1.13              | 9.97                          | 8.74                              | 86.1    |
| I3241-19    | EP1-FD01             | 50    | 1.14              | 9.68                          | 9.03                              | 92.4    |
| I3243-01    | TP-7-TP-8            | 51    | 1.16              | 9.98                          | 8.27                              | 80.6    |
| I3243-02    | TP-7-TP-8            | 52    | 1.16              | 9.98                          | 8.27                              | 80.6    |
| I3243-03    | TP-7-TP-8-A          | 53    | 1.16              | 9.98                          | 8.27                              | 80.6    |
| I3243-04    | TP-7-TP-8-B          | 54    | 1.16              | 9.98                          | 8.27                              | 80.6    |
| I3243-05    | TP-7-TP-8            | 55    | 1.16              | 9.98                          | 8.27                              | 80.6    |
| I3243-06    | TP-5-TP-6            | 56    | 1.15              | 9.94                          | 7.42                              | 71.3    |
| I3243-07    | TP-5-TP-6            | 57    | 1.15              | 9.94                          | 7.42                              | 71.3    |
| I3243-08    | TP-5-TP-6-A          | 58    | 1.15              | 9.94                          | 7.42                              | 71.3    |
| I3243-09    | TP-5-TP-6-A          | 59    | 1.15              | 9.94                          | 7.42                              | 71.3    |
| I3243-10    | TP-5-TP-6            | 60    | 1.15              | 9.94                          | 7.42                              | 71.3    |
| I3244-01    | NM3-COMP-0-6         | 61    | 1.14              | 9.97                          | 7.79                              | 75.3    |
| I3244-02    | NM3-COMP-6-18        | 62    | 1.19              | 9.66                          | 8.00                              | 80.4    |
| I3244-03    | NM4-COMP-0-6         | 63    | 1.13              | 9.95                          | 8.52                              | 83.8    |
| I3244-04    | NM4-COMP-6-18        | 64    | 1.13              | 9.74                          | 8.25                              | 82.7    |
| I3244-05    | NM6-COMP-0-6         | 65    | 1.19              | 9.92                          | 8.1                               | 79.2    |
| I3244-06    | NM6-COMP-6-18        | 66    | 1.14              | 9.54                          | 8.11                              | 83      |
| I3244-07    | NM7-COMP-0-6         | 67    | 1.18              | 9.75                          | 7.89                              | 78.3    |
| I3244-08    | NM7-COMP-6-18        | 68    | 1.11              | 9.96                          | 8.8                               | 86.9    |
| I3244-09    | NM8-COMP-0-6         | 69    | 1.13              | 9.93                          | 8.25                              | 80.9    |
| I3244-10    | NM8-COMP-6-18        | 70    | 1.16              | 9.71                          | 8.46                              | 85.4    |
| I3244-11    | NM13-COMP-0-6        | 71    | 1.19              | 9.96                          | 8.28                              | 80.8    |
| I3244-12    | NM13-COMP-6-18       | 72    | 1.13              | 9.87                          | 8.38                              | 83      |
| I3244-13    | NM5-COMP-0-6         | 73    | 1.19              | 9.72                          | 8.01                              | 80      |
| I3244-14    | NM5-COMP-6-18        | 74    | 1.17              | 9.53                          | 8.09                              | 82.8    |
| I3246-05    | SVOC-GPC-BLANK       | 75    | 1.00              | 2.00                          | 2.00                              | 100     |
| I3246-06    | PEST-GPC-BLANK       | 76    | 1.00              | 2.00                          | 2.00                              | 100     |
| I3246-07    | PEST-GPC-BLANK-SPIKE | 77    | 1.00              | 2.00                          | 2.00                              | 100     |
| I3246-08    | PCB-GPC-BLANK        | 78    | 1.00              | 2.00                          | 2.00                              | 100     |



PERCENT SOLID

Analyst Name: JIGNESH  
Date: 5/20/2017

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:35  
In Date: 05/19/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:25  
Out Date: 05/20/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M SC-1

QC: LB87571

| <u>Lab ID</u> | <u>Client Sample ID</u> | <u>Dish#</u> | <u>Dish Wt(g)</u><br><u>(A)</u> | <u>Dish +</u><br><u>Sample Wt(g)</u><br><u>(B)</u> | <u>Dish + Dry</u><br><u>Sample Wt(g)</u><br><u>(C)</u> | <u>% Solid</u> |
|---------------|-------------------------|--------------|---------------------------------|----------------------------------------------------|--------------------------------------------------------|----------------|
| I3246-09      | PCB-GPC-BLANKSPIKE      | 79           | 1.00                            | 2.00                                               | 2.00                                                   | 100            |
| I3246-10      | SVOC-GPC2-BLANK         | 80           | 1.00                            | 2.00                                               | 2.00                                                   | 100            |
| I3246-11      | PEST-GPC2-BLANK         | 81           | 1.00                            | 2.00                                               | 2.00                                                   | 100            |
| I3246-12      | PEST-GPC2-BLANK-SPIKE   | 82           | 1.00                            | 2.00                                               | 2.00                                                   | 100            |
| I3246-13      | PCB-GPC2-BLANK          | 83           | 1.00                            | 2.00                                               | 2.00                                                   | 100            |
| I3246-14      | PCB-GPC2-BLANKSPIKE     | 84           | 1.00                            | 2.00                                               | 2.00                                                   | 100            |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

1087541

WorkList Name : %1-051917

WorkList ID : 98622

Date : 5/19/2017 8:10:10 AM

| Due Date | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample    | Collect Date | Method       |
|----------|--------|----------|----------------|--------------|----------|------------------|--------------------|--------------|--------------|
|          | Solid  | I3214-01 | Percent Solids | Cool 4 deg C | CHAZ02   | I52              | EP2-WC8(0-8)       | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3214-03 | Percent Solids | Cool 4 deg C | CHAZ02   | I52              | EP2-WC7(0-6.5)     | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3214-05 | Percent Solids | Cool 4 deg C | CHAZ02   | I52              | EP2-WC6(0-6.5)     | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3214-08 | Percent Solids | Cool 4 deg C | CHAZ02   | I52              | EP2-WC5(10-24)     | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3214-10 | Percent Solids | Cool 4 deg C | CHAZ02   | I52              | EP2-WC1(6-24)      | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3215-01 | Percent Solids | Cool 4 deg C | CHAZ02   | I52              | EP1-WC11(0-2)      | 05/15/2017   | Chemtech -SO |
|          | Solid  | I3215-02 | Percent Solids | Cool 4 deg C | CHAZ02   | I52              | EP1-WC11(6-8)      | 05/15/2017   | Chemtech -SO |
|          | Solid  | I3215-03 | Percent Solids | Cool 4 deg C | CHAZ02   | I52              | EP1-WC10(0-2)      | 05/15/2017   | Chemtech -SO |
|          | Solid  | I3215-06 | Percent Solids | Cool 4 deg C | CHAZ02   | I52              | EP1-WC9(0-9.8)     | 05/15/2017   | Chemtech -SO |
|          | Solid  | I3215-07 | Percent Solids | Cool 4 deg C | CHAZ02   | I52              | EP1-WC9(9.8-12)    | 05/15/2017   | Chemtech -SO |
|          | Solid  | I3215-09 | Percent Solids | Cool 4 deg C | CHAZ02   | I52              | EP1-WC7(0-4)       | 05/15/2017   | Chemtech -SO |
|          | Solid  | I3215-15 | Percent Solids | Cool 4 deg C | CHAZ02   | I52              | EP1-WC4(0-9.5)     | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3215-16 | Percent Solids | Cool 4 deg C | CHAZ02   | I52              | EP1-WC2(0-6)       | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3223-01 | Percent Solids | Cool 4 deg C | AECO05   | I51              | POSTEX-42-20170517 | 05/17/2017   | Chemtech -SO |
|          | Solid  | I3223-02 | Percent Solids | Cool 4 deg C | AECO05   | I51              | POSTEX-43-20170517 | 05/17/2017   | Chemtech -SO |
|          | Solid  | I3240-01 | Percent Solids | Cool 4 deg C | CHAZ02   | I41              | EP2-WC8(0-8)       | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3240-02 | Percent Solids | Cool 4 deg C | CHAZ02   | I41              | EP2-WC8(12-16)     | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3240-03 | Percent Solids | Cool 4 deg C | CHAZ02   | I41              | EP2-WC7(0-6.5)     | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3240-04 | Percent Solids | Cool 4 deg C | CHAZ02   | I41              | EP2-WC7(6.5-8)     | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3240-05 | Percent Solids | Cool 4 deg C | CHAZ02   | I41              | EP2-WC6(0-6.5)     | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3240-06 | Percent Solids | Cool 4 deg C | CHAZ02   | I41              | EP2-WC6(6.5-8)     | 05/16/2017   | Chemtech -SO |

Date/Time 05.19.17 4:00

Received by: 31

Relinquished by: CD

Date/Time 05.19.17 3:30 PM

Received by: CP

Relinquished by: JP

# WORKLIST(Hardcopy Internal Chain)

1987571

WorkList Name : %1-051917

WorkList ID : 98622

Date : 5/19/2017 8:10:10 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
|            | Solid  | I3240-07 | Percent Solids | Cool 4 deg C | CHAZ02   | I41              | EP2-WC5(0-10)   | 05/16/2017   | Chemtech -SO |
|            | Solid  | I3240-08 | Percent Solids | Cool 4 deg C | CHAZ02   | I41              | EP2-WC5(10-24)  | 05/16/2017   | Chemtech -SO |
|            | Solid  | I3240-09 | Percent Solids | Cool 4 deg C | CHAZ02   | I41              | EP2-WC1(0-6)    | 05/16/2017   | Chemtech -SO |
|            | Solid  | I3240-10 | Percent Solids | Cool 4 deg C | CHAZ02   | I41              | EP2-WC1(6-24)   | 05/16/2017   | Chemtech -SO |
| 05/26/2017 | Solid  | I3240-11 | Percent Solids | Cool 4 deg C | CHAZ02   | I41              | I3240-09MS      | 05/16/2017   | Chemtech -SO |
| 05/26/2017 | Solid  | I3240-12 | Percent Solids | Cool 4 deg C | CHAZ02   | I41              | I3240-09MSD     | 05/16/2017   | Chemtech -SO |
|            | Solid  | I3240-13 | Percent Solids | Cool 4 deg C | CHAZ02   | I41              | EP2-WC4(0-5)    | 05/16/2017   | Chemtech -SO |
|            | Solid  | I3240-14 | Percent Solids | Cool 4 deg C | CHAZ02   | I41              | EP2-WC4(5-8)    | 05/16/2017   | Chemtech -SO |
|            | Solid  | I3240-16 | Percent Solids | Cool 4 deg C | CHAZ02   | I41              | EP2-FD01        | 05/16/2017   | Chemtech -SO |
|            | Solid  | I3241-01 | Percent Solids | Cool 4 deg C | CHAZ02   | I42              | EP1-WC11(0-2)   | 05/15/2017   | Chemtech -SO |
|            | Solid  | I3241-02 | Percent Solids | Cool 4 deg C | CHAZ02   | I42              | EP1-WC11(6-8)   | 05/15/2017   | Chemtech -SO |
|            | Solid  | I3241-03 | Percent Solids | Cool 4 deg C | CHAZ02   | I42              | EP1-WC10(0-2)   | 05/15/2017   | Chemtech -SO |
|            | Solid  | I3241-04 | Percent Solids | Cool 4 deg C | CHAZ02   | I42              | EP1-WC8(0-8)    | 05/15/2017   | Chemtech -SO |
|            | Solid  | I3241-05 | Percent Solids | Cool 4 deg C | CHAZ02   | I42              | EP1-WC8(14-18)  | 05/15/2017   | Chemtech -SO |
|            | Solid  | I3241-06 | Percent Solids | Cool 4 deg C | CHAZ02   | I42              | EP1-WC9(0-9.8)  | 05/15/2017   | Chemtech -SO |
|            | Solid  | I3241-07 | Percent Solids | Cool 4 deg C | CHAZ02   | I42              | EP1-WC9(9.8-12) | 05/15/2017   | Chemtech -SO |
|            | Solid  | I3241-08 | Percent Solids | Cool 4 deg C | CHAZ02   | I42              | EP1-WC5(13-16)  | 05/15/2017   | Chemtech -SO |
|            | Solid  | I3241-09 | Percent Solids | Cool 4 deg C | CHAZ02   | I42              | EP1-WC7(0-4)    | 05/15/2017   | Chemtech -SO |
|            | Solid  | I3241-10 | Percent Solids | Cool 4 deg C | CHAZ02   | I42              | EP1-FD01        | 05/15/2017   | Chemtech -SO |
|            | Solid  | I3241-12 | Percent Solids | Cool 4 deg C | CHAZ02   | I42              | EP1-WC3(0-9.5)  | 05/16/2017   | Chemtech -SO |
|            | Solid  | I3241-13 | Percent Solids | Cool 4 deg C | CHAZ02   | I42              | EP1-WC3(18-20)  | 05/16/2017   | Chemtech -SO |

Date/Time 05-19-17 4:10:00

Received by: JP

Relinquished by: CP

Date/Time 05-19-17 5:20:00

Received by: CP

Relinquished by: JP

1087371

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-051917

WorkList ID : 98622

Date : 5/19/2017 8:10:10 AM

| Due Date | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|----------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
|          | Solid  | I3241-14 | Percent Solids | Cool 4 deg C | CHAZ02   | I42              | EP1-WC1(0-4)    | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3241-15 | Percent Solids | Cool 4 deg C | CHAZ02   | I42              | EP1-WC4(0-9.5)  | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3241-16 | Percent Solids | Cool 4 deg C | CHAZ02   | I42              | EP1-WC2(0-6)    | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3241-17 | Percent Solids | Cool 4 deg C | CHAZ02   | I42              | I3241-16MS      | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3241-18 | Percent Solids | Cool 4 deg C | CHAZ02   | I42              | I3241-16MSD     | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3241-19 | Percent Solids | Cool 4 deg C | CHAZ02   | I42              | EP1-FD01        | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3243-01 | Percent Solids | Cool 4 deg C | PSEG01   | I31              | TP-7-TP-8       | 05/18/2017   | Chemtech -SO |
|          | Solid  | I3243-02 | Percent Solids | Cool 4 deg C | PSEG01   | I31              | TP-7-TP-8       | 05/18/2017   | Chemtech -SO |
|          | Solid  | I3243-03 | Percent Solids | Cool 4 deg C | PSEG01   | I31              | TP-7-TP-8-A     | 05/18/2017   | Chemtech -SO |
|          | Solid  | I3243-04 | Percent Solids | Cool 4 deg C | PSEG01   | I31              | TP-7-TP-8-B     | 05/18/2017   | Chemtech -SO |
|          | Solid  | I3243-05 | Percent Solids | Cool 4 deg C | PSEG01   | I31              | TP-7-TP-8       | 05/18/2017   | Chemtech -SO |
|          | Solid  | I3243-06 | Percent Solids | Cool 4 deg C | PSEG01   | I31              | TP-5-TP-6       | 05/18/2017   | Chemtech -SO |
|          | Solid  | I3243-07 | Percent Solids | Cool 4 deg C | PSEG01   | I31              | TP-5-TP-6       | 05/18/2017   | Chemtech -SO |
|          | Solid  | I3243-08 | Percent Solids | Cool 4 deg C | PSEG01   | I31              | TP-5-TP-6-A     | 05/18/2017   | Chemtech -SO |
|          | Solid  | I3243-09 | Percent Solids | Cool 4 deg C | PSEG01   | I31              | TP-5-TP-6-A     | 05/18/2017   | Chemtech -SO |
|          | Solid  | I3243-10 | Percent Solids | Cool 4 deg C | PSEG01   | I31              | TP-5-TP-6       | 05/18/2017   | Chemtech -SO |
|          | Solid  | I3244-01 | Percent Solids | Cool 4 deg C | INTE16   | I43              | NM3-COMP-0-6    | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3244-02 | Percent Solids | Cool 4 deg C | INTE16   | I43              | NM3-COMP-6-18   | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3244-03 | Percent Solids | Cool 4 deg C | INTE16   | I43              | NM4-COMP-0-6    | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3244-04 | Percent Solids | Cool 4 deg C | INTE16   | I43              | NM4-COMP-6-18   | 05/16/2017   | Chemtech -SO |
|          | Solid  | I3244-05 | Percent Solids | Cool 4 deg C | INTE16   | I43              | NM6-COMP-0-6    | 05/16/2017   | Chemtech -SO |

Date/Time 05-19-17 11:00M

Received by: SP

Relinquished by: OR

Date/Time 05-14-17 330P

Received by: CD

Relinquished by: SP

2887371

## WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-051917

WorkList ID : 98622

Date : 5/19/2017 8:10:10 AM

| Due Date | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample       | Collect Date | Method       |
|----------|--------|----------|----------------|--------------|----------|------------------|-----------------------|--------------|--------------|
|          | Solid  | I3244-06 | Percent Solids | Cool 4 deg C | INTE16   | I43              | NM6-COMP-6-18         | 05/17/2017   | Chemtech -SO |
|          | Solid  | I3244-07 | Percent Solids | Cool 4 deg C | INTE16   | I43              | NM7-COMP-0-6          | 05/15/2017   | Chemtech -SO |
|          | Solid  | I3244-08 | Percent Solids | Cool 4 deg C | INTE16   | I43              | NM7-COMP-6-18         | 05/18/2017   | Chemtech -SO |
|          | Solid  | I3244-09 | Percent Solids | Cool 4 deg C | INTE16   | I43              | NM8-COMP-0-6          | 05/17/2017   | Chemtech -SO |
|          | Solid  | I3244-10 | Percent Solids | Cool 4 deg C | INTE16   | I43              | NM8-COMP-6-18         | 05/17/2017   | Chemtech -SO |
|          | Solid  | I3244-11 | Percent Solids | Cool 4 deg C | INTE16   | I43              | NM13-COMP-0-6         | 05/15/2017   | Chemtech -SO |
|          | Solid  | I3244-12 | Percent Solids | Cool 4 deg C | INTE16   | I43              | NM13-COMP-6-18        | 05/15/2017   | Chemtech -SO |
|          | Solid  | I3244-13 | Percent Solids | Cool 4 deg C | INTE16   | I43              | NM5-COMP-0-6          | 05/18/2017   | Chemtech -SO |
|          | Solid  | I3244-14 | Percent Solids | Cool 4 deg C | INTE16   | I43              | NM5-COMP-6-18         | 05/18/2017   | Chemtech -SO |
|          | Solid  | I3246-05 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | SVOC-GPC-BLANK        | 05/12/2017   | Chemtech -SO |
|          | Solid  | I3246-06 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | PEST-GPC-BLANK        | 05/12/2017   | Chemtech -SO |
|          | Solid  | I3246-07 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | PEST-GPC-BLANK-SPIKE  | 05/12/2017   | Chemtech -SO |
|          | Solid  | I3246-08 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | PCB-GPC-BLANK         | 05/12/2017   | Chemtech -SO |
|          | Solid  | I3246-09 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | PCB-GPC-BLANK-SPIKE   | 05/12/2017   | Chemtech -SO |
|          | Solid  | I3246-10 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | SVOC-GPC2-BLANK       | 05/12/2017   | Chemtech -SO |
|          | Solid  | I3246-11 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | PEST-GPC2-BLANK       | 05/12/2017   | Chemtech -SO |
|          | Solid  | I3246-12 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | PEST-GPC2-BLANK-SPIKE | 05/12/2017   | Chemtech -SO |
|          | Solid  | I3246-13 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | PCB-GPC2-BLANK        | 05/12/2017   | Chemtech -SO |
|          | Solid  | I3246-14 | Percent Solids | Cool 4 deg C | CHEM02   | D31              | PCB-GPC2-BLANK-SPIKE  | 05/12/2017   | Chemtech -SO |

Date/Time 05-19-17 11:00 AM

Received by: SP

Relinquished by: CA

Date/Time 05-19-17 3:30 PM

Received by: CP

Relinquished by: SP