



PERCENT SOLID

Analyst Name: JIGNESH  
Date: 5/23/2017

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:25  
In Date: 05/22/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:19  
Out Date: 05/23/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M SC-1

QC: LB87611

| Lab ID      | Client Sample ID  | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|-------------|-------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| I3125-05    | WC-AOC-17-B5-COMP | 1     | 1.13              | 9.88                          | 8.72                              | 86.7    |
| I3248-01    | SB-11-5.5-6.0     | 2     | 1.17              | 9.69                          | 7.95                              | 79.6    |
| I3248-02    | SB-11A-5.0-5.5    | 3     | 1.19              | 9.57                          | 7.55                              | 75.9    |
| I3248-03    | SB-12-5.5-6.0     | 4     | 1.12              | 9.95                          | 9.23                              | 91.8    |
| I3248-04    | SB-10-9.5-10.0    | 5     | 1.16              | 9.7                           | 7.79                              | 77.6    |
| I3248-05    | SB-8-6.0-6.5      | 6     | 1.17              | 9.98                          | 8.65                              | 84.9    |
| I3248-06    | SB-9-4.5-5        | 7     | 1.17              | 9.95                          | 8.61                              | 84.7    |
| I3269-01    | SB-01-7.5-8       | 8     | 1.18              | 9.96                          | 9.45                              | 94.2    |
| I3269-02    | SB-01-COMP        | 9     | 1.16              | 9.87                          | 9.07                              | 90.8    |
| I3269-03    | SB-02-7.5-8       | 10    | 1.14              | 9.95                          | 9.54                              | 95.3    |
| I3269-04    | SB-02-COMP        | 11    | 1.13              | 9.65                          | 9.23                              | 95.1    |
| I3269-05    | SB-05-11.5-12.0   | 12    | 1.19              | 9.73                          | 9.32                              | 95.2    |
| I3269-06    | SB-05-COMP        | 13    | 1.14              | 9.87                          | 9.08                              | 91      |
| I3269-07    | SB-07-9.5-10.0    | 14    | 1.11              | 9.84                          | 8.88                              | 89      |
| I3269-08    | SB-07-COMP        | 15    | 1.12              | 9.97                          | 9.45                              | 94.1    |
| I3269-09    | SBB-09-9.5-10.0   | 16    | 1.11              | 9.54                          | 9.1                               | 94.8    |
| I3269-10    | SB-09-COMP        | 17    | 1.18              | 9.96                          | 9.53                              | 95.1    |
| I3269-11    | SB-13-12.5-13.0   | 18    | 1.17              | 9.55                          | 9.24                              | 96.3    |
| I3269-12    | SB-13-COMP        | 19    | 1.15              | 9.96                          | 9.53                              | 95.1    |
| I3269-13    | SB-03-12.5-13.0   | 20    | 1.19              | 9.98                          | 9.82                              | 98.2    |
| I3269-14    | SB-03-COMP        | 21    | 1.16              | 9.68                          | 9.28                              | 95.3    |
| I3269-14DUP | SB-03-COMPDUP     | 22    | 1.18              | 9.72                          | 9.32                              | 95.3    |
| I3269-15    | SB-06-12.5-13.0   | 23    | 1.13              | 9.71                          | 9.34                              | 95.7    |
| I3269-16    | SB-06-COMP        | 24    | 1.11              | 9.89                          | 8.92                              | 89      |
| I3269-17    | SB-12-11.5-12.0   | 25    | 1.13              | 9.97                          | 9.74                              | 97.4    |
| I3269-18    | SB-12-COMP        | 26    | 1.18              | 9.86                          | 9.45                              | 95.3    |
| I3269-19    | SB-14-12.5-13.0   | 27    | 1.14              | 9.97                          | 9.66                              | 96.5    |
| I3269-20    | SB-14-COMP        | 28    | 1.16              | 9.82                          | 9.44                              | 95.6    |
| I3271-01    | SB-17-17.5-18.0   | 29    | 1.15              | 9.98                          | 9.62                              | 95.9    |
| I3271-02    | SB-17-COMP        | 30    | 1.13              | 9.81                          | 9.14                              | 92.3    |
| I3290-01    | TP-3-TP-4         | 31    | 1.15              | 9.86                          | 7.97                              | 78.3    |
| I3290-02    | TP-3-TP-4         | 32    | 1.15              | 9.86                          | 7.97                              | 78.3    |
| I3290-03    | TP-3-TP-4-A       | 33    | 1.15              | 9.86                          | 7.97                              | 78.3    |
| I3290-04    | TP-3-TP-4-B       | 34    | 1.15              | 9.86                          | 7.97                              | 78.3    |
| I3290-05    | TP-3-TP-4         | 35    | 1.15              | 9.86                          | 7.97                              | 78.3    |
| I3290-06    | TP-2              | 36    | 1.13              | 9.81                          | 7.93                              | 78.3    |
| I3290-07    | TP-2              | 37    | 1.13              | 9.81                          | 7.93                              | 78.3    |
| I3290-08    | TP-2-A            | 38    | 1.13              | 9.81                          | 7.93                              | 78.3    |
| I3290-09    | TP-2-B            | 39    | 1.13              | 9.81                          | 7.93                              | 78.3    |



PERCENT SOLID

Analyst Name: JIGNESH  
Date: 5/23/2017

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:25  
In Date: 05/22/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:19  
Out Date: 05/23/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M SC-1

QC: LB87611

| <u>Lab ID</u> | <u>Client Sample ID</u> | <u>Dish#</u> | <u>Dish Wt(g)</u><br><u>(A)</u> | <u>Dish +</u><br><u>Sample Wt(g)</u><br><u>(B)</u> | <u>Dish + Dry</u><br><u>Sample Wt(g)</u><br><u>(C)</u> | <u>% Solid</u> |
|---------------|-------------------------|--------------|---------------------------------|--|--|----------------|
| I3290-10      | TP-2                    | 40           | 1.13                            | 9.81   | 7.93   | 78.3           |
| I3298-01      | A052636                 | 41           | 1.00                            | 2.00   | 2.00   | 100            |
| I3298-02      | B052625                 | 42           | 1.00                            | 2.00   | 2.00   | 100            |
| I3300-01      | E2-T9-BASE              | 43           | 1.19                            | 9.83   | 7.24   | 70             |
| I3300-02      | E2-T10-BASE             | 44           | 1.11                            | 9.85   | 7.72   | 75.6           |
| I3300-03      | E2-T11-ESW              | 45           | 1.16                            | 9.86   | 8.18   | 80.7           |
| I3300-04      | E2-S11-ESW              | 46           | 1.16                            | 9.72   | 7.97   | 79.6           |
| I3300-05      | E2-R11-WSW              | 47           | 1.19                            | 9.89   | 8.76   | 87             |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

188761)

WorkList Name : %1-052217

WorkList ID : 98712

Date : 5/22/2017 8:23:31 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample   | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-------------------|--------------|--------------|
| 05/19/2017 | Solid  | I3125-05 | Percent Solids | Cool 4 deg C | ENTA04   | H32              | WC-AOC-17-B5-COMP | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3248-01 | Percent Solids | Cool 4 deg C | POWE02   | I13              | SB-11-5.5-6.0     | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3248-02 | Percent Solids | Cool 4 deg C | POWE02   | I13              | SB-11A-5.0-5.5    | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3248-03 | Percent Solids | Cool 4 deg C | POWE02   | I13              | SB-12-5.5-6.0     | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3248-04 | Percent Solids | Cool 4 deg C | POWE02   | I13              | SB-10-9.5-10.0    | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3248-05 | Percent Solids | Cool 4 deg C | POWE02   | I13              | SB-8-6.0-6.5      | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3248-06 | Percent Solids | Cool 4 deg C | POWE02   | I13              | SB-9-4.5-5        | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3269-01 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-01-7.5-8       | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3269-02 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-01-COMP        | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3269-03 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-02-7.5-8       | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3269-04 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-02-COMP        | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3269-05 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-05-11.5-12.0   | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3269-06 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-05-COMP        | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3269-07 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-07-9.5-10.0    | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3269-08 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-07-COMP        | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3269-09 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SBB-09-9.5-10.0   | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3269-10 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-09-COMP        | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3269-11 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-13-12.5-13.0   | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3269-12 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-13-COMP        | 05/18/2017   | Chemtech -SO |
|            | Solid  | I3269-13 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-03-12.5-13.0   | 05/19/2017   | Chemtech -SO |
|            | Solid  | I3269-14 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-03-COMP        | 05/19/2017   | Chemtech -SO |

Date/Time - 05 22-17 11:00 AM  
 Received by: JD  
 Relinquished by: JD

Date/Time 05-22-17 5:20 PM  
 Received by: JD  
 Relinquished by: JD

138F611

### WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-052217

WorkList ID : 98712

Date : 5/22/2017 8:23:31 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
|            | Solid  | I3269-15 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-06-12.5-13.0 | 05/19/2017   | Chemtech -SO |
|            | Solid  | I3269-16 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-06-COMP      | 05/19/2017   | Chemtech -SO |
|            | Solid  | I3269-17 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-12-11.5-12.0 | 05/19/2017   | Chemtech -SO |
|            | Solid  | I3269-18 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-12-COMP      | 05/19/2017   | Chemtech -SO |
|            | Solid  | I3269-19 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-14-12.5-13.0 | 05/19/2017   | Chemtech -SO |
|            | Solid  | I3269-20 | Percent Solids | Cool 4 deg C | LIRO01   | I53              | SB-14-COMP      | 05/19/2017   | Chemtech -SO |
|            | Solid  | I3271-01 | Percent Solids | Cool 4 deg C | LIRO01   | I23              | SB-17-17.5-18.0 | 05/19/2017   | Chemtech -SO |
|            | Solid  | I3271-02 | Percent Solids | Cool 4 deg C | LIRO01   | I23              | SB-17-COMP      | 05/19/2017   | Chemtech -SO |
| 05/26/2017 | Solid  | I3290-01 | Percent Solids | Cool 4 deg C | PSEG01   | G61              | TP-3-TP-4       | 05/19/2017   | Chemtech -SO |
| 05/26/2017 | Solid  | I3290-02 | Percent Solids | Cool 4 deg C | PSEG01   | G61              | TP-3-TP-4       | 05/19/2017   | Chemtech -SO |
| 05/26/2017 | Solid  | I3290-03 | Percent Solids | Cool 4 deg C | PSEG01   | G61              | TP-3-TP-4-A     | 05/19/2017   | Chemtech -SO |
| 05/26/2017 | Solid  | I3290-04 | Percent Solids | Cool 4 deg C | PSEG01   | G61              | TP-3-TP-4-B     | 05/19/2017   | Chemtech -SO |
| 05/26/2017 | Solid  | I3290-05 | Percent Solids | Cool 4 deg C | PSEG01   | G61              | TP-3-TP-4       | 05/19/2017   | Chemtech -SO |
| 05/26/2017 | Solid  | I3290-06 | Percent Solids | Cool 4 deg C | PSEG01   | G61              | TP-2            | 05/19/2017   | Chemtech -SO |
| 05/26/2017 | Solid  | I3290-07 | Percent Solids | Cool 4 deg C | PSEG01   | G61              | TP-2            | 05/19/2017   | Chemtech -SO |
| 05/26/2017 | Solid  | I3290-08 | Percent Solids | Cool 4 deg C | PSEG01   | G61              | TP-2-A          | 05/19/2017   | Chemtech -SO |
| 05/26/2017 | Solid  | I3290-09 | Percent Solids | Cool 4 deg C | PSEG01   | G61              | TP-2-B          | 05/19/2017   | Chemtech -SO |
| 05/26/2017 | Solid  | I3298-01 | Percent Solids | Cool 4 deg C | CLEA07   | I22              | A052636         | 05/19/2017   | Chemtech -SO |
| 05/26/2017 | Solid  | I3298-02 | Percent Solids | Cool 4 deg C | CLEA07   | I22              | B052625         | 05/19/2017   | Chemtech -SO |
| 05/26/2017 | Solid  | I3300-01 | Percent Solids | Cool 4 deg C | E2PR01   | I62              | E2-T9-BASE      | 05/18/2017   | Chemtech -SO |

Date/Time 05-22-17 11:00 AM

Received by: SP

Relinquished by: SP

Date/Time 05-22-17 5:30 PM

Received by: CL

Relinquished by: SO

1087611

### WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-052217

WorkList ID : 98712

Date : 5/22/2017 8:23:31 AM

| Due Date | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample | Collect Date | Method       |
|----------|--------|----------|----------------|--------------|----------|------------------|-----------------|--------------|--------------|
|          | Solid  | I3300-02 | Percent Solids | Cool 4 deg C | E2PR01   | I62              | E2-T10-BASE     | 05/18/2017   | Chemtech -SO |
|          | Solid  | I3300-03 | Percent Solids | Cool 4 deg C | E2PR01   | I62              | E2-T11-ESW      | 05/18/2017   | Chemtech -SO |
|          | Solid  | I3300-04 | Percent Solids | Cool 4 deg C | E2PR01   | I62              | E2-S11-ESW      | 05/18/2017   | Chemtech -SO |
|          | Solid  | I3300-05 | Percent Solids | Cool 4 deg C | E2PR01   | I62              | E2-R11-WSW      | 05/18/2017   | Chemtech -SO |

Date/Time 05-22-17 4:00PM  
 Received by: SD  
 Relinquished by: SD

Date/Time 05-22-17 5:30PM  
 Received by: SD  
 Relinquished by: SD