

Analysis Method: 9034

ANALYST: ketankumar

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: apatel

Run Number: LB87760

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2169
IODINE SOLUTION .025N 1L	W2205
Starch Solution, 4L	W2121

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB99376BL		1	5.02	50	5.00	0.00	4.46	4.46	0.54	0.00	0.00	05/30/2017	13:05
2	I3388-05		1	5.04	50	5.00	0.00	4.44	4.44	0.56	0.02	1.59	05/30/2017	13:10
3	I3388-05DUP		1	5.03	50	5.00	4.44	8.86	4.42	0.58	0.04	3.18	05/30/2017	13:14
4	I3388-06		1	5.04	50	5.00	0.00	4.28	4.28	0.72	0.18	14.29	05/30/2017	13:18

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume