



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB87772

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	I3398-02	SB-08-COMP	1	100.03	0.00	05/31/2017	12:55
2	I3398-02DUP	SB-08-COMPDUP	1	100.02	0.00	05/31/2017	13:10
3	I3398-04	SB-02-COMP	1	100.04	0.00	05/31/2017	13:25
4	I3398-06	SB-01-COMP	1	100.03	0.00	05/31/2017	13:36
5	I3398-08	SB-05-COMP	1	100.04	0.00	05/31/2017	13:46

WORKLIST(Hardcopy Internal Chain)

LB 87772

WorkList Name : PF53117

WorkList ID : 99038

Date : 5/31/2017 11:27:12 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Solid	I3398-02	Paint Filter	Cool 4 deg C	LIR001	J22	SB-08-COMP	05/26/2017	9095A
	Solid	I3398-04	Paint Filter	Cool 4 deg C	LIR001	J22	SB-02-COMP	05/30/2017	9095A
	Solid	I3398-06	Paint Filter	Cool 4 deg C	LIR001	J22	SB-01-COMP	05/30/2017	9095A
	Solid	I3398-08	Paint Filter	Cool 4 deg C	LIR001	J22	SB-05-COMP	05/30/2017	9095A

Date/Time 05/31/17 11:30 AM
 Received by: KS
 Relinquished by: CS

Date/Time 05/31/17 13:50
 Received by: CS
 Relinquished by: KS