


Clear table

ident	concentrati on F-	concentrati on CL-	concentrati on NO2	concentrati on BR-	concentrati on NO3	concentrati on HPO4	concentrati on SO4	file name	date time
STD1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2017-05-15_	5/15/17 11:02
STD2	0.1680	0.2160	0.2440	0.6450	0.1460	0.1030	1.0470	2017-05-15_	5/15/17 11:31
STD3	0.4030	0.6020	0.6580	2.0770	0.4680	1.0260	2.9870	2017-05-15_	5/15/17 12:00
STD4	0.7820	1.2210	1.2160	4.0220	1.1690	2.1440	6.1280	2017-05-15_	5/15/17 12:29
STD5	1.9000	2.8570	2.7290	9.5580	2.2950	4.9660	14.3590	2017-05-15_	5/15/17 12:58
STD6	4.0490	6.0300	6.0810	20.2230	5.0090	10.1250	30.0630	2017-05-15_	5/15/17 13:27
STD7	4.9990	7.5250	7.5220	24.9750	6.2880	12.3860	37.6660	2017-05-15_	5/15/17 13:55
ICV	1.9560	3.0450	2.8960	10.3760	2.4930	5.2530	14.8750	2017-05-15_	5/15/17 15:57
ICB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2017-05-15_	5/15/17 16:26
CCV	2.0340	3.0610	3.0560	10.1920	2.4120	4.6950	13.9680	2017-06-09_	6/9/17 15:48
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2017-06-09_	6/9/17 16:17
LB87990BLS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2017-06-09_	6/9/17 16:49
LB87990BSS	2.0510	2.9610	3.0170	9.9780	2.4070	3.8870	13.8250	2017-06-09_	6/9/17 17:18
I3604-01	0.0000	5.2210	0.0000	0.0000	0.0000	0.0000	3.9090	2017-06-09_	6/9/17 17:47
I3604-01DUP	0.0000	5.2920	0.0000	0.0000	0.0000	0.0000	3.9390	2017-06-09_	6/9/17 18:16
I3604-01MS	1.9350	7.8780	2.9580	9.6910	2.3950	4.0130	17.2780	2017-06-09_	6/9/17 18:45
I3604-01MSD	2.0350	7.7750	3.0230	9.8370	2.3960	4.2010	17.3780	2017-06-09_	6/9/17 19:14
CCV	1.9870	3.0180	3.0330	10.0720	2.4110	4.3910	14.0190	2017-06-09_	6/9/17 19:42
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	2017-06-09_	6/9/17 20:11

9056
~~M3000~~
IC-1
6/12/17 AK

CALIBRATION OF COMPONENT F-

Method: ANIONS 05-15-17.mtw
Equation: $Q = 0.889647 \cdot A + 1.88268$
RSD: 3.209 %
Correlation coefficient: 0.999580




K3 = 0 K2 = 0 K1 = 0.889647 K0 = 1.88268

Base: Area
Ref.channel: Cond
ISTD:
Formula: Linear
Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0	No	
2	0.07652	1.652	0.1	20	5.749	Yes	
3	0.324	6.938	0.4	20	5.749	Yes	
4	0.717	15.46	0.8	20	5.749	Yes	
5	1.866	40.6	2	20	5.749	Yes	
6	4.29	88.91	4	20	5.749	Yes	
7	5.406	110.3	5	20	5.749	Yes	

CALIBRATION OF COMPONENT CL-

Method: ANIONS 05-15-17.mtw
 Equation: $Q = 1.29355 \cdot A + 1.37856$
 RSD: 2.656 %
 Correlation coefficient: 0.999712




K3 = 0 K2 = 0 K1 = 1.29355 K0 = 1.37856

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.1089	2.272	0.15	20	8.479		Yes
3	0.4367	8.236	0.6	20	8.479		Yes
4	0.9321	17.81	1.2	20	8.479		Yes
5	2.268	43.11	3	20	8.479		Yes
6	4.949	92.16	6	20	8.479		Yes
7	6.199	115.3	7.5	20	8.479		Yes

CALIBRATION OF COMPONENT NO2

Method: ANIONS 05-15-17.mtw
 Equation: $Q = 0.567341 \cdot A + 2.43191$
 RSD: 4.959 %
 Correlation coefficient: 0.998996




K3 = 0 K2 = 0 K1 = 0.567341 K0 = 2.43191
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.2034	4.302	0.15	20	10.05		Yes
3	0.8716	18.92	0.6	20	10.05		Yes
4	1.814	38.58	1.2	20	10.05		Yes
5	4.378	91.91	3	20	10.05		Yes
6	10.18	210.1	6	20	10.05		Yes
7	12.55	260.9	7.5	20	10.05		Yes

CALIBRATION OF COMPONENT BR-

Method: ANIONS 05-15-17.mtw
 Equation: $Q = 2.96397 \cdot A - 5.53602$
 RSD: 2.549 %
 Correlation coefficient: 0.999735




K3 = 0 K2 = 0 K1 = 2.96397 K0 = -5.53602

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0		0	0	0		0	No
2	0.1808		6.219	0.5	20		13.31	Yes
3	0.5183		15.88	2	20		13.31	Yes
4	0.9716		29.01	4	20		13.31	Yes
5	2.15		66.36	10	20		13.31	Yes
6	4.095		138.3	20	20		13.31	Yes
7	4.862		170.4	25	20		13.31	Yes

CALIBRATION OF COMPONENT NO3

Method: ANIONS 05-15-17.mtw
 Equation: $Q = 0.512186 \cdot A + 0.87084$
 RSD: 5.298 %
 Correlation coefficient: 0.998854




K3 = 0 K2 = 0 K1 = 0.512186 K0 = 0.87084

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0	No	
2	0.1557	3.994	0.125	20	14.38	Yes	
3	0.6503	16.56	0.5	20	14.38	Yes	
4	1.723	43.96	1	20	14.38	Yes	
5	3.441	87.91	2.5	20	14.38	Yes	
6	7.621	193.9	5	20	14.38	Yes	
7	9.579	243.8	6.25	20	14.38	Yes	

CALIBRATION OF COMPONENT HPO4

Method: ANIONS 05-15-17.mtw
 Equation: $Q = 1.26645 \cdot A - 3.92523$
 RSD: 2.632 %
 Correlation coefficient: 0.999717




K3 = 0 K2 = 0 K1 = 1.26645 K0 = -3.92523

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0	No	
2	0.06824	4.728	0.25	20	20.62	Yes	
3	0.2945	19.31	1	20	20.62	Yes	
4	0.5984	36.96	2	20	20.62	Yes	
5	1.408	81.53	5	20	20.62	Yes	
6	3.055	163	10	20	20.62	Yes	
7	3.815	198.7	12.5	20	20.62	Yes	

CALIBRATION OF COMPONENT SO4

Method: ANIONS 05-15-17.mtw
 Equation: $Q = 1.63278 \cdot A + 7.82709$
 RSD: 2.404 %
 Correlation coefficient: 0.999764



K3 = 0 K2 = 0 K1 = 1.63278 K0 = 7.82709

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0	No	
2	0.2247	8.028	0.75	20	25.97	Yes	
3	0.9024	31.79	3	20	25.97	Yes	
4	2.042	70.27	6	20	25.97	Yes	
5	4.822	171.1	15	20	25.97	Yes	
6	10.91	363.4	30	20	25.97	Yes	
7	13.81	456.6	37.5	20	25.97	Yes	

Report date: 5/16/2017 10:12:46 AM
Printed by: wet


Ident: STD1
Analysis from: 5/15/2017 11:02:24 AM
File: _2017-05-15_

Last save: 5/16/2017 10:10:46 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57419

Last save: 5/15/2017 11:28:14 AM

SAMPLE:
: AP/AK
Vial number: 2
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 5/16/2017 10:12:55 AM
Printed by: wet


Ident: STD2
Analysis from: 5/15/2017 11:31:20 AM
File: _2017-05-15_

Last save: 5/16/2017 10:10:46 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57420

Last save: 5/15/2017 11:28:14 AM

SAMPLE:
: AP/AK
Vial number: 3
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.325	0.08	7.46	1.652	5.29	0.
2	8.50	0.294	0.11	10.64	2.272	7.28	0.
3	10.06	0.312	0.20	19.93	4.302	13.79	0.
4	12.68	0.511	0.18	17.68	6.219	19.94	0.
5	14.32	0.396	0.15	15.22	3.994	12.80	0.
6	21.13	1.031	0.07	6.64	4.728	15.16	0.
7	23.84	0.539	0.22	21.97	8.028	25.73	0.
7	26.00	0.487	1.01	99.54	31.195	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/16/2017 10:13:04 AM
Printed by: wet


Ident: STD3
Analysis from: 5/15/2017 12:00:16 PM
File: _2017-05-15_

Last save: 5/16/2017 10:10:46 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57421

Last save: 5/15/2017 11:28:14 AM

SAMPLE:
: AP/AK
Vial number: 4
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.307	0.32	8.10	6.938	5.90	0.
2	8.51	0.283	0.44	10.91	8.236	7.00	0.
3	10.07	0.309	0.87	21.79	18.919	16.08	0.
4	12.70	0.461	0.52	12.96	15.883	13.50	0.
5	14.28	0.391	0.65	16.26	16.565	14.08	0.
6	21.18	0.963	0.29	7.35	19.308	16.41	0.
7	23.98	0.532	0.90	22.57	31.794	27.03	0.
7	26.00	0.464	4.00	99.93	117.642	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/16/2017 10:13:09 AM
Printed by: wet


Ident: STD4
Analysis from: 5/15/2017 12:29:11 PM
File: _2017-05-15_

Last save: 5/16/2017 10:10:46 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57422

Last save: 5/15/2017 11:28:14 AM

SAMPLE:
: AP/AK
Vial number: 5
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.81	0.298	0.72	8.15	15.464	6.14	0.
2	8.53	0.286	0.93	10.59	17.805	7.06	0.
3	10.08	0.306	1.81	20.62	38.583	15.31	0.
4	12.70	0.460	0.97	11.04	29.008	11.51	0.
5	14.25	0.389	1.72	19.58	43.959	17.44	0.
6	21.08	0.896	0.60	6.79	36.956	14.66	0.
7	23.88	0.520	2.04	23.21	70.269	27.88	0.
7	26.00	0.451	8.80	99.97	252.044	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/16/2017 10:13:14 AM
Printed by: wet


Ident: STD5
Analysis from: 5/15/2017 12:58:06 PM
File: _2017-05-15_

Last save: 5/16/2017 10:10:46 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57423

Last save: 5/15/2017 11:28:14 AM

SAMPLE:
: AP/AK
Vial number: 6
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.294	1.87	9.18	40.597	6.97	0.
2	8.49	0.283	2.27	11.15	43.110	7.40	0.
3	10.03	0.308	4.38	21.53	91.911	15.78	0.
4	12.68	0.485	2.15	10.57	66.364	11.39	0.
5	14.21	0.389	3.44	16.92	87.913	15.09	0.
6	21.02	0.821	1.41	6.92	81.526	14.00	0.
7	23.86	0.529	4.82	23.72	171.097	29.37	0.
7	26.00	0.444	20.33	99.99	582.517	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/16/2017 10:13:19 AM
 Printed by: wet


Ident: STD6
 Analysis from: 5/15/2017 1:27:02 PM
 File: _2017-05-15_

Last save: 5/16/2017 10:10:48 AM

Method: ANIONS 05-15-17.mtw
 Run operator: wet
 Analysis number: 57424

Last save: 5/15/2017 11:28:14 AM

SAMPLE:
 : AP/AK
 Vial number: 7
 Volume: 20.0 µL
 Dilution: 1.00
 Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.284	4.29	9.51	88.909	7.11	0.
2	8.47	0.277	4.95	10.97	92.162	7.37	0.
3	10.01	0.305	10.17	22.56	210.088	16.81	0.
4	12.67	0.538	4.09	9.08	138.328	11.07	0.
5	14.16	0.387	7.62	16.90	193.907	15.51	0.
6	20.95	0.742	3.05	6.77	162.995	13.04	0.
7	23.84	0.503	10.91	24.20	363.444	29.08	0.
7	26.00	0.434	45.10	99.99	1249.833	100.00	0.

This report has been created by IC Net
 METROHM LTD

Report date: 5/16/2017 10:13:24 AM
Printed by: wet


Ident: STD7
Analysis from: 5/15/2017 1:55:58 PM
File: _2017-05-15_

Last save: 5/16/2017 10:10:48 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57425

Last save: 5/15/2017 11:28:14 AM

SAMPLE:
: AK/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.74	0.283	5.41	9.61	110.257	7.09	0.
2	8.45	0.277	6.20	11.03	115.281	7.41	0.
3	9.98	0.308	12.55	22.32	260.881	16.77	0.
4	12.66	0.560	4.86	8.65	170.389	10.95	0.
5	14.13	0.388	9.58	17.04	243.828	15.67	0.
6	20.92	0.720	3.82	6.79	198.696	12.77	0.
7	23.84	0.499	13.81	24.57	456.582	29.34	0.
7	26.00	0.434	56.22	100.00	1555.915	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/16/2017 10:15:44 AM
Printed by: wet


Ident: ICV
Analysis from: 5/15/2017 3:57:21 PM
File: _2017-05-15_

Last save: 5/16/2017 10:15:12 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57429

Last save: 5/15/2017 11:28:14 AM

SAMPLE:
: AK/AP
Vial number: 11
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.86	0.291	1.99	9.17	41.852	6.79	0.
2	8.58	0.285	2.42	11.15	46.010	7.46	0.
3	10.11	0.307	4.69	21.58	97.818	15.86	0.
4	12.75	0.507	2.23	10.28	71.882	11.66	0.
5	14.30	0.396	3.69	16.98	95.649	15.51	0.
6	21.32	0.803	1.51	6.95	86.049	13.95	0.
7	24.19	0.514	5.19	23.89	177.408	28.77	0.
7	26.00	0.443	21.72	99.99	616.668	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 5/16/2017 10:13:58 AM
Printed by: wet


Ident: ICB
Analysis from: 5/15/2017 4:26:16 PM
File: _2017-05-15_

Last save: 5/16/2017 10:13:54 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57430

Last save: 5/15/2017 2:21:48 PM

SAMPLE:
: AK/AP
Vial number: 12
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 9:49:44 AM
Printed by: wet


Ident: CCV
Analysis from: 6/9/2017 3:48:21 PM
File: _2017-06-09_

Last save: 6/9/2017 4:14:10 PM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57853

Last save: 5/16/2017 12:37:16 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.311	1.97	10.02	43.607	7.27	0.
2	8.54	0.301	2.29	11.66	46.265	7.71	0.
3	10.11	0.320	4.72	24.02	103.461	17.24	0.
4	12.74	0.492	2.26	11.49	70.642	11.77	0.
5	14.37	0.419	3.35	17.07	92.479	15.41	0.
6	21.03	0.880	1.29	6.59	77.250	12.87	0.
7	23.89	0.669	3.76	19.14	166.307	27.72	0.
7	26.00	0.485	19.64	99.99	600.012	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 9:49:59 AM
Printed by: wet


Ident: CCB
Analysis from: 6/9/2017 4:17:16 PM
File: _2017-06-09_

Last save: 6/9/2017 5:01:56 PM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57854

Last save: 5/16/2017 12:37:16 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 9:50:24 AM
Printed by: wet


Ident: LB87990BLS
Analysis from: 6/9/2017 4:49:21 PM
File: _2017-06-09_

Last save: 6/12/2017 9:50:16 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57855

Last save: 5/16/2017 12:37:16 PM

SAMPLE: 5.01g
: AK/AP
Vial number: 4
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 9:50:33 AM
Printed by: wet


Ident: LB87990BSS
Analysis from: 6/9/2017 5:18:17 PM
File: _2017-06-09_

Last save: 6/9/2017 5:44:08 PM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57856

Last save: 5/16/2017 12:37:16 PM

SAMPLE: 5.00g
: AK/AP
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.81	0.311	1.94	10.30	43.994	7.57	0.
2	8.56	0.296	2.25	11.90	44.719	7.69	0.
3	10.12	0.321	4.65	24.62	102.059	17.56	0.
4	12.82	0.534	2.04	10.80	69.197	11.90	0.
5	14.43	0.423	3.32	17.60	92.293	15.88	0.
6	21.24	0.943	1.04	5.51	64.477	11.09	0.
7	24.00	0.689	3.64	19.28	164.544	28.31	0.
7	26.00	0.502	18.88	99.99	581.282	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 9:52:08 AM
Printed by: wet


Ident: I3604-01
Analysis from: 6/9/2017 5:47:13 PM
File: _2017-06-09_

Last save: 6/12/2017 9:50:52 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57857

Last save: 5/16/2017 12:37:16 PM

SAMPLE: 5.01g
: AK/AP
Vial number: 10
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.54	0.291	4.05	81.70	79.661	64.89	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	0.00	0.000	0.00	0.00	0.000	0.00	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.92	0.713	0.91	18.29	43.093	35.11	0.
7	26.00	0.143	4.95	99.99	122.754	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 9:52:15 AM
Printed by: wet


Ident: I3604-01DUP
Analysis from: 6/9/2017 6:16:08 PM
File: _2017-06-09_

Last save: 6/12/2017 9:50:52 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57858

Last save: 5/16/2017 12:37:16 PM

* SAMPLE: 5.00g
: AK/AP
Vial number: 11
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.52	0.289	4.11	81.85	80.763	65.02	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	0.00	0.000	0.00	0.00	0.000	0.00	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.88	0.714	0.91	18.15	43.456	34.98	0.
7	26.00	0.143	5.02	100.01	124.219	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 9:52:22 AM
Printed by: wet


Ident: I3604-01MS
Analysis from: 6/9/2017 6:45:04 PM
File: _2017-06-09_

Last save: 6/9/2017 7:10:54 PM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57859

Last save: 5/16/2017 12:37:16 PM

SAMPLE: 5.01g
: AK/AP
Vial number: 12
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.306	1.90	8.06	41.379	5.96	0.
2	8.52	0.288	6.22	26.35	120.740	17.38	0.
3	10.08	0.319	4.59	19.45	99.993	14.40	0.
4	12.70	0.545	1.95	8.24	67.262	9.68	0.
5	14.29	0.424	3.31	14.01	91.812	13.22	0.
6	21.10	0.910	1.10	4.64	66.480	9.57	0.
7	23.92	0.693	4.54	19.23	206.842	29.78	0.
7	26.00	0.498	23.62	99.98	694.508	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 9:52:37 AM
Printed by: wet


Ident: I3604-01MSD
Analysis from: 6/9/2017 7:14:00 PM
File: _2017-06-09_

Last save: 6/9/2017 7:39:50 PM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57860

Last save: 5/16/2017 12:37:16 PM

SAMPLE: 5.02g
: AK/AP
Vial number: 13
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.79	0.311	1.90	8.06	43.640	6.21	0.
2	8.52	0.290	6.09	25.88	119.143	16.96	0.
3	10.08	0.324	4.63	19.65	102.275	14.56	0.
4	12.70	0.551	1.95	8.29	68.244	9.71	0.
5	14.28	0.421	3.33	14.14	91.847	13.07	0.
6	21.08	0.913	1.14	4.83	69.441	9.88	0.
7	23.93	0.702	4.51	19.14	208.066	29.61	0.
7	26.00	0.502	23.54	99.99	702.655	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 9:52:44 AM
Printed by: wet


Ident: CCV
Analysis from: 6/9/2017 7:42:56 PM
File: _2017-06-09_

Last save: 6/9/2017 8:08:46 PM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57861

Last save: 5/16/2017 12:37:16 PM

SAMPLE:
: AK/AP
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.81	0.307	1.97	10.26	42.548	7.18	0.
2	8.55	0.295	2.30	12.01	45.589	7.70	0.
3	10.11	0.322	4.70	24.50	102.645	17.33	0.
4	12.75	0.549	2.00	10.41	69.832	11.79	0.
5	14.33	0.418	3.38	17.63	92.461	15.61	0.
6	21.09	0.898	1.20	6.25	72.436	12.23	0.
7	23.94	0.703	3.63	18.92	166.922	28.18	0.
7	26.00	0.499	19.18	99.98	592.433	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 9:52:58 AM
Printed by: wet


Ident: CCB
Analysis from: 6/9/2017 8:11:51 PM
File: _2017-06-09_

Last save: 6/12/2017 9:50:16 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57862

Last save: 5/16/2017 12:37:16 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 9:53:23 AM
Printed by: wet


Ident: CCB
Analysis from: 6/9/2017 8:11:51 PM
File: _2017-06-09_

Last save: 6/12/2017 9:50:16 AM

Method: ANIONS 05-15-17.mtw
Run operator: wet
Analysis number: 57862

Last save: 5/16/2017 12:37:16 PM

SAMPLE:
: AK/AP
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD