

Clear table

ident	concentrati on F-	concentrati on CL-	concentrati on NO2	concentrati on BR-	concentrati on NO3	concentrati on HPO4	concentrati on SO4	file name	date time
STD1	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	_2017-06-12_	6/12/17 11:03
STD2	0.2210	0.2020	0.2240	0.6590	0.1900	0.2110	1.2090	_2017-06-12_	6/12/17 11:32
STD3	0.4040	0.6120	0.6190	2.0790	0.5280	1.0010	3.1940	_2017-06-12_	6/12/17 12:01
STD4	0.7680	1.1490	1.1370	3.8090	0.9420	2.0360	5.6490	_2017-06-12_	6/12/17 12:29
STD5	1.8660	2.9940	2.9660	9.9910	2.4430	5.1410	14.5970	_2017-06-12_	6/12/17 12:58
STD6	3.9630	5.9300	5.9310	19.7270	4.9790	9.6770	29.6570	_2017-06-12_	6/12/17 13:27
STD7	5.0770	7.5630	7.5730	25.2350	6.2940	12.6840	37.9440	_2017-06-12_	6/12/17 13:56
ICV	2.1210	2.9490	2.9210	9.8130	2.4090	5.1430	14.5020	_2017-06-12_	6/12/17 16:02
ICB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	_2017-06-12_	6/12/17 16:31
CCV	2.0710	2.9440	2.9150	9.8980	2.4110	5.7360	14.8010	_2017-06-24_	6/24/17 0:28
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	_2017-06-24_	6/24/17 0:57
LB88309BLS	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	_2017-06-24_	6/24/17 1:26
LB88309BSS	2.2020	2.9360	2.9250	9.8930	2.4120	5.7350	14.7000	_2017-06-24_	6/24/17 1:55
I3879-01	0.0000	2.4010	0.0000	0.0000	5.8170	0.0000	501.0970	_2017-06-24_	6/24/17 2:24
I3879-01DUP	0.0000	2.4130	0.0000	0.0000	5.8210	0.0000	499.8410	_2017-06-24_	6/24/17 2:53
I3879-01MS	3.0500	5.1820	2.9490	3.8250	7.9130	6.1200	462.3190	_2017-06-24_	6/24/17 3:22
I3879-01MSD	3.0210	5.2560	3.0390	3.8000	8.0270	6.5270	463.5100	_2017-06-24_	6/24/17 3:51
CCV	2.2390	2.9620	2.9690	9.9110	2.4220	5.7920	14.8230	_2017-06-24_	6/24/17 4:49
CCB	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	_2017-06-24_	6/24/17 5:18

m9056

IC-1


6-26-17 OK

IC-1

6-12-17 AK

CALIBRATION OF COMPONENT F-

Method: ANIONS 06-12-17.mtw
 Equation: $Q = 0.872097 \cdot A + 2.29619$
 RSD: 4.929 %
 Correlation coefficient: 0.999008




K3 = 0 K2 = 0 K1 = 0.872097 K0 = 2.29619

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.07379	2.432	0.1	20	5.749			Yes
3	0.3086	6.637	0.4	20	5.72			Yes
4	0.6516	14.99	0.8	20	5.72			Yes
5	1.921	40.17	2	20	5.72			Yes
6	4.06	88.25	4	20	5.72			Yes
7	5.304	113.8	5	20	5.72			Yes

CALIBRATION OF COMPONENT CL-

Method: ANIONS 06-12-17.mtw
 Equation: $Q = 1.29292 \cdot A + 1.25546$
 RSD: 1.942 %
 Correlation coefficient: 0.999846




K3 = 0 K2 = 0 K1 = 1.29292 K0 = 1.25546
 Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.107	2.154	0.15	20	8.479			Yes
3	0.4317	8.493	0.6	20	8.411			Yes
4	0.8403	16.81	1.2	20	8.411			Yes
5	2.308	45.35	3	20	8.411			Yes
6	4.698	90.76	6	20	8.411			Yes
7	6.047	116	7.5	20	8.411			Yes

CALIBRATION OF COMPONENT NO2

Method: ANIONS 06-12-17.mtw
 Equation: $Q = 0.55604 \cdot A + 1.84345$
 RSD: 2.353 %
 Correlation coefficient: 0.999774



K3 = 0 K2 = 0 K1 = 0.55604 K0 = 1.84345


Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.206	4.726	0.15	20	10.05			Yes
3	0.8694	18.94	0.6	20	9.95			Yes
4	1.714	37.59	1.2	20	9.95			Yes
5	4.807	103.4	3	20	9.95			Yes
6	9.825	210	6	20	9.95			Yes
7	12.74	269.1	7.5	20	9.95			Yes

±0.5

CALIBRATION OF COMPONENT BR-

Method: ANIONS 06-12-17.mtw
 Equation: $Q = 2.98803 \cdot A - 4.99399$
 RSD: 2.169 %
 Correlation coefficient: 0.999808




K3 = 0 K2 = 0 K1 = 2.98803 K0 = -4.99399

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.163	6.08	0.5	20	13.31			Yes
3	0.4147	15.59	2	20	12.61			Yes
4	0.701	27.17	4	20	12.61			Yes
5	1.621	68.54	10	20	12.61			Yes
6	2.859	133.7	20	20	12.61			Yes
7	3.451	170.6	25	20	12.61			Yes

CALIBRATION OF COMPONENT NO3

Method: ANIONS 06-12-17.mtw
 Equation: $Q = 0.507918 \cdot A + 1.79143$
 RSD: 2.315 %
 Correlation coefficient: 0.999781



K3 = 0 K2 = 0 K1 = 0.507918 K0 = 1.79143


Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File	
1	0	0	0	0	0			No
2	0.1491	3.965	0.125	20	14.38			Yes
3	0.6394	17.27	0.5	20	14.11			Yes
4	1.246	33.56	1	20	14.11			Yes
5	3.469	92.65	2.5	20	14.11			Yes
6	7.122	192.5	5	20	14.11			Yes
7	9.177	244.3	6.25	20	14.11			Yes

±0.5

CALIBRATION OF COMPONENT HPO4

Method: ANIONS 06-12-17.mtw
 Equation: $Q = 1.67333 \cdot A - 1.10242$
 RSD: 3.912 %
 Correlation coefficient: 0.999375




K3 = 0 K2 = 0 K1 = 1.67333 K0 = -1.10242

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0		No
2	0.05102	3.183	0.25	20	20.62		Yes
3	0.2093	12.62	1	20	20.8		Yes
4	0.4198	24.99	2	20	20.8		Yes
5	1.095	62.11	5	20	20.8		Yes
6	2.121	116.3	10	20	20.8		Yes
7	2.831	152.3	12.5	20	20.8		Yes

CALIBRATION OF COMPONENT SO4

Method: ANIONS 06-12-17.mtw
 Equation: $Q = 1.69392 \cdot A + 9.88188$
 RSD: 2.996 %
 Correlation coefficient: 0.999634



K3 = 0 K2 = 0 K1 = 1.69392 K0 = 9.88188

Base: Area
 Ref.channel: Cond
 ISTD:
 Formula: Linear
 Weight: 1

Level	Height	Area	Conc.	Vol/Dil	Retention	Used	File
1	0	0	0	0	0	No	
2	0.1891	8.441	0.75	20	23.2	Yes	
3	0.7303	31.87	3	20	23.28	Yes	
4	1.401	60.87	6	20	23.28	Yes	
5	3.888	166.5	15	20	23.28	Yes	
6	8.136	344.3	30	20	23.28	Yes	
7	10.55	442.2	37.5	20	23.28	Yes	

Report date: 6/12/2017 4:50:16 PM
Printed by: wet


Ident: STD1
Analysis from: 6/12/2017 11:03:13 AM
File: _2017-06-12_

Last save: 6/12/2017 2:28:24 PM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 57867

Last save: 6/12/2017 10:37:08 AM

SAMPLE:
: AP/AK
Vial number: 2
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 4:50:30 PM
Printed by: wet


Ident: STD2
Analysis from: 6/12/2017 11:32:08 AM
File: _2017-06-12_

Last save: 6/12/2017 2:28:24 PM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 57868

Last save: 6/12/2017 10:37:08 AM

SAMPLE:
: AP/AK
Vial number: 3
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.73	0.402	0.07	7.80	2.432	7.85	0.
2	8.42	0.297	0.11	11.34	2.154	6.95	0.
3	9.97	0.326	0.21	21.87	4.726	15.25	0.
4	12.65	0.560	0.16	17.28	6.080	19.63	0.
5	14.19	0.411	0.15	15.80	3.965	12.80	0.
6	20.76	0.995	0.05	5.37	3.183	10.27	0.
7	23.20	0.676	0.19	20.09	8.441	27.25	0.
7	26.00	0.524	0.93	99.56	30.981	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 4:50:37 PM
Printed by: wet


Ident: STD3
Analysis from: 6/12/2017 12:01:04 PM
File: _2017-06-12_

Last save: 6/12/2017 2:28:24 PM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 57869

Last save: 6/12/2017 10:37:08 AM

SAMPLE:
: AP/AK
Vial number: 4
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.72	0.318	0.31	8.56	6.637	5.96	0.
2	8.41	0.295	0.43	11.96	8.493	7.62	0.
3	9.95	0.321	0.87	24.12	18.944	17.00	0.
4	12.61	0.582	0.41	11.49	15.586	13.99	0.
5	14.11	0.413	0.64	17.73	17.265	15.50	0.
6	20.80	0.942	0.21	5.79	12.622	11.33	0.
7	23.28	0.665	0.73	20.25	31.872	28.61	0.
7	26.00	0.505	3.60	99.90	111.418	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 4:50:45 PM
Printed by: wet


Ident: STD4
Analysis from: 6/12/2017 12:29:59 PM
File: _2017-06-12_

Last save: 6/12/2017 2:28:26 PM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 57870

Last save: 6/12/2017 10:37:08 AM

SAMPLE:
: AP/AK
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.71	0.317	0.65	9.34	14.989	6.94	0.
2	8.38	0.297	0.84	12.05	16.809	7.78	0.
3	9.90	0.319	1.71	24.58	37.595	17.41	0.
4	12.53	0.615	0.70	10.04	27.169	12.58	0.
5	13.99	0.412	1.25	17.87	33.565	15.54	0.
6	20.72	0.914	0.42	6.01	24.991	11.57	0.
7	23.26	0.662	1.40	20.08	60.865	28.18	0.
7	26.00	0.505	6.97	99.96	215.982	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 4:50:50 PM
Printed by: wet


Ident: STD5
Analysis from: 6/12/2017 12:58:55 PM
File: _2017-06-12_

Last save: 6/12/2017 2:28:26 PM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 57871

Last save: 6/12/2017 10:37:08 AM

SAMPLE:
: AP/AK
Vial number: 6
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.75	0.304	1.92	10.05	40.169	6.94	0.
2	8.43	0.292	2.31	12.08	45.346	7.84	0.
3	9.94	0.316	4.81	25.15	103.381	17.86	0.
4	12.61	0.711	1.62	8.48	68.545	11.84	0.
5	14.02	0.408	3.47	18.16	92.652	16.01	0.
6	20.77	0.855	1.09	5.73	62.106	10.73	0.
7	23.35	0.651	3.89	20.35	166.507	28.77	0.
7	26.00	0.505	19.11	99.99	578.706	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 4:50:56 PM
Printed by: wet


Ident: STD6
Analysis from: 6/12/2017 1:27:50 PM
File: _2017-06-12_

Last save: 6/12/2017 2:28:26 PM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 57872

Last save: 6/12/2017 10:37:08 AM

SAMPLE:
: AP/AK
Vial number: 7
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.73	0.299	4.06	10.46	88.247	7.50	0.
2	8.38	0.286	4.70	12.10	90.759	7.72	0.
3	9.89	0.314	9.82	25.31	210.007	17.86	0.
4	12.55	0.824	2.86	7.36	133.711	11.37	0.
5	13.94	0.413	7.12	18.35	192.511	16.37	0.
6	20.72	0.815	2.12	5.46	116.322	9.89	0.
7	23.35	0.641	8.14	20.96	344.329	29.28	0.
7	26.00	0.513	38.82	99.99	1175.886	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 4:51:02 PM
Printed by: wet


Ident: STD7
Analysis from: 6/12/2017 1:56:46 PM
File: _2017-06-12_

Last save: 6/12/2017 2:28:28 PM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 57873

Last save: 6/12/2017 10:37:08 AM

SAMPLE:
: AK/AP
Vial number: 8
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.73	0.297	5.30	10.59	113.806	7.55	0.
2	8.36	0.284	6.05	12.07	116.013	7.69	0.
3	9.86	0.311	12.74	25.43	269.078	17.84	0.
4	12.53	0.885	3.45	6.89	170.580	11.31	0.
5	13.88	0.407	9.18	18.32	244.293	16.20	0.
6	20.68	0.790	2.83	5.65	152.260	10.10	0.
7	23.34	0.635	10.55	21.05	442.171	29.32	0.
7	26.00	0.516	50.10	100.00	1508.202	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 4:51:17 PM
Printed by: wet


Ident: ICV
Analysis from: 6/12/2017 4:02:25 PM
File: _2017-06-12_

Last save: 6/12/2017 4:34:28 PM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 57877

Last save: 6/12/2017 2:28:18 PM

SAMPLE:
: AK/AP
Vial number: 12
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.72	0.312	1.96	10.26	46.002	7.95	0.
2	8.35	0.288	2.30	12.07	44.648	7.72	0.
3	9.83	0.312	4.80	25.17	101.767	17.59	0.
4	12.46	0.751	1.56	8.17	67.356	11.64	0.
5	13.79	0.400	3.50	18.36	91.342	15.79	0.
6	20.83	0.865	1.08	5.67	62.130	10.74	0.
7	23.42	0.651	3.87	20.28	165.391	28.58	0.
7	26.00	0.511	19.08	99.98	578.636	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/12/2017 4:58:33 PM
Printed by: wet


Ident: ICB
Analysis from: 6/12/2017 4:31:20 PM
File: _2017-06-12_

Last save: 6/12/2017 4:58:30 PM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 57878

Last save: 6/12/2017 2:28:18 PM

SAMPLE:
: AK/AP
Vial number: 11
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 6/26/2017 3:07:38 PM
Printed by: wet


Ident: CCV
Analysis from: 6/24/2017 12:28:52 AM
File: _2017-06-24_

Last save: 6/24/2017 12:54:42 AM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 58176

Last save: 6/14/2017 10:48:22 AM

SAMPLE:
: AP/AK
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.74	0.307	1.99	10.02	44.174	7.56	0.
2	8.39	0.279	2.34	11.81	44.351	7.59	0.
3	9.88	0.299	4.89	24.66	100.822	17.25	0.
4	12.52	0.707	1.63	8.24	67.532	11.56	0.
5	13.87	0.392	3.53	17.78	90.724	15.52	0.
6	20.94	0.870	1.19	6.00	69.324	11.86	0.
7	23.55	0.586	4.26	21.48	167.478	28.66	0.
7	26.00	0.492	19.82	99.99	584.404	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/26/2017 3:07:51 PM
Printed by: wet


Ident: CCB
Analysis from: 6/24/2017 12:57:48 AM
File: _2017-06-24_

Last save: 6/26/2017 2:43:44 PM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 58177

Last save: 6/14/2017 10:48:22 AM

SAMPLE:
: AP/AK
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 6/26/2017 3:33:05 PM
Printed by: wet


Ident: LB88309BLS
Analysis from: 6/24/2017 1:26:44 AM
File: _2017-06-24_

Last save: 6/26/2017 2:43:44 PM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 58178

Last save: 6/14/2017 10:48:22 AM

SAMPLE: 5.00g
: AP/AK
Vial number: 4
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD

Report date: 6/26/2017 3:33:18 PM
Printed by: wet


Ident: LB88309BSS
Analysis from: 6/24/2017 1:55:39 AM
File: _2017-06-24_

Last save: 6/24/2017 2:21:30 AM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 58179

Last save: 6/14/2017 10:48:22 AM

SAMPLE: 5.01g
: AP/AK
Vial number: 5
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.310	2.01	10.14	47.224	8.05	0.
2	8.40	0.278	2.34	11.77	44.236	7.54	0.
3	9.89	0.299	4.92	24.73	101.192	17.25	0.
4	12.54	0.716	1.62	8.13	67.497	11.51	0.
5	13.90	0.393	3.53	17.75	90.739	15.47	0.
6	20.94	0.863	1.19	6.01	69.303	11.82	0.
7	23.54	0.582	4.27	21.46	166.274	28.35	0.
7	26.00	0.492	19.87	99.99	586.465	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/26/2017 3:33:50 PM
Printed by: wet


Ident: I3879-01
Analysis from: 6/24/2017 2:24:35 AM
File: _2017-06-24_

Last save: 6/26/2017 3:33:46 PM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 58180

Last save: 6/14/2017 10:48:22 AM

SAMPLE: 5.02g
: AP/AK
Vial number: 15
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.40	0.288	1.82	1.15	35.916	0.58	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	13.98	0.449	7.87	4.96	225.821	3.63	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.32	0.607	148.91	93.89	5958.425	95.79	0.
7	26.00	0.192	158.61	100.00	6220.162	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/26/2017 3:33:59 PM
Printed by: wet


Ident: I3879-01DUP
Analysis from: 6/24/2017 2:53:31 AM
File: _2017-06-24_

Last save: 6/26/2017 3:33:46 PM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 58181

Last save: 6/14/2017 10:48:22 AM

SAMPLE: 5.01g
: AP/AK
Vial number: 16
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	8.37	0.288	1.83	1.16	36.100	0.58	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	13.96	0.439	8.03	5.07	225.984	3.64	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.33	0.608	148.41	93.77	5943.463	95.78	0.
7	26.00	0.191	158.27	100.00	6205.547	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/26/2017 3:35:40 PM
Printed by: wet


Ident: I3879-01MS
Analysis from: 6/24/2017 3:22:27 AM
File: _2017-06-24_

Last save: 6/24/2017 3:48:16 AM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 58182

Last save: 6/14/2017 10:48:22 AM

SAMPLE: 5.03g
: AP/AK
Vial number: 17
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.77	0.379	2.25	1.36	66.994	1.09	0.
2	8.41	0.286	4.07	2.46	79.149	1.28	0.
3	9.91	0.300	4.92	2.97	102.045	1.65	0.
4	12.66	0.293	1.40	0.85	26.625	0.43	0.
5	14.00	0.441	10.93	6.61	308.937	5.01	0.
6	21.00	0.832	1.36	0.82	73.901	1.20	0.
7	23.34	0.599	139.36	84.28	5496.649	89.09	0.
7	26.00	0.447	164.29	99.36	6154.300	99.75	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/26/2017 3:35:48 PM
Printed by: wet


Ident: I3879-01MSD
Analysis from: 6/24/2017 3:51:22 AM
File: _2017-06-24_

Last save: 6/24/2017 4:17:12 AM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 58183

Last save: 6/14/2017 10:48:22 AM

SAMPLE: 5.00g
: AP/AK
Vial number: 18
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.76	0.371	2.28	1.38	66.318	1.07	0.
2	8.41	0.284	4.16	2.52	80.292	1.30	0.
3	9.92	0.302	5.05	3.06	105.327	1.70	0.
4	12.68	0.295	1.39	0.84	26.457	0.43	0.
5	14.03	0.442	11.03	6.69	313.469	5.06	0.
6	21.02	0.821	1.46	0.89	78.748	1.27	0.
7	23.37	0.604	138.76	84.08	5510.824	88.95	0.
7	26.00	0.445	164.14	99.46	6181.436	99.78	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/26/2017 3:35:56 PM
Printed by: wet


Ident: I3879-01DLX10
Analysis from: 6/24/2017 4:20:18 AM
File: _2017-06-24_

Last save: 6/26/2017 2:48:08 PM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 58184

Last save: 6/14/2017 10:48:22 AM

SAMPLE: 5.02g
: AP/AK
Vial number: 31
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	0.00	0.000	0.00	0.00	0.000	0.00	0.
2	0.00	0.000	0.00	0.00	0.000	0.00	0.
3	0.00	0.000	0.00	0.00	0.000	0.00	0.
4	0.00	0.000	0.00	0.00	0.000	0.00	0.
5	14.06	0.398	0.76	6.21	19.935	4.33	0.
6	0.00	0.000	0.00	0.00	0.000	0.00	0.
7	23.57	0.564	11.45	93.78	440.875	95.67	0.
7	26.00	0.137	12.21	100.00	460.810	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/26/2017 3:36:03 PM
Printed by: wet


Ident: CCV
Analysis from: 6/24/2017 4:49:14 AM
File: _2017-06-24_

Last save: 6/24/2017 5:15:04 AM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 58185

Last save: 6/14/2017 10:48:22 AM

SAMPLE:
: AP/AK
Vial number: 2
Volume: 20.0 µL
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No	Retention min	Width/2 min	Height uS/cm	Height %	Area uS/cm*sec	Area %	
1	5.75	0.316	2.01	10.00	48.074	8.12	0.
2	8.41	0.280	2.34	11.67	44.633	7.54	0.
3	9.92	0.304	4.92	24.51	102.767	17.36	0.
4	12.50	0.581	1.82	9.08	67.620	11.42	0.
5	13.97	0.395	3.52	17.50	91.155	15.40	0.
6	20.93	0.879	1.19	5.92	69.985	11.82	0.
7	23.53	0.584	4.28	21.32	167.739	28.34	0.
7	26.00	0.477	20.09	99.98	591.974	100.00	0.

This report has been created by IC Net
METROHM LTD

Report date: 6/26/2017 3:36:12 PM
Printed by: wet


Ident: CCB
Analysis from: 6/24/2017 5:18:10 AM
File: _2017-06-24_

Last save: 6/26/2017 2:43:44 PM

Method: ANIONS 06-12-17.mtw
Run operator: wet
Analysis number: 58186

Last save: 6/14/2017 10:48:22 AM

SAMPLE:
: AP/AK
Vial number: 3
Volume: 20.0 μ L
Dilution: 1.00
Amount: 1.0000



Quantitation method: Custom

No peaks

This report has been created by IC Net
METROHM LTD