



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB88727

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	I4176-01	VNJ-225-241-72-11938	1	100.03	0.00	07/14/2017	10:45
2	I4176-01DUP	VNJ-225-241-72-11938	1	100.02	0.00	07/14/2017	10:55
3	I4176-06	72-12003	1	100.04	0.00	07/14/2017	11:10
4	I4185-01	HDD-PILWC1	1	100.03	0.00	07/14/2017	11:20
5	I4193-01	TR-04-071317	1	100.04	0.00	07/14/2017	11:30
6	I4201-01	TP-2-RIVER-ROAD	1	100.04	0.00	07/14/2017	11:45

WORKLIST(Hardcopy Internal Chain)

LB 887-27

WorkList Name : PF71417

WorkList ID : 100680

Date : 7/14/2017 8:55:12 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
07/13/2017	Solid	✓ I4176-01	Paint Filter	Cool 4 deg C	PSEG01	G41	VNJ-225-241-72-11938-COMF	07/13/2017	9095A
07/13/2017	Solid	✓ I4176-06	Paint Filter	Cool 4 deg C	PSEG01	G41	72-12003	07/13/2017	9095A
	Solid	I4185-01 B	Paint Filter	Cool 4 deg C	DEWB01	F22	HDD-PILWC1	07/13/2017	9095A
07/13/2017	Solid	I4193-01 B	Paint Filter	Cool 4 deg C	PSEG05	G32	TR-04-071317	07/13/2017	9095A
07/13/2017	Solid	I4201-01 E	Paint Filter	Cool 4 deg C	PSEG01	G51	TP-2-RIVER-ROAD	07/13/2017	9095A

Date/Time

Received by:

Relinquished by:

07/14/17 11:50 AM

Received by:

Relinquished by: