



PERCENT SOLID

Analyst Name: JIGNESH
Date: 7/27/2017

OVENTEMP IN Celsius(°C): 108
Time IN: 17:30
In Date: 07/26/201
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 102
Time OUT: 08:27
Out Date: 07/27/201
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
BalanceID: M SC-1

QC: LB89020

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
I4425-01	CSSB-27-1	1	1.17	9.66	8.12	81.9
I4425-02	CSSB-27-1-D	2	1.13	9.97	9.28	92.2
I4425-03	CSSB-27-2	3	1.14	9.95	9.01	89.3
I4425-04	CSSB-28-1	4	1.19	9.9	8.86	88.1
I4425-05	CSSB-28-2	5	1.16	9.62	8.51	86.9
I4425-06	CSSB-29-1	6	1.14	9.77	8.64	86.9
I4425-07	CSSB-29-2	7	1.18	9.72	8.39	84.4
I4425-08	CSSB-30-1	8	1.18	9.94	8.98	89
I4425-09	CSSB-30-2	9	1.13	9.83	8.65	86.4
I4425-10	I4425-09MS	10	1.13	9.83	8.65	86.4
I4425-11	I4425-09MSD	11	1.13	9.83	8.65	86.4
I4425-12	CSSB-31-1	12	1.13	9.95	8.88	87.9
I4425-13	CSSB-32-1	13	1.11	9.96	8.83	87.2
I4425-14	CSSB-32-2	14	1.13	9.65	8.66	88.4
I4427-01	LASB-12-1	15	1.13	9.96	8.7	85.7
I4427-02	LASB-12-2	16	1.12	9.66	7.97	80.2
I4427-03	LASB-13A-1	17	1.19	9.85	7.78	76.1
I4427-04	I4427-03MS	18	1.19	9.85	7.78	76.1
I4427-05	I4427-03MSD	19	1.19	9.85	7.78	76.1
I4427-06	LASB-13A-2	20	1.15	9.94	9.25	92.2
I4427-07	LASB-14A-1	21	1.13	9.52	7.8	79.5
I4427-08	LASB-14A-2	22	1.13	9.65	7.6	75.9
I4427-09	LASB-15B-1	23	1.13	9.58	8.47	86.9
I4427-12	LASB-17B-1	24	1.17	9.61	5.59	52.4
I4427-13	LASB-18-1	25	1.16	9.81	8.86	89
I4427-14	LASB-19A-1	26	1.15	9.92	8.84	87.7
I4427-15	LASB-141-1	27	1.13	9.54	7.57	76.6
I4445-01	BLC-IP-OILY-ROCKS-SAND	28	1.12	9.61	8.29	84.5
I4445-02	BLC-IP-OILY-ROCKS-SAND	29	1.12	9.61	8.29	84.5
I4445-04	BLC-IP-OILY-RAGS	30	1.00	2.00	2.00	100
I4446-01	BLC-UG-PC	31	1.14	9.96	9.75	97.6
I4447-01	TRANS-1-LIQUID	32	1.00	2.00	2.00	100
I4447-03	TRANS-1-ROCKS	33	1.00	2.00	2.00	100
I4447-04	TRANS-2-LIQUID	34	1.00	2.00	2.00	100
I4447-06	TRANS-2-ROCKS	35	1.00	2.00	2.00	100
I4448-01	TCM-ROW	36	1.14	9.8	9.03	91.1
I4448-02	TCM-ROW	37	1.14	9.8	9.03	91.1
I4449-01	AOC1-0024	38	1.19	9.72	8.77	88.9
I4449-03	AOC2-0024	39	1.11	9.92	8.93	88.8



PERCENT SOLID

Analyst Name: JIGNESH
Date: 7/27/2017

OVENTEMP IN Celsius(°C): 108
Time IN: 17:30
In Date: 07/26/201
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 102
Time OUT: 08:27
Out Date: 07/27/201
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
BalanceID: M SC-1

QC: LB89020

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
I4456-01	TP-7-SS-3	40	1.18	9.95	9.11	90.4
I4456-02	TP-7D78	41	1.13	9.92	7.85	76.5
I4456-03	TP-8D24	42	1.13	9.78	8.07	80.2
I4456-04	TP-10D56	43	1.15	9.64	4.89	44.1
I4456-05	TP-12-SS-4	44	1.17	9.56	7.85	79.6
I4456-06	DUP	45	1.15	9.97	8.9	87.9
I4456-07	TP-13-SS-5	46	1.14	9.79	8.17	81.3
I4456-08	TP-14D24	47	1.13	9.98	8.43	82.5
I4456-09	TP-15-SS-6	48	1.11	9.6	8.19	83.4
I4456-10	TP-16-SS-7	49	1.14	9.9	8.9	88.6
I4456-11	TP-16D24	50	1.13	9.69	8.3	83.8
I4456-12	TP-17-SS-8	51	1.17	9.58	7.93	80.4
I4456-13	TP-18D24	52	1.17	9.91	9.33	93.4
I4456-14	I4456-13MS	53	1.17	9.91	9.33	93.4
I4456-15	I4456-13MSD	54	1.17	9.91	9.33	93.4
I4465-01	OK-03-072617-A	55	1.18	9.96	9.71	97.2
I4465-02	OK-03-072617-A	56	1.18	9.96	9.71	97.2
I4465-04	OK-03-072617-B	57	1.11	9.56	9.15	95.1
I4465-05	OK-03-072617-B	58	1.11	9.56	9.15	95.1
I4466-01	HD-02-072617	59	1.16	9.66	8.52	86.6
I4466-02	HD-02-072617	60	1.16	9.66	8.52	86.6
I4467-01	B-4 (0-10) G	61	1.19	9.94	8.41	82.5
I4467-02	B-4 (0-10) COMP	62	1.13	9.72	8.58	86.7
I4468-01	LOT-072-47	63	1.00	2.00	2.00	100
I4469-01	C0AG0	64	1.14	9.66	7.61	75.9
I4469-02	C0AG1	65	1.14	9.96	7.85	76.1
I4469-03	C0AG2	66	1.14	9.85	7.77	76.1
I4469-04	C0AG3	67	1.13	9.95	6.91	65.5
I4471-01	E2-L6-BASE	68	1.13	9.83	8.51	84.8
I4471-02	E2-L6-WSW	69	1.16	9.82	6.08	56.8
I4471-03	E2-L6-NSW	70	1.18	9.73	6.99	68
I4471-04	I4471-03MS	71	1.18	9.73	6.99	68
I4471-05	I4471-03MSD	72	1.18	9.73	6.99	68
I4471-06	E2-L6-NSW-DUP	73	1.17	9.65	7.39	73.3
I4471-07	E2-L6-ESW	74	1.11	9.76	7.7	76.2
I4471-09	E2-K6-WSW	75	1.14	9.97	8.89	87.8
I4471-10	E2-HS1-NSW-2	76	1.16	9.68	8.31	83.9
I4471-11	E2-HS2-SSW-2	77	1.18	9.92	8.59	84.8
I4471-12	E2-HS2-BASE-2	78	1.13	9.83	8.1	80.1



PERCENT SOLID

Analyst Name: JIGNESH
Date: 7/27/2017

OVENTEMP IN Celsius(°C): 108
Time IN: 17:30
In Date: 07/26/201
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 102
Time OUT: 08:27
Out Date: 07/27/201
Weight Check 1.0g: 1.00 g
Weight Check 10g: 10.00 g
BalanceID: M SC-1

QC: LB89020

Lab ID	Client Sample ID	Dish#	Dish Wt(g) (A)	Dish + Sample Wt(g) (B)	Dish + Dry Sample Wt(g) (C)	% Solid
I4471-13	E2-L7-BASE	79	1.16	9.84	8.88	88.9
I4471-14	E2-N7-BASE-2	80	1.12	9.71	6.02	57
I4471-15	E2-P6-WSW-2	81	1.13	9.81	8.12	80.5
I4471-16	E2-L6-BASE	82	1.13	9.83	8.51	84.8
I4471-17	E2-L6-WSW	83	1.16	9.82	6.08	56.8
I4471-18	E2-L6-NSW	84	1.18	9.73	6.99	68
I4471-19	I4471-18MS	85	1.18	9.73	6.99	68
I4471-20	I4471-18MSD	86	1.18	9.73	6.99	68
I4471-21	E2-L6-NSW-DUP	87	1.17	9.65	7.39	73.3
I4471-22	E2-L6-ESW	88	1.11	9.76	7.7	76.2
I4471-23	E2-K6-WSW	89	1.14	9.97	8.89	87.8
I4471-24	E2-L7-BASE	90	1.16	9.84	8.88	88.9
I4472-01	TR-04-072617	91	1.14	9.55	7.99	81.5
I4472-02	TR-04-072617	92	1.14	9.55	7.99	81.5
I4473-01	VNJ-202-286-280	93	1.19	9.77	8.13	80.9
I4473-02	VNJ-202	94	1.14	9.87	8.15	80.3
I4473-03	286-ETGI	95	1.13	9.77	8.79	88.7
I4473-04	280-ETGI	96	1.15	9.85	8.06	79.4

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

WORKLIST(Hardcopy Internal Chain)

1989020

WorkList Name : %1-072617

WorkList ID : 101118

Date : 7/26/2017 8:18:48 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Solid	I4425-01	Percent Solids	Cool 4 deg C	CRED01	I32	CSSB-27-1	07/19/2017	Chemtech -SO
	Solid	I4425-02	Percent Solids	Cool 4 deg C	CRED01	I32	CSSB-27-1-D	07/19/2017	Chemtech -SO
	Solid	I4425-03	Percent Solids	Cool 4 deg C	CRED01	I32	CSSB-27-2	07/19/2017	Chemtech -SO
	Solid	I4425-04	Percent Solids	Cool 4 deg C	CRED01	I32	CSSB-28-1	07/19/2017	Chemtech -SO
	Solid	I4425-05	Percent Solids	Cool 4 deg C	CRED01	I32	CSSB-28-2	07/19/2017	Chemtech -SO
	Solid	I4425-06	Percent Solids	Cool 4 deg C	CRED01	I32	CSSB-29-1	07/19/2017	Chemtech -SO
	Solid	I4425-07	Percent Solids	Cool 4 deg C	CRED01	I32	CSSB-29-2	07/19/2017	Chemtech -SO
	Solid	I4425-08	Percent Solids	Cool 4 deg C	CRED01	I32	CSSB-30-1	07/19/2017	Chemtech -SO
	Solid	I4425-09	Percent Solids	Cool 4 deg C	CRED01	I32	CSSB-30-2	07/19/2017	Chemtech -SO
	Solid	I4425-10	Percent Solids	Cool 4 deg C	CRED01	I32	I4425-09MS	07/19/2017	Chemtech -SO
	Solid	I4425-11	Percent Solids	Cool 4 deg C	CRED01	I32	I4425-09MSD	07/19/2017	Chemtech -SO
	Solid	I4425-12	Percent Solids	Cool 4 deg C	CRED01	I32	CSSB-31-1	07/19/2017	Chemtech -SO
	Solid	I4425-13	Percent Solids	Cool 4 deg C	CRED01	I32	CSSB-32-1	07/19/2017	Chemtech -SO
	Solid	I4425-14	Percent Solids	Cool 4 deg C	CRED01	I32	CSSB-32-2	07/19/2017	Chemtech -SO
	Solid	I4427-01	Percent Solids	Cool 4 deg C	CRED01	I31	LASB-12-1	07/20/2017	Chemtech -SO
	Solid	I4427-02	Percent Solids	Cool 4 deg C	CRED01	I31	LASB-12-2	07/20/2017	Chemtech -SO
	Solid	I4427-03	Percent Solids	Cool 4 deg C	CRED01	I31	LASB-13A-1	07/20/2017	Chemtech -SO
	Solid	I4427-04	Percent Solids	Cool 4 deg C	CRED01	I31	I4427-03MS	07/20/2017	Chemtech -SO
	Solid	I4427-05	Percent Solids	Cool 4 deg C	CRED01	I31	I4427-03MSD	07/20/2017	Chemtech -SO
	Solid	I4427-06	Percent Solids	Cool 4 deg C	CRED01	I31	LASB-13A-2	07/20/2017	Chemtech -SO
	Solid	I4427-07	Percent Solids	Cool 4 deg C	CRED01	I31	LASB-14A-1	07/20/2017	Chemtech -SO

Date/Time 07/26/17 3:30 PM

Received by: JA CP

Relinquished by:

Date/Time 07/26/17 5:35 PM

Received by: CP

Relinquished by: JP

2089020

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-072617

WorkList ID : 101118

Date : 7/26/2017 8:18:48 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Solid	I4427-08	Percent Solids	Cool 4 deg C	CRED01	I31	LASB-14A-2	07/20/2017	Chemtech -SO
	Solid	I4427-09	Percent Solids	Cool 4 deg C	CRED01	I31	LASB-15B-1	07/20/2017	Chemtech -SO
	Solid	I4427-12	Percent Solids	Cool 4 deg C	CRED01	I31	LASB-17B-1	07/20/2017	Chemtech -SO
	Solid	I4427-13	Percent Solids	Cool 4 deg C	CRED01	I31	LASB-18-1	07/20/2017	Chemtech -SO
	Solid	I4427-14	Percent Solids	Cool 4 deg C	CRED01	I31	LASB-19A-1	07/20/2017	Chemtech -SO
	Solid	I4427-15	Percent Solids	Cool 4 deg C	CRED01	I31	LASB-141-1	07/20/2017	Chemtech -SO
08/01/2017	Solid	I4445-01	Percent Solids	Cool 4 deg C	PSEG01	I22	BLC-IP-OILY-ROCKS-SAND	07/25/2017	Chemtech -SO
08/01/2017	Solid	I4445-02	Percent Solids	Cool 4 deg C	PSEG01	I22	BLC-IP-OILY-ROCKS-SAND	07/25/2017	Chemtech -SO
08/01/2017	Solid	I4445-04	Percent Solids	Cool 4 deg C	PSEG01	I22	BLC-IP-OILY-RAGS	07/25/2017	Chemtech -SO
08/01/2017	Solid	I4446-01	Percent Solids	Cool 4 deg C	PSEG01	I22	BLC-UG-PC	07/25/2017	Chemtech -SO
08/01/2017	Solid	I4447-01	Percent Solids	Cool 4 deg C	PSEG02	I23	TRANS-1-LIQUID	07/25/2017	Chemtech -SO
08/01/2017	Solid	I4447-02	Percent Solids	Cool 4 deg C	PSEG02	I23	TRANS-1-RAGS	07/25/2017	Chemtech -SO
08/01/2017	Solid	I4447-03	Percent Solids	Cool 4 deg C	PSEG02	I23	TRANS-1-RAGS	07/25/2017	Chemtech -SO
08/01/2017	Solid	I4447-04	Percent Solids	Cool 4 deg C	PSEG02	I23	TRANS-2-LIQUID	07/25/2017	Chemtech -SO
08/01/2017	Solid	I4447-05	Percent Solids	Cool 4 deg C	PSEG02	I23	TRANS-2-RAGS	07/25/2017	Chemtech -SO
08/01/2017	Solid	I4447-06	Percent Solids	Cool 4 deg C	PSEG02	I23	TRANS-2-RAGS	07/25/2017	Chemtech -SO
07/28/2017	Solid	I4448-01	Percent Solids	Cool 4 deg C	PSEG01	I32	TCM-ROW	07/25/2017	Chemtech -SO
07/28/2017	Solid	I4448-02	Percent Solids	Cool 4 deg C	PSEG01	I32	TCM-ROW	07/25/2017	Chemtech -SO
08/04/2017	Solid	I4449-01	Percent Solids	Cool 4 deg C	ROYF02	I32	AOC1-0024	07/25/2017	Chemtech -SO
08/04/2017	Solid	I4449-03	Percent Solids	Cool 4 deg C	ROYF02	I32	AOC2-0024	07/25/2017	Chemtech -SO
	Solid	I4456-01	Percent Solids	Cool 4 deg C	LABE01	I41	TP-7-SS-3	07/25/2017	Chemtech -SO

Date/Time 07/26/17 3:40PM

Date/Time 07/26/17 5:35PM

Received by: JP

Received by: CP

Relinquished by: CP

Relinquished by: JP

1389020

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-072617

WorkList ID : 101118

Date : 7/26/2017 8:18:48 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Solid	I4456-02	Percent Solids	Cool 4 deg C	LABE01	I41	TP-7D78	07/25/2017	Chemtech -SO
	Solid	I4456-03	Percent Solids	Cool 4 deg C	LABE01	I41	TP-8D24	07/25/2017	Chemtech -SO
	Solid	I4456-04	Percent Solids	Cool 4 deg C	LABE01	I41	TP-10D56	07/25/2017	Chemtech -SO
	Solid	I4456-05	Percent Solids	Cool 4 deg C	LABE01	I41	TP-12-SS-4	07/25/2017	Chemtech -SO
	Solid	I4456-06	Percent Solids	Cool 4 deg C	LABE01	I41	DUP	07/25/2017	Chemtech -SO
	Solid	I4456-07	Percent Solids	Cool 4 deg C	LABE01	I41	TP-13-SS-5	07/25/2017	Chemtech -SO
	Solid	I4456-08	Percent Solids	Cool 4 deg C	LABE01	I41	TP-14D24	07/25/2017	Chemtech -SO
	Solid	I4456-09	Percent Solids	Cool 4 deg C	LABE01	I41	TP-15-SS-6	07/25/2017	Chemtech -SO
	Solid	I4456-10	Percent Solids	Cool 4 deg C	LABE01	I41	TP-16-SS-7	07/25/2017	Chemtech -SO
	Solid	I4456-11	Percent Solids	Cool 4 deg C	LABE01	I41	TP-16D24	07/25/2017	Chemtech -SO
	Solid	I4456-12	Percent Solids	Cool 4 deg C	LABE01	I41	TP-17-SS-8	07/25/2017	Chemtech -SO
	Solid	I4456-13	Percent Solids	Cool 4 deg C	LABE01	I41	TP-18D24	07/25/2017	Chemtech -SO
	Solid	I4456-14	Percent Solids	Cool 4 deg C	LABE01	I41	I4456-13MS	07/25/2017	Chemtech -SO
	Solid	I4456-15	Percent Solids	Cool 4 deg C	LABE01	I41	I4456-13MSD	07/25/2017	Chemtech -SO
07/31/2017	Solid	I4465-01	Percent Solids	Cool 4 deg C	PSEG05	I33	OK-03-072617-A	07/26/2017	Chemtech -SO
07/31/2017	Solid	I4465-02	Percent Solids	Cool 4 deg C	PSEG05	I33	OK-03-072617-A	07/26/2017	Chemtech -SO
07/31/2017	Solid	I4465-04	Percent Solids	Cool 4 deg C	PSEG05	I33	OK-03-072617-B	07/26/2017	Chemtech -SO
07/31/2017	Solid	I4465-05	Percent Solids	Cool 4 deg C	PSEG05	I33	OK-03-072617-B	07/26/2017	Chemtech -SO
07/31/2017	Solid	I4466-01	Percent Solids	Cool 4 deg C	PSEG05	I33	HD-02-072617	07/26/2017	Chemtech -SO
07/31/2017	Solid	I4466-02	Percent Solids	Cool 4 deg C	PSEG05	I33	HD-02-072617	07/26/2017	Chemtech -SO
	Solid	I4467-01	Percent Solids	Cool 4 deg C	WSP001	I33	B-4(0-10)G	07/26/2017	Chemtech -SO

Date/Time 07/26/17 3:40 PM

Received by: JP

Relinquished by: JP

Date/Time 07/26/17 5:35 PM

Received by: JP

Relinquished by: JP

1889020

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-072617

WorkList ID : 101118

Date : 7/26/2017 8:18:48 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Solid	I4467-02	Percent Solids	Cool 4 deg C	WSP001	I33	B-4(0-10)COMP	07/26/2017	Chemtech -SO
	Solid	I4468-01	Percent Solids	Cool 4 deg C	DAIR01	I11	LOT-072-47	07/24/2017	Chemtech -SO
08/04/2017	Solid	I4469-01	Percent Solids	Cool 4 deg C	WEST04	I42	C0AG0	07/25/2017	Chemtech -SO
08/04/2017	Solid	I4469-02	Percent Solids	Cool 4 deg C	WEST04	I42	C0AG1	07/25/2017	Chemtech -SO
08/04/2017	Solid	I4469-03	Percent Solids	Cool 4 deg C	WEST04	I42	C0AG2	07/25/2017	Chemtech -SO
08/04/2017	Solid	I4469-04	Percent Solids	Cool 4 deg C	WEST04	I42	C0AG3	07/25/2017	Chemtech -SO
	Solid	I4471-01	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-L6-BASE	07/26/2017	Chemtech -SO
	Solid	I4471-02	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-L6-WSW	07/26/2017	Chemtech -SO
	Solid	I4471-03	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-L6-NSW	07/26/2017	Chemtech -SO
	Solid	I4471-04	Percent Solids	Cool 4 deg C	E2PR01	I41	I4471-03MS	07/26/2017	Chemtech -SO
	Solid	I4471-05	Percent Solids	Cool 4 deg C	E2PR01	I41	I4471-03MSD	07/26/2017	Chemtech -SO
	Solid	I4471-06	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-L6-NSW-DUP	07/26/2017	Chemtech -SO
	Solid	I4471-07	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-L6-ESW	07/26/2017	Chemtech -SO
	Solid	I4471-09	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-K6-WSW	07/26/2017	Chemtech -SO
	Solid	I4471-10	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-HS1-NSW-2	07/26/2017	Chemtech -SO
	Solid	I4471-11	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-HS2-SSW-2	07/26/2017	Chemtech -SO
	Solid	I4471-12	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-HS2-BASE-2	07/26/2017	Chemtech -SO
	Solid	I4471-13	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-L7-BASE	07/26/2017	Chemtech -SO
	Solid	I4471-14	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-N7-BASE-2	07/26/2017	Chemtech -SO
	Solid	I4471-15	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-P6-WSW-2	07/26/2017	Chemtech -SO
	Solid	I4471-16	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-L6-BASE	07/26/2017	Chemtech -SO

Date/Time 07/26/17 2:40 PM

Received by: [Signature]

Relinquished by: [Signature]

Date/Time

Received by:

Relinquished by:

07/26/17 5:35 PM

CP

JD

1389020

WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-072617

WorkList ID : 101118

Date : 7/26/2017 8:18:48 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Solid	I4471-17	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-L6-WSW	07/26/2017	Chemtech -SO
	Solid	I4471-18	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-L6-NSW	07/26/2017	Chemtech -SO
	Solid	I4471-19	Percent Solids	Cool 4 deg C	E2PR01	I41	I4471-18MS	07/26/2017	Chemtech -SO
	Solid	I4471-20	Percent Solids	Cool 4 deg C	E2PR01	I41	I4471-18MSD	07/26/2017	Chemtech -SO
	Solid	I4471-21	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-L6-NSW-DUP	07/26/2017	Chemtech -SO
	Solid	I4471-22	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-L6-ESW	07/26/2017	Chemtech -SO
	Solid	I4471-23	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-K6-WSW	07/26/2017	Chemtech -SO
	Solid	I4471-24	Percent Solids	Cool 4 deg C	E2PR01	I41	E2-L7-BASE	07/26/2017	Chemtech -SO
07/31/2017	Solid	I4472-01	Percent Solids	Cool 4 deg C	PSEG05	I42	TR-04-072617	07/26/2017	Chemtech -SO
07/31/2017	Solid	I4472-02	Percent Solids	Cool 4 deg C	PSEG05	I42	TR-04-072617	07/26/2017	Chemtech -SO
07/31/2017	Solid	I4473-01	Percent Solids	Cool 4 deg C	PSEG01	I43	VNJ-202-286-280	07/26/2017	Chemtech -SO
07/31/2017	Solid	I4473-02	Percent Solids	Cool 4 deg C	PSEG01	I43	VNJ-202	07/26/2017	Chemtech -SO
07/31/2017	Solid	I4473-03	Percent Solids	Cool 4 deg C	PSEG01	I43	286-ETGI	07/26/2017	Chemtech -SO
07/31/2017	Solid	I4473-04	Percent Solids	Cool 4 deg C	PSEG01	I43	280-ETGI	07/26/2017	Chemtech -SO

Date/Time

Received by:

Relinquished by:

Date/Time

Received by:

Relinquished by: