



Analytical Summary Report

Analysis Method: SM5220 D

ANALYST: Indiana

Parameter: COD

SUPERVISOR REVIEW BY: apatel

Run Number: LB89302

Reagent/Standard	Lot/Log #
COD ICV-LCS std, 50ppm	WP56768
COD calibration std. 100 ppm	WP56765
COD calibration std. 10 ppm	WP56764
COD calibration std. 150 ppm	WP56766
COD calibration std. 50 ppm	WP56767
COD calibration std. 0 ppm	WP56763
COD Digestion Vials Low Level 0-150Mg/L	W2235
COD ICV-LCS std, 50ppm	WP57008
COD CCV std, 50ppm	WP57009

Temp In (C): <u>150</u>	Date In: <u>08/07/2017</u>	Time In: <u>10:30</u>
Temp Out (C): <u>150</u>	Date Out: <u>08/07/2017</u>	Time Out: <u>12:32</u>

Intercept: -0.1713

Slope: 1.0189

Regression: 0.9999

Seq	Lab ID	TrueValue (mg/l)	DF	MATRIX	Reading	Anal Date	Anal Time
1	CAL1	0	1	Water	0.000	07/28/2017	15:00
2	CAL2	10	1	Water	11.000	07/28/2017	15:00
3	CAL3	50	1	Water	49.000	07/28/2017	15:01
4	CAL4	100	1	Water	102.000	07/28/2017	15:01
5	CAL5	150	1	Water	153.000	07/28/2017	15:02



Analytical Summary Report

Analysis Method: SM5220 D

ANALYST: Indiana

Parameter: COD

SUPERVISOR REVIEW BY: apatel

Run Number: LB89302

Seq	Lab ID	True Value (mg/l)	Initial Weight (g)	Final Vol (ml)	DF	MATRIX	Reading	Result	AnalDate	AnalTime
1	ICV	50			1	Water	50.000	49.241	07/28/2017	15:02
2	ICB				1	Water	0.000	0.168	07/28/2017	15:03
3	CCV1	50			1	Water	52.000	51.204	08/07/2017	13:30
4	CCB1				1	Water	0.000	0.168	08/07/2017	13:30
5	LB89302BL				1	Water	0.000	0.168	08/07/2017	13:31
6	LB89302BS	50			1	Water	51.000	50.222	08/07/2017	13:31
7	I4555-01				10	Water	39.000	38.445	08/07/2017	13:32
8	I4570-02				1	Water	0.000	0.168	08/07/2017	13:32
9	I4570-02DUP				1	Water	0.000	0.168	08/07/2017	13:33
10	I4570-02MS	50			1	Water	52.000	51.204	08/07/2017	13:33
11	I4570-02MSD	50			1	Water	51.000	50.222	08/07/2017	13:34
12	CCV2	50			1	Water	52.000	51.204	08/07/2017	13:34
13	CCB2				1	Water	0.000	0.168	08/07/2017	13:35

LB89302

WORKLIST(Hardcopy Internal Chain)

WorkList Name : COD080317

WorkList ID : 101472

Date : 8/3/2017 12:01:38 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/07/2017	Water	I4555-01	COD	Conc H2SO4 tc	PSEG01	K63	SV21074LM	08/02/2017	SM5220 D
	Water	I4570-02	COD	Conc H2SO4 tc	SHAW22	K52	OUTFALL001-170801	08/01/2017	SM5220 D

Date/Time 08/07/17 10:00
Received by: EB
Relinquished by: CP

Date/Time 08/07/17 11:00
Received by: CP
Relinquished by: EB