

TitriSoft Report

CARBONATE

Ident	Amount	DateTime	Alkalinity	Initial pH (sample)	slope	offset
LB89355BLW	100	09/08/2017 11:35	0.00	3.86	104.2	6.95
LB89355BSW	100	09/08/2017 11:43	49.76	8.51	104.2	6.95
I4665-01	50	09/08/2017 11:48	152.72	6.49	104.2	6.95
I4665-02	50	09/08/2017 11:53	99.52	5.74	104.2	6.95
I4665-03	50	09/08/2017 11:57	201.84	6.79	104.2	6.95
I4665-04	50	09/08/2017 12:02	244.72	6.50	104.2	6.95
I4665-05	50	09/08/2017 12:07	125.68	6.85	104.2	6.95
I4665-06	50	09/08/2017 12:12	130.32	6.99	104.2	6.95
I4665-07	50	09/08/2017 12:17	0.00	4.61	104.2	6.95
I4665-08	50	09/08/2017 12:20	152.72	6.90	104.2	6.95
I4665-09	50	09/08/2017 12:24	154.24	6.92	104.2	6.95
I4665-10	50	09/08/2017 12:29	129.52	6.92	104.2	6.95
I4665-11	50	09/08/2017 12:34	56.64	5.82	104.2	6.95
I4665-25	50	09/08/2017 12:37	81.28	7.11	104.2	6.95
I4665-26	50	09/08/2017 12:42	0.00	4.06	104.2	6.95
I4665-27	50	09/08/2017 12:44	135.04	6.75	104.2	6.95
I4665-28	50	09/08/2017 12:48	37.04	5.65	104.2	6.95
I4665-29	50	09/08/2017 12:52	167.84	6.06	104.2	6.95
I4665-30	50	09/08/2017 12:56	130.16	7.11	104.2	6.95
I4665-31	50	09/08/2017 13:01	202.32	6.78	104.2	6.95
I4665-32	50	09/08/2017 13:06	203.76	6.82	104.2	6.95
I4665-32DUP	50	09/08/2017 13:11	200.88	6.79	104.2	6.95
LB89355BLW	100	09/08/2017 13:17	0.20	4.69	104.2	6.95
LB89355BSW	100	09/08/2017 13:20	49.16	8.77	104.2	6.95
I4671-01	50	09/08/2017 13:26	156.16	6.80	104.2	6.95
I4671-02	50	09/08/2017 13:31	32.00	7.33	104.2	6.95
I4671-03	50	09/08/2017 13:35	32.88	7.16	104.2	6.95
I4671-04	50	09/08/2017 13:39	33.84	7.05	104.2	6.95
I4671-05	50	09/08/2017 13:43	31.76	7.10	104.2	6.95
I4671-05DUP	50	09/08/2017 14:00	32.88	7.48	104.2	6.95

08/09/17
IB