



PERCENT SOLID

Analyst Name: JIGNESH  
Date: 8/11/2017

OVENTEMP IN Celsius(°C): 109  
Time IN: 17:30  
In Date: 08/10/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:15  
Out Date: 08/11/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M SC-1

QC: LB89405

| Lab ID   | Client Sample ID        | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|-------------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| I4538-11 | RI-TP-16-SS7            | 1     | 1.16              | 9.76                          | 8.34                              | 83.5    |
| I4538-12 | RI-TP-23-SS14           | 2     | 1.16              | 9.96                          | 8.23                              | 80.3    |
| I4705-01 | SP-A-COMP               | 3     | 1.13              | 9.51                          | 8.91                              | 92.8    |
| I4705-02 | SP-A-GRAB               | 4     | 1.13              | 9.97                          | 9.37                              | 93.2    |
| I4705-04 | SP-B-COMP               | 5     | 1.13              | 9.61                          | 8.94                              | 92.1    |
| I4705-05 | SP-B-GRAB               | 6     | 1.19              | 9.66                          | 8.81                              | 90      |
| I4705-07 | SP-GRO-EPH-1            | 7     | 1.16              | 9.95                          | 9.31                              | 92.7    |
| I4705-08 | SP-GRO-EPH-2            | 8     | 1.16              | 9.95                          | 9.31                              | 92.7    |
| I4705-09 | SP-GRO-EPH-3            | 9     | 1.16              | 9.95                          | 9.31                              | 92.7    |
| I4705-10 | SP-GRO-EPH-4            | 10    | 1.16              | 9.95                          | 9.31                              | 92.7    |
| I4706-01 | OR-02-081017            | 11    | 1.18              | 9.77                          | 9.15                              | 92.8    |
| I4706-02 | OR-02-081017            | 12    | 1.18              | 9.77                          | 9.15                              | 92.8    |
| I4711-01 | S32-0585                | 13    | 1.14              | 9.93                          | 9.21                              | 91.8    |
| I4717-01 | OK-02-081017            | 14    | 1.13              | 9.8                           | 9.34                              | 94.7    |
| I4717-02 | OK-02-081017            | 15    | 1.13              | 9.8                           | 9.34                              | 94.7    |
| I4719-01 | LOT-070717              | 16    | 1.00              | 2.00                          | 2.00                              | 100     |
| I4721-01 | LOT080-77               | 17    | 1.00              | 2.00                          | 2.00                              | 100     |
| I4723-01 | OUTSIDE-FENCE           | 18    | 1.13              | 9.71                          | 9.55                              | 98.1    |
| I4723-03 | ELECTRICAL-UNIT-BUS-SUP | 19    | 1.19              | 9.6                           | 9.5                               | 98.8    |
| I4723-05 | STAINED-BRICK           | 20    | 1.17              | 9.58                          | 8.95                              | 92.5    |
| I4723-07 | UPPER-BRICK             | 21    | 1.13              | 9.77                          | 9.22                              | 93.6    |
| I4723-09 | LEANING-WALL            | 22    | 1.1               | 9.83                          | 9.34                              | 94.4    |
| I4727-01 | FK-PS-01-012            | 23    | 1.13              | 9.79                          | 9.05                              | 91.5    |
| I4727-02 | FK-PS-01-012            | 24    | 1.16              | 9.22                          | 8.59                              | 92.2    |
| I4730-01 | FK-PS-01-013            | 25    | 1.13              | 9.65                          | 8.86                              | 90.7    |
| I4730-02 | FK-PS-01-013            | 26    | 1.13              | 9.82                          | 8.92                              | 89.6    |
| I4733-01 | CAPTAINSCOVE-RU-001     | 27    | 1.15              | 9.71                          | 9.38                              | 96.1    |
| I4736-01 | SB-32-5.0-5.5           | 28    | 1.13              | 9.61                          | 8.56                              | 87.6    |
| I4736-02 | SB-32-COMP              | 29    | 1.1               | 9.97                          | 8.38                              | 82.1    |
| I4736-03 | SB-34-5.5-6.0           | 30    | 1.19              | 9.97                          | 8.99                              | 88.8    |
| I4736-04 | SB-34-COMP              | 31    | 1.16              | 9.98                          | 8.45                              | 82.7    |
| I4736-05 | SB-37-5.5-6.0           | 32    | 1.14              | 9.65                          | 7.1                               | 70      |
| I4736-06 | SB-37-COMP              | 33    | 1.18              | 9.68                          | 6.4                               | 61.4    |
| I4736-07 | SB-10-6.5-7.0           | 34    | 1.13              | 9.97                          | 8.68                              | 85.4    |
| I4736-08 | SB-10-COMP              | 35    | 1.13              | 9.91                          | 8.64                              | 85.5    |
| I4736-09 | SB-36-5.5-6.0           | 36    | 1.17              | 9.68                          | 8.79                              | 89.5    |
| I4736-10 | SB-36-COMP              | 37    | 1.1               | 9.67                          | 7.47                              | 74.3    |
| I4736-11 | SB-35-4.5-5.0           | 38    | 1.13              | 9.69                          | 8.88                              | 90.5    |
| I4736-12 | SB-35-COMP              | 39    | 1.2               | 9.94                          | 7.92                              | 76.9    |



# WORKLIST(Hardcopy Internal Chain)

LB 89405

WorkList Name : %1-081017

WorkList ID : 101700

Date : 8/10/2017 7:32:59 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample         | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|-------------------------|--------------|--------------|
| 08/06/2017 | Solid  | I4538-11 | Percent Solids | Cool 4 deg C | LABE01   | K11              | RI-TP-16-SS7            | 07/27/2017   | Chemtech -SO |
| 08/07/2017 | Solid  | I4538-12 | Percent Solids | Cool 4 deg C | LABE01   | K11              | RI-TP-23-SS14           | 07/28/2017   | Chemtech -SO |
| 08/15/2017 | Solid  | I4705-01 | Percent Solids | Cool 4 deg C | PSEG01   | L42              | SP-A-COMP               | 08/10/2017   | Chemtech -SO |
| 08/15/2017 | Solid  | I4705-02 | Percent Solids | Cool 4 deg C | PSEG01   | L42              | SP-A-GRAB               | 08/10/2017   | Chemtech -SO |
| 08/15/2017 | Solid  | I4705-04 | Percent Solids | Cool 4 deg C | PSEG01   | L42              | SP-B-COMP               | 08/10/2017   | Chemtech -SO |
| 08/15/2017 | Solid  | I4705-05 | Percent Solids | Cool 4 deg C | PSEG01   | L42              | SP-B-GRAB               | 08/10/2017   | Chemtech -SO |
| 08/15/2017 | Solid  | I4705-07 | Percent Solids | Cool 4 deg C | PSEG01   | L42              | SP-GRO-EPH-1            | 08/10/2017   | Chemtech -SO |
| 08/15/2017 | Solid  | I4705-08 | Percent Solids | Cool 4 deg C | PSEG01   | L42              | SP-GRO-EPH-2            | 08/10/2017   | Chemtech -SO |
| 08/15/2017 | Solid  | I4705-09 | Percent Solids | Cool 4 deg C | PSEG01   | L42              | SP-GRO-EPH-3            | 08/10/2017   | Chemtech -SO |
| 08/15/2017 | Solid  | I4705-10 | Percent Solids | Cool 4 deg C | PSEG01   | L42              | SP-GRO-EPH-4            | 08/10/2017   | Chemtech -SO |
| 08/15/2017 | Solid  | I4706-01 | Percent Solids | Cool 4 deg C | PSEG05   | L42              | OR-02-081017            | 08/10/2017   | Chemtech -SO |
| 08/15/2017 | Solid  | I4706-02 | Percent Solids | Cool 4 deg C | PSEG05   | L42              | OR-02-081017            | 08/10/2017   | Chemtech -SO |
|            | Solid  | I4711-01 | Percent Solids | Cool 4 deg C | SHAW27   | L11              | S32-0585                | 08/09/2017   | Chemtech -SO |
| 08/15/2017 | Solid  | I4717-01 | Percent Solids | Cool 4 deg C | PSEG05   | L42              | OK-02-081017            | 08/10/2017   | Chemtech -SO |
| 08/15/2017 | Solid  | I4717-02 | Percent Solids | Cool 4 deg C | PSEG05   | L42              | OK-02-081017            | 08/10/2017   | Chemtech -SO |
|            | Solid  | I4719-01 | Percent Solids | NONE         | DAIR01   | L11              | LOT-070717              | 08/08/2017   | Chemtech -SO |
|            | Solid  | I4721-01 | Percent Solids | NONE         | DAIR01   | L11              | LOT080-77               | 08/07/2017   | Chemtech -SO |
| 08/15/2017 | Solid  | I4723-01 | Percent Solids | Cool 4 deg C | PSEG01   | L43              | OUTSIDE-FENCE           | 08/10/2017   | Chemtech -SO |
| 08/15/2017 | Solid  | I4723-03 | Percent Solids | Cool 4 deg C | PSEG01   | L43              | ELECTRICAL-UNIT-BUS-SUP | 08/10/2017   | Chemtech -SO |
| 08/15/2017 | Solid  | I4723-05 | Percent Solids | Cool 4 deg C | PSEG01   | L43              | STAINED-BRICK           | 08/10/2017   | Chemtech -SO |
| 08/15/2017 | Solid  | I4723-07 | Percent Solids | Cool 4 deg C | PSEG01   | L43              | UPPER-BRICK             | 08/10/2017   | Chemtech -SO |

Date/Time 08-10-17 21:00 PM

Received by: To [Signature]

Relinquished by: [Signature]

Date/Time 08-10-17 5:25 PM

Received by: [Signature]

Relinquished by: [Signature]

# WORKLIST(Hardcopy Internal Chain)

13 89405

WorkList Name : %1-081017

WorkList ID : 101700

Date : 8/10/2017 7:32:59 AM

| Due Date   | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample     | Collect Date | Method       |
|------------|--------|----------|----------------|--------------|----------|------------------|---------------------|--------------|--------------|
| 08/15/2017 | Solid  | I4723-09 | Percent Solids | Cool 4 deg C | PSEG01   | L43              | LEANING-WALL        | 08/10/2017   | Chemtech -SO |
|            | Solid  | I4727-01 | Percent Solids | Cool 4 deg C | TULL02   | L11              | FK-PS-01-012        | 08/10/2017   | Chemtech -SO |
|            | Solid  | I4727-02 | Percent Solids | Cool 4 deg C | TULL02   | L11              | FK-PS-01-012        | 08/10/2017   | Chemtech -SO |
|            | Solid  | I4730-01 | Percent Solids | Cool 4 deg C | TULL02   | L11              | FK-PS-01-013        | 08/10/2017   | Chemtech -SO |
|            | Solid  | I4730-02 | Percent Solids | Cool 4 deg C | TULL02   | L11              | FK-PS-01-013        | 08/10/2017   | Chemtech -SO |
|            | Solid  | I4733-01 | Percent Solids | Cool 4 deg C | PREF02   | L11              | CAPTAINSCOVE-RU-001 | 08/09/2017   | Chemtech -SO |
|            | Solid  | I4736-01 | Percent Solids | Cool 4 deg C | LIRO01   | L11              | SB-32-5.0-5.5       | 08/10/2017   | Chemtech -SO |
|            | Solid  | I4736-02 | Percent Solids | Cool 4 deg C | LIRO01   | L11              | SB-32-COMP          | 08/10/2017   | Chemtech -SO |
|            | Solid  | I4736-03 | Percent Solids | Cool 4 deg C | LIRO01   | L11              | SB-34-5.5-6.0       | 08/10/2017   | Chemtech -SO |
|            | Solid  | I4736-04 | Percent Solids | Cool 4 deg C | LIRO01   | L11              | SB-34-COMP          | 08/10/2017   | Chemtech -SO |
|            | Solid  | I4736-05 | Percent Solids | Cool 4 deg C | LIRO01   | L11              | SB-37-5.5-6.0       | 08/10/2017   | Chemtech -SO |
|            | Solid  | I4736-06 | Percent Solids | Cool 4 deg C | LIRO01   | L11              | SB-37-COMP          | 08/10/2017   | Chemtech -SO |
|            | Solid  | I4736-07 | Percent Solids | Cool 4 deg C | LIRO01   | L11              | SB-10-6.5-7.0       | 08/08/2017   | Chemtech -SO |
|            | Solid  | I4736-08 | Percent Solids | Cool 4 deg C | LIRO01   | L11              | SB-10-COMP          | 08/08/2017   | Chemtech -SO |
|            | Solid  | I4736-09 | Percent Solids | Cool 4 deg C | LIRO01   | L11              | SB-36-5.5-6.0       | 08/10/2017   | Chemtech -SO |
|            | Solid  | I4736-10 | Percent Solids | Cool 4 deg C | LIRO01   | L11              | SB-36-COMP          | 08/10/2017   | Chemtech -SO |
|            | Solid  | I4736-11 | Percent Solids | Cool 4 deg C | LIRO01   | L11              | SB-35-4.5-5.0       | 08/10/2017   | Chemtech -SO |
|            | Solid  | I4736-12 | Percent Solids | Cool 4 deg C | LIRO01   | L11              | SB-35-COMP          | 08/10/2017   | Chemtech -SO |

Date/Time 08/10/17 7:40 PM

Received by: JO

Relinquished by: CP

Date/Time 08/10/17 5:25 PM

Received by: LP

Relinquished by: JO