



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB89534

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	I4799-01	AU-05-081417-A	1	100.03	0.00	08/16/2017	09:02
2	I4799-01DUP	AU-05-081417-ADUP	1	100.02	0.00	08/16/2017	09:15
3	I4799-04	AU-05-081417-B	1	100.04	0.00	08/16/2017	09:25
4	I4815-01	TR-05-081517-A	1	100.04	0.00	08/16/2017	09:34
5	I4815-04	TR-05-081517-B	1	100.04	0.00	08/16/2017	09:42
6	I4817-01	SU-03-081517	1	100.04	0.00	08/16/2017	09:50
7	I4825-01	TP-A-B-COMP	1	100.02	0.00	08/16/2017	10:02

WORKLIST(Hardcopy Internal Chain)

LB 89539

WorkList Name : PF81617

WorkList ID : 101941

Date : 8/16/2017 8:31:14 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/14/2017	Solid	I4799-01	Paint Filter	Cool 4 deg C	PSEG05	L52	AU-05-081417-A	08/14/2017	9095A
08/14/2017	Solid	I4799-04	Paint Filter	Cool 4 deg C	PSEG05	L52	AU-05-081417-B	08/14/2017	9095A
	Solid	I4815-01	Paint Filter	Cool 4 deg C	PSEG05	L52	TR-05-081517-A	08/15/2017	9095A
	Solid	I4815-04	Paint Filter	Cool 4 deg C	PSEG05	L52	TR-05-081517-B	08/15/2017	9095A
	Solid	I4817-01	Paint Filter	Cool 4 deg C	PSEG05	L53	SU-03-081517	08/15/2017	9095A
08/15/2017	Solid	I4825-01	Paint Filter	Cool 4 deg C	PSEG01	L62	TP-A-B-COMP	08/15/2017	9095A

Date/Time 08/16/17 8:40 AM
 Received by: KS
 Relinquished by: CP

Date/Time 08/16/17 10:10 AM
 Received by: CP
 Relinquished by: KS