



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: AMANDEEP

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB89559

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	I4844-01	OR-03-081617	1	100.01	0.00	08/17/2017	08:36
2	I4844-01DUP	OR-03-081617 DUP	1	100.02	0.00	08/17/2017	08:43
3	I4845-01	OK-03-81617	1	100.00	0.00	08/17/2017	08:50
4	I4847-01	PVSC-A-COMP	1	100.06	0.00	08/17/2017	08:57
5	I4847-06	PVSC-B-COMP	1	100.04	0.00	08/17/2017	09:04
6	I4849-01	CAPTAINSCOVE-WC-002	1	100.02	0.00	08/17/2017	09:10
7	I4852-01	VNJ-207	1	100.02	0.00	08/17/2017	09:17
8	I4852-04	VNJ-242	1	100.05	0.00	08/17/2017	09:20

689559

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF081717

WorkList ID : 102040

Date : 8/17/2017 7:52:28 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
08/16/2017	Solid	I4844-01	Paint Filter	Cool 4 deg C	PSEG05	N32	OR-03-081617	08/16/2017	9095A
08/16/2017	Solid	I4845-01	Paint Filter	Cool 4 deg C	PSEG05		OK-03-81617	08/16/2017	9095A
08/16/2017	Solid	I4847-01	Paint Filter	Cool 4 deg C	PSEG01	N31	PVSC-A-COMP	08/16/2017	9095A
08/16/2017	Solid	I4847-06	Paint Filter	Cool 4 deg C	PSEG01	N31	PVSC-B-COMP	08/16/2017	9095A
	Solid	I4849-01	Paint Filter	Cool 4 deg C	PREF02	M32	CAPTAINSCOVE-WC-002	08/15/2017	9095A
08/16/2017	Solid	I4852-01	Paint Filter	Cool 4 deg C	PSEG05	L11	VNJ-207	08/16/2017	9095A
08/16/2017	Solid	I4852-04	Paint Filter	Cool 4 deg C	PSEG05	L11	VNJ-242	08/16/2017	9095A

Date/Time 8/17/17 8:15
 Received by: AR
 Relinquished by: JP

Date/Time 8/17/17 10:50
 Received by: AR
 Relinquished by: AK