



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: AMANDEEP

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB89753

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	I4979-01	TP-1	1	100.01	0.00	08/28/2017	08:15
2	I4979-01DUP	TP-1DUP	1	100.02	0.00	08/28/2017	08:22
3	I4979-02	TP-2	1	100.03	0.00	08/28/2017	08:27
4	I4979-03	TP-3	1	100.00	0.00	08/28/2017	08:33
5	I4979-04	TP-4	1	100.05	0.00	08/28/2017	08:39
6	I4979-05	TP-5	1	100.01	0.00	08/28/2017	08:46
7	I4980-01	H26-WC1	1	100.05	0.00	08/28/2017	08:52
8	I4986-01	SU-01-82517	1	100.02	0.00	08/28/2017	08:59
9	I4988-01	FF1-COMP	1	100.00	0.00	08/28/2017	09:05
10	I4988-04	FF2-COMP	1	100.01	0.00	08/28/2017	09:11
11	I4988-07	FF3-COMP	1	100.06	0.00	08/28/2017	09:17
12	I4988-10	FF4-COMP	1	100.07	0.00	08/28/2017	09:23
13	I4988-13	FF5-COMP	1	100.01	0.00	08/28/2017	09:30
14	I4989-01	BERGEN-GEN-S1-COMP	1	100.03	0.00	08/28/2017	09:36
15	I4989-04	BERGEN-GEN-S2-COMP	1	100.05	0.00	08/28/2017	09:43
16	I4989-07	BERGEN-GEN-S3-COMP	1	100.04	0.00	08/28/2017	09:50
17	I4989-10	BERGEN-GEN-S4-COMP	1	100.01	0.00	08/28/2017	09:56
18	I4992-01	SECTION-1-STONES	1	100.05	0.00	08/28/2017	10:02
19	I4992-03	SECTION-2-STONES	1	100.02	0.00	08/28/2017	10:07
20	I4993-01	HR-05-082517	1	100.00	0.00	08/28/2017	10:13
21	I4994-01	EO-01-082517-A	1	100.00	0.00	08/28/2017	10:18
22	I4994-01DUP	EO-01-082517-ADUP	1	100.00	0.00	08/28/2017	10:25
23	I4994-04	EO-01-082517-B	1	100.03	0.00	08/28/2017	10:31
24	I4994-07	EO-01-082517-C	1	100.06	0.00	08/28/2017	10:37

6389753

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF82617

WorkList ID : 102323

Date : 8/26/2017 1:43:04 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Solid	I4979-01	Paint Filter	Cool 4 deg C	TECT01	O41	TP-1	08/24/2017	9095A
	Solid	I4979-02	Paint Filter	Cool 4 deg C	TECT01	O41	TP-2	08/24/2017	9095A
	Solid	I4979-03	Paint Filter	Cool 4 deg C	TECT01	O41	TP-3	08/24/2017	9095A
	Solid	I4979-04	Paint Filter	Cool 4 deg C	TECT01	O41	TP-4	08/24/2017	9095A
	Solid	I4979-05	Paint Filter	Cool 4 deg C	TECT01	O41	TP-5	08/24/2017	9095A
	Solid	I4980-01	Paint Filter	Cool 4 deg C	AREC01	O22	H26-WC1	08/23/2017	9095A
	Solid	I4986-01	Paint Filter	Cool 4 deg C	PSEG05	O53	SU-01-82517	08/25/2017	9095A
	Solid	I4988-01	Paint Filter	Cool 4 deg C	PSEG01	O52	FF1-COMP	08/25/2017	9095A
	Solid	I4988-04	Paint Filter	Cool 4 deg C	PSEG01	O52	FF2-COMP	08/25/2017	9095A
	Solid	I4988-07	Paint Filter	Cool 4 deg C	PSEG01	O52	FF3-COMP	08/25/2017	9095A
	Solid	I4988-10	Paint Filter	Cool 4 deg C	PSEG01	O52	FF4-COMP	08/25/2017	9095A
	Solid	I4988-13	Paint Filter	Cool 4 deg C	PSEG01	O52	FF5-COMP	08/25/2017	9095A
08/25/2017	Solid	I4989-01	Paint Filter	Cool 4 deg C	PSEG01	O51	BERGEN-GEN-S1-COMP	08/25/2017	9095A
08/25/2017	Solid	I4989-04	Paint Filter	Cool 4 deg C	PSEG01	O51	BERGEN-GEN-S2-COMP	08/25/2017	9095A
08/25/2017	Solid	I4989-07	Paint Filter	Cool 4 deg C	PSEG01	O51	BERGEN-GEN-S3-COMP	08/25/2017	9095A
08/25/2017	Solid	I4989-10	Paint Filter	Cool 4 deg C	PSEG01	O51	BERGEN-GEN-S4-COMP	08/25/2017	9095A
08/25/2017	Solid	I4992-01	Paint Filter	Cool 4 deg C	PSEG01	O52	SECTION-1-STONES	08/25/2017	9095A
08/25/2017	Solid	I4992-03	Paint Filter	Cool 4 deg C	PSEG01	O52	SECTION-2-STONES	08/25/2017	9095A
	Solid	I4993-01	Paint Filter	Cool 4 deg C	PSEG05	O53	HR-05-082517	08/25/2017	9095A
	Solid	I4994-01	Paint Filter	Cool 4 deg C	PSEG05	O52	EO-01-082517-A	08/25/2017	9095A
	Solid	I4994-04	Paint Filter	Cool 4 deg C	PSEG05	O52	EO-01-082517-B	08/25/2017	9095A

Date/Time	8/28/17 8:05	Date/Time	8/28/17 14:30
Received by:		Received by:	
Relinquished by:		Relinquished by:	

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF82617

WorkList ID : 102323

Date : 8/26/2017 1:43:04 PM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Solid	I4994-07	Paint Filter	Cool 4 deg C	PSEG05	O52	EO-01-082517-C	08/25/2017	9095A

Date/Time 8/28/17 8:05
 Received by: AK
 Relinquished by: AK

Date/Time 8/28/17 14:30
 Received by: AK
 Relinquished by: AK