



Analytical Summary Report

Analysis Method: 9095A

Reviewed By: ketankumar

Parameter: Paint Filter

Supervisor Review By: apatel

Run Number: LB90102

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	I5250-01	OK-01-091417	1	100.03	0.00	09/15/2017	10:45
2	I5250-01DUP	OK-01-091417DUP	1	100.04	0.00	09/15/2017	10:55
3	I5252-01	TP-1-COMP	1	100.02	0.00	09/15/2017	11:12

LB90102

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF91517

WorkList ID : 102937

Date : 9/15/2017 9:23:23 AM

Due Date	Matrix	Sample	Test	Preservative	Customer	Storage Location	Customer Sample	Collect Date	Method
	Solid	I5250-01	Paint Filter	Cool 4 deg C	PSEG05	E52	OK-01-091417	09/14/2017	9095A
	Solid	I5252-01	Paint Filter	Cool 4 deg C	PSEG01	E52	TP-1-COMP	09/14/2017	9095A

Date/Time 9/15/17 9:30 AM
Received by: KS
Relinquished by: KS

Date/Time 9/15/17 11:15 AM
Received by: KS
Relinquished by: KS