



PERCENT SOLID

Analyst Name: JIGNESH  
Date: 9/16/2017

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:10  
In Date: 09/15/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:30  
Out Date: 09/16/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M SC-1

QC: LB90110

| Lab ID   | Client Sample ID      | Dish# | Dish Wt(g)<br>(A) | Dish +<br>Sample Wt(g)<br>(B) | Dish + Dry<br>Sample Wt(g)<br>(C) | % Solid |
|----------|-----------------------|-------|-------------------|-------------------------------|-----------------------------------|---------|
| I5253-01 | FK-BPM-01-C7-C8-D7-D8 | 1     | 1.15              | 9.76                          | 9.21                              | 93.6    |
| I5253-02 | FK-BPM-01-C7-C8-D7-D8 | 2     | 1.13              | 9.97                          | 9.51                              | 94.8    |
| I5254-01 | FK-BPM-01-E5-E6-F5-F6 | 3     | 1.16              | 9.98                          | 9.34                              | 92.7    |
| I5254-02 | FK-BPM-01-E5-E6-F5-F6 | 4     | 1.12              | 9.58                          | 8.98                              | 92.9    |
| I5261-01 | 1708235765            | 5     | 1.00              | 2.00                          | 2.00                              | 100     |
| I5263-05 | SVOC-GPC-BLANK        | 6     | 1.00              | 2.00                          | 2.00                              | 100     |
| I5263-06 | PEST-GPC-BLANK        | 7     | 1.00              | 2.00                          | 2.00                              | 100     |
| I5263-07 | PEST-GPC-BLANK-SPIKE  | 8     | 1.00              | 2.00                          | 2.00                              | 100     |
| I5263-08 | PCB-GPC-BLANK         | 9     | 1.00              | 2.00                          | 2.00                              | 100     |
| I5263-09 | PCB-GPC-SPIKE         | 10    | 1.00              | 2.00                          | 2.00                              | 100     |
| I5263-10 | SVOC-GPC2-BLANK       | 11    | 1.00              | 2.00                          | 2.00                              | 100     |
| I5263-11 | PEST-GPC2-BLANK       | 12    | 1.00              | 2.00                          | 2.00                              | 100     |
| I5263-12 | PEST-GPC2-BLANK-SPIKE | 13    | 1.00              | 2.00                          | 2.00                              | 100     |
| I5263-13 | PCB-GPC2-BLANK        | 14    | 1.00              | 2.00                          | 2.00                              | 100     |
| I5263-14 | PCB-GPC2-BLANKSPIKE   | 15    | 1.00              | 2.00                          | 2.00                              | 100     |
| I5265-01 | TP-9D68               | 16    | 1.14              | 9.96                          | 8.73                              | 86.1    |
| I5265-02 | TP-4D46               | 17    | 1.18              | 9.64                          | 5.17                              | 47.2    |
| I5265-03 | TP-19D46              | 18    | 1.12              | 9.84                          | 8.66                              | 86.5    |
| I5265-04 | TP-18D810             | 19    | 1.12              | 9.96                          | 8.58                              | 84.4    |
| I5265-05 | TP-5D46               | 20    | 1.18              | 9.66                          | 4.91                              | 44      |
| I5265-06 | I5265-05MS            | 21    | 1.18              | 9.66                          | 4.91                              | 44      |
| I5265-07 | I5265-05MSD           | 22    | 1.18              | 9.66                          | 4.91                              | 44      |
| I5265-08 | TP-25D46              | 23    | 1.14              | 9.72                          | 3.65                              | 29.3    |
| I5265-09 | TP-15D68              | 24    | 1.17              | 9.9                           | 7.57                              | 73.3    |
| I5265-10 | TP-8D46               | 25    | 1.16              | 9.93                          | 7.88                              | 76.6    |
| I5265-11 | TP-17D68              | 26    | 1.17              | 9.97                          | 8.57                              | 84.1    |
| I5265-12 | TP-12D68              | 27    | 1.16              | 9.58                          | 7.96                              | 80.8    |
| I5265-13 | TP-3D46               | 28    | 1.13              | 9.64                          | 5.28                              | 48.8    |
| I5265-14 | TP-20D24              | 29    | 1.12              | 9.98                          | 8.66                              | 85.1    |
| I5265-15 | TP-27D02              | 30    | 1.16              | 9.77                          | 8.41                              | 84.2    |
| I5265-16 | TP-33D24              | 31    | 1.1               | 9.7                           | 8.04                              | 80.7    |
| I5265-17 | TP-34D46              | 32    | 1.16              | 9.94                          | 8.47                              | 83.3    |
| I5265-18 | TP-28D46              | 33    | 1.13              | 9.57                          | 4.53                              | 40.3    |
| I5265-19 | TP-30D68              | 34    | 1.14              | 9.97                          | 8.8                               | 86.7    |
| I5272-01 | NC-PC-1               | 35    | 1.00              | 2.00                          | 2.00                              | 100     |
| I5272-02 | NC-PC-2               | 36    | 1.00              | 2.00                          | 2.00                              | 100     |
| I5272-03 | NC-PC-3               | 37    | 1.00              | 2.00                          | 2.00                              | 100     |
| I5275-01 | LOD-SOIL-01-QT4-2017  | 38    | 1.00              | 2.00                          | 2.00                              | 100     |
| I5275-02 | LOQ-SOIL-02-QT4-2017  | 39    | 1.00              | 2.00                          | 2.00                              | 100     |



PERCENT SOLID

Analyst Name: JIGNESH  
Date: 9/16/2017

OVENTEMP IN Celsius(°C): 108  
Time IN: 17:10  
In Date: 09/15/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
OvenID: M Oven-1

OVENTEMP OUT Celsius(°C): 104  
Time OUT: 08:30  
Out Date: 09/16/201  
Weight Check 1.0g: 1.00 g  
Weight Check 10g: 10.00 g  
BalanceID: M SC-1

QC: LB90110

| <u>Lab ID</u> | <u>Client Sample ID</u> | <u>Dish#</u> | <u>Dish Wt(g)</u><br><u>(A)</u> | <u>Dish +</u><br><u>Sample Wt(g)</u><br><u>(B)</u> | <u>Dish + Dry</u><br><u>Sample Wt(g)</u><br><u>(C)</u> | <u>% Solid</u> |
|---------------|-------------------------|--------------|---------------------------------|----------------------------------------------------|--------------------------------------------------------|----------------|
| I5275-03      | LOD-SOIL-03-QT4-2017    | 40           | 1.00                            | 2.00                                               | 2.00                                                   | 100            |
| I5275-04      | LOQ-SOIL-04-QT4-2017    | 41           | 1.00                            | 2.00                                               | 2.00                                                   | 100            |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

1890110

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-091517

WorkList ID : 102920

Date : 9/15/2017 8:06:37 AM

| Due Date | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample       | Collect Date | Method       |
|----------|--------|----------|----------------|--------------|----------|------------------|-----------------------|--------------|--------------|
|          | Solid  | I5253-01 | Percent Solids | Cool 4 deg C | TULL02   | E51              | FK-BPM-01-C7-C8-D7-D8 | 09/15/2017   | Chemtech -SO |
|          | Solid  | I5253-02 | Percent Solids | Cool 4 deg C | TULL02   | E51              | FK-BPM-01-C7-C8-D7-D8 | 09/15/2017   | Chemtech -SO |
|          | Solid  | I5254-01 | Percent Solids | Cool 4 deg C | TULL02   | E51              | FK-BPM-01-E5-E6-F5-F6 | 09/15/2017   | Chemtech -SO |
|          | Solid  | I5254-02 | Percent Solids | Cool 4 deg C | TULL02   | E51              | FK-BPM-01-E5-E6-F5-F6 | 09/15/2017   | Chemtech -SO |
|          | Solid  | I5261-01 | Percent Solids | Cool 4 deg C | PHAR01   | E11              | 1708235765            | 09/14/2017   | Chemtech -SO |
|          | Solid  | I5263-05 | Percent Solids | Cool 4 deg C | CHEM02   | E32              | SVOC-GPC-BLANK        | 09/08/2017   | Chemtech -SO |
|          | Solid  | I5263-06 | Percent Solids | Cool 4 deg C | CHEM02   | E32              | PEST-GPC-BLANK        | 09/08/2017   | Chemtech -SO |
|          | Solid  | I5263-07 | Percent Solids | Cool 4 deg C | CHEM02   | E32              | PEST-GPC-BLANK-SPIKE  | 09/08/2017   | Chemtech -SO |
|          | Solid  | I5263-08 | Percent Solids | Cool 4 deg C | CHEM02   | E32              | PCB-GPC-BLANK         | 09/08/2017   | Chemtech -SO |
|          | Solid  | I5263-09 | Percent Solids | Cool 4 deg C | CHEM02   | E32              | PCB-GPC-SPIKE         | 09/08/2017   | Chemtech -SO |
|          | Solid  | I5263-10 | Percent Solids | Cool 4 deg C | CHEM02   | E32              | SVOC-GPC2-BLANK       | 09/08/2017   | Chemtech -SO |
|          | Solid  | I5263-11 | Percent Solids | Cool 4 deg C | CHEM02   | E32              | PEST-GPC2-BLANK       | 09/08/2017   | Chemtech -SO |
|          | Solid  | I5263-12 | Percent Solids | Cool 4 deg C | CHEM02   | E32              | PEST-GPC2-BLANK-SPIKE | 09/08/2017   | Chemtech -SO |
|          | Solid  | I5263-13 | Percent Solids | Cool 4 deg C | CHEM02   | E32              | PCB-GPC2-BLANK        | 09/08/2017   | Chemtech -SO |
|          | Solid  | I5263-14 | Percent Solids | Cool 4 deg C | CHEM02   | E32              | PCB-GPC2-BLANK-SPIKE  | 09/08/2017   | Chemtech -SO |
|          | Solid  | I5265-01 | Percent Solids | Cool 4 deg C | LABE01   | E11              | TP-9D68               | 09/07/2017   | Chemtech -SO |
|          | Solid  | I5265-02 | Percent Solids | Cool 4 deg C | LABE01   | E11              | TP-4D46               | 09/07/2017   | Chemtech -SO |
|          | Solid  | I5265-03 | Percent Solids | Cool 4 deg C | LABE01   | E11              | TP-19D46              | 09/08/2017   | Chemtech -SO |
|          | Solid  | I5265-04 | Percent Solids | Cool 4 deg C | LABE01   | E11              | TP-18D810             | 09/08/2017   | Chemtech -SO |
|          | Solid  | I5265-05 | Percent Solids | Cool 4 deg C | LABE01   | E11              | TP-5D46               | 09/09/2017   | Chemtech -SO |
|          | Solid  | I5265-06 | Percent Solids | Cool 4 deg C | LABE01   | E11              | I5265-05MS            | 09/09/2017   | Chemtech -SO |

Date/Time 09-15-17 11:00 AM  
 Received by: JA  
 Relinquished by: CS

Date/Time 09-15-17 5:00 PM  
 Received by: CS  
 Relinquished by: JP

# WORKLIST(Hardcopy Internal Chain)

1390110

WorkList Name : %1-091517

WorkList ID : 102920

Date : 9/15/2017 8:06:37 AM

| Due Date | Matrix | Sample   | Test           | Preservative | Customer | Storage Location | Customer Sample      | Collect Date | Method       |
|----------|--------|----------|----------------|--------------|----------|------------------|----------------------|--------------|--------------|
|          | Solid  | I5265-07 | Percent Solids | Cool 4 deg C | LABE01   | E11              | I5265-05MSD          | 09/09/2017   | Chemtech -SO |
|          | Solid  | I5265-08 | Percent Solids | Cool 4 deg C | LABE01   | E11              | TP-25D46             | 09/08/2017   | Chemtech -SO |
|          | Solid  | I5265-09 | Percent Solids | Cool 4 deg C | LABE01   | E11              | TP-15D68             | 09/08/2017   | Chemtech -SO |
|          | Solid  | I5265-10 | Percent Solids | Cool 4 deg C | LABE01   | E11              | TP-8D46              | 09/07/2017   | Chemtech -SO |
|          | Solid  | I5265-11 | Percent Solids | Cool 4 deg C | LABE01   | E11              | TP-17D68             | 09/08/2017   | Chemtech -SO |
|          | Solid  | I5265-12 | Percent Solids | Cool 4 deg C | LABE01   | E11              | TP-12D68             | 09/07/2017   | Chemtech -SO |
|          | Solid  | I5265-13 | Percent Solids | Cool 4 deg C | LABE01   | E11              | TP-3D46              | 09/07/2017   | Chemtech -SO |
|          | Solid  | I5265-14 | Percent Solids | Cool 4 deg C | LABE01   | E11              | TP-20D24             | 09/08/2017   | Chemtech -SO |
|          | Solid  | I5265-15 | Percent Solids | Cool 4 deg C | LABE01   | E11              | TP-27D02             | 09/11/2017   | Chemtech -SO |
|          | Solid  | I5265-16 | Percent Solids | Cool 4 deg C | LABE01   | E11              | TP-33D24             | 09/11/2017   | Chemtech -SO |
|          | Solid  | I5265-17 | Percent Solids | Cool 4 deg C | LABE01   | E11              | TP-34D46             | 09/11/2017   | Chemtech -SO |
|          | Solid  | I5265-18 | Percent Solids | Cool 4 deg C | LABE01   | E11              | TP-28D46             | 09/11/2017   | Chemtech -SO |
|          | Solid  | I5265-19 | Percent Solids | Cool 4 deg C | LABE01   | E11              | TP-30D68             | 09/11/2017   | Chemtech -SO |
|          | Solid  | I5272-01 | Percent Solids | Cool 4 deg C | WARR01   | E52              | NC-PC-1              | 09/14/2017   | Chemtech -SO |
|          | Solid  | I5272-02 | Percent Solids | Cool 4 deg C | WARR01   | E52              | NC-PC-2              | 09/14/2017   | Chemtech -SO |
|          | Solid  | I5272-03 | Percent Solids | Cool 4 deg C | WARR01   | E52              | NC-PC-3              | 09/14/2017   | Chemtech -SO |
|          | Solid  | I5275-01 | Percent Solids | Cool 4 deg C | CHEM02   | QA Office        | LOD-SOIL-01-QT4-2017 | 09/15/2017   | Chemtech -SO |
|          | Solid  | I5275-02 | Percent Solids | Cool 4 deg C | CHEM02   | QA Office        | LOQ-SOIL-02-QT4-2017 | 09/15/2017   | Chemtech -SO |
|          | Solid  | I5275-03 | Percent Solids | Cool 4 deg C | CHEM02   | QA Office        | LOD-SOIL-03-QT4-2017 | 09/15/2017   | Chemtech -SO |
|          | Solid  | I5275-04 | Percent Solids | Cool 4 deg C | CHEM02   | QA Office        | LOQ-SOIL-04-QT4-2017 | 09/15/2017   | Chemtech -SO |

Date/Time 09-15-17 6:00 PM  
 Received by: [Signature]  
 Relinquished by: [Signature]

Date/Time 09-13-17 5:00 PM  
 Received by: [Signature]  
 Relinquished by: [Signature]