

TitriSoft Report

Ident	Amount	DateTime	Alkalinity	Initial pH (sample)	offset	slope
LB90488BLW	100	02/10/2017 14:25	0.00	3.75	6.91	105
LB90488BSW	100	02/10/2017 14:34	49.68	8.30	6.91	105
I5469-01	50	02/10/2017 14:39	207.52	6.08	6.91	105
I5469-04	50	02/10/2017 14:54	145.20	7.10	6.91	105
I5469-05	50	02/10/2017 14:59	101.20	6.59	6.91	105
I5469-06	50	02/10/2017 15:03	100.40	6.76	6.91	105
I5469-07	50	02/10/2017 15:08	293.36	6.73	6.91	105
I5469-10	50	02/10/2017 15:23	215.76	8.72	6.91	105
I5469-10DUP	50	02/10/2017 15:30	217.52	8.49	6.91	105
I5469-11	50	02/10/2017 15:35	158.96	6.61	6.91	105
I5469-12	50	02/10/2017 15:45	160.56	6.77	6.91	105
I5469-13	100	02/10/2017 16:31	0.60	4.65	6.91	105
I5503-01	50	02/10/2017 15:53	294.88	6.70	6.91	105
I5503-02	50	02/10/2017 15:57	249.68	6.79	6.91	105
I5503-03	50	02/10/2017 16:03	211.76	6.67	6.91	105
I5503-04	50	02/10/2017 16:08	182.56	6.47	6.91	105
I5503-05	50	02/10/2017 16:13	203.44	6.83	6.91	105
I5503-06	50	02/10/2017 16:18	124.40	9.92	6.91	105

10/02/17 IB